



REPUBLIC
SERVICES

28470 Citrin Drive Romulus, MI 48174
o 734.946.1000 republicservices.com

June 29, 2021

Mr. Allan Batka
United States Environmental Protection Agency
Region 5 (WU-16J)
77 West Jackson Blvd.

Re: RIES Monthly Report

Dear Mr. Batka:

Republic Industrial and Energy Solutions, LLC (RIES) hereby submits the Ninetieth Monthly Report ("MR") in conformance with the requirements of its two EPA UIC permits (#s MI-163-1W-C010 & MI-163-1W-C011).


RIES is providing all the attached information in the same sequence as required by both subject permits, i.e. Part II. D.1 (a-i), Part III, Attachment A, and Part III, Attachment E.G.2 & E.I.

A short write up is placed in sections Well 1, and Well 2 to explain the missing circle charts for the month. RIES did not accept F039 waste in May of 2021 so analyses as stated on Page A-3 of 3 of RIES's EPA two UIC permits are not required to be submitted as part of this MR. External volumes of hazardous and non-hazardous waste were received for the first time into RIES this month, and the new approvals are supplied in the Waste Profiles section.

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my supervision and interaction with the persons who manage and operate the system, and those persons responsible for the collection of the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

We trust that you find this report satisfactory, however, if you have any questions or comments, please feel free to contact us.

Sincerely,



John K. Frost

cc: Rick Sauve (Republic Services)

AVERAGE INJECTION RATE

Calculation of Average Injection Rate

CURRENT REPORTING YEAR 2021CURRENT REPORTING MONTH MAY

Date (month, year) of the first injection into either well at the Citrin Road Facility

Nov 2013

CURRENT MONTH (all volumes in gallons)

	Injected Waste	Injected Non-Waste	Total injected
MI-163-1W-C010 , Well #1-12			
Current Month	1,831,719	0	1,831,719
Since facility first injected			30,619,090
MI-163-1W-C011, Well #2-12			
Current Month	1,711,387	0	1,711,387
Since facility first injected			11,497,455
		Lifetime Combined	42,116,545

Conversion factors

365.25 days per year ÷ 12 months per year = 30.4375 days per month

30.4375 days per month × 1440 minutes per day = 43,830 minutes per month

Calculations

Whole number of months of injection 89

_____ lifetime number of months of injection × 43,830 minutes/month

= 3,900,870 minutes of injectionLifetime combined injected volume 42,116,545 ÷ 3,900,870 minutes of injection= 10.7 gpm average injection rate

WELL 1 DATA



Well 01 Monthly Data

	Injection Pressure (psig)		Annulus Tank Level (in)		Annulus Pressure (psig)		Injection pH		Flow Rate (gpm)		Differential Pressure (psig)	
	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
5/1/21	116.1	904.2	37.4	37.6	426.0	1,394.7	6.7	7.9	40.8	85.9	309.2	1,328.8
5/2/21	104.9	135.5	37.4	37.5	930.4	979.6	6.7	7.9	0.0	0.0	814.1	857.9
5/3/21	106.2	860.0	37.4	37.5	926.3	1,356.0	5.7	7.3	43.5	92.5	430.4	858.7
5/4/21	843.1	889.6	37.3	37.5	1321.2	1,357.1	6.9	7.7	82.3	91.9	437.2	496.0
5/5/21	854.2	868.8	37.1	37.3	1327.7	1,361.5	7.1	7.8	79.0	88.3	463.9	1,358.7
5/6/21	215.3	886.5	37.1	37.2	1261.4	1,335.7	6.9	7.5	49.1	89.2	426.7	1,334.2
5/7/21	333.5	901.2	37.1	37.2	1157.4	1,320.2	2.2	7.3	50.0	87.5	345.2	1,299.7
5/8/21	148.3	900.3	37.2	37.3	917.9	1,288.1	4.1	8.8	59.3	88.8	367.3	781.3
5/9/21	131.2	148.3	37.1	37.3	897.7	917.9	6.3	7.7	0.0	0.0	766.8	769.6
5/10/21	128.7	885.8	37.1	37.3	894.0	1,238.7	6.3	7.6	44.1	89.1	338.5	768.1
5/11/21	158.4	905.9	37.3	37.4	914.6	1,253.6	6.0	7.6	40.1	85.6	317.7	756.1
5/12/21	818.9	900.8	37.4	37.5	1229.7	1,265.5	6.1	7.9	72.1	81.7	355.6	411.0
5/13/21	896.1	901.9	37.4	37.6	949.8	1,290.8	6.8	7.6	79.8	81.7	352.0	390.6
5/14/21	185.4	917.3	37.5	37.7	961.3	1,304.7	6.2	7.6	48.1	81.5	368.7	1,297.6
5/15/21	144.5	817.7	37.5	37.6	894.5	1,284.9	6.4	6.8	43.4	76.0	467.2	807.7
5/16/21	130.5	144.5	37.3	37.5	870.3	894.3	6.6	6.6	0.0	0.0	740.9	749.8
5/17/21	128.6	873.9	37.3	37.5	867.2	1,293.5	7.0	7.0	53.0	82.3	350.0	1,279.9
5/18/21	160.7	917.0	37.5	37.6	954.3	1,363.4	7.6	7.5	42.1	98.6	414.3	969.5
5/19/21	246.7	932.0	37.6	37.7	1045.1	1,378.4	7.4	7.8	40.7	81.0	427.6	808.1
5/20/21	608.8	932.0	37.7	37.8	1246.7	1,398.1	4.3	6.9	40.4	70.5	452.9	1,378.8
5/21/21	520.5	929.8	37.7	37.8	1193.8	1,414.0	4.1	6.8	40.4	79.1	452.3	671.7
5/22/21	173.9	930.1	36.7	37.8	853.4	1,412.2	4.4	7.0	42.0	81.7	336.5	711.1
5/23/21	159.5	173.3	36.9	37.6	862.9	884.1	5.2	6.5	0.0	0.0	703.1	710.7
5/24/21	157.2	718.3	36.5	36.9	859.0	1,305.4	7.0	7.1	41.2	83.0	490.2	865.8
5/25/21	156.3	813.1	36.3	36.5	991.4	1,380.3	6.7	6.9	40.1	86.4	545.3	887.5
5/26/21	791.0	905.2	36.3	36.4	1376.9	1,431.3	6.5	7.1	40.5	85.6	511.6	591.4
5/27/21	596.1	940.1	36.2	36.3	1263.2	1,427.1	6.7	7.3	40.4	83.3	454.7	666.1
5/28/21	403.4	959.1	35.9	36.2	1140.7	1,414.9	6.5	6.9	43.5	81.4	364.6	733.6
5/29/21	153.7	940.2	35.8	35.9	901.2	1,341.4	6.6	6.8	48.6	76.4	385.4	787.9
5/30/21	133.1	153.7	35.6	35.8	846.6	900.6	6.5	6.8	0.0	0.0	714.6	746.9
5/31/21	123.9	133.1	35.5	35.6	826.8	846.6	6.6	7.0	0.0	0.0	703.0	713.5

Circle Chart Index

Environmental Geo-Technologies, LLC 28470 Citrin Drive Romulus, MI 48174

Chart Recorder #1

Channel #1

Blue Pen - Well 1 Injection Pressure (chart value x 30)

Channel #2

Red Pen - Well 1 Annulus Pressure (chart value x 30)

Channel #3

Green Pen - Well 1 Flow Rate (chart value x 4)

Channel #4

Black Pen - Well 1 Annulus Tank Level (chart value x 0)

Chart Recorder #2

Channel #1

Blue Pen - Well 2 Injection Pressure (chart value x 30)

Channel #2

Red Pen - Well 2 Annulus Pressure (chart value x 30)

Channel #3

Green Pen - Well 2 Flow Rate (chart value x 4)

Channel #4

Black Pen - Well 2 Annulus Tank Level (chart value x 0)

Chart Recorder #3

Channel #1

Blue Pen - Injection pH Well 1 & 2 (chart value + 3.3)

Channel #2

Red Pen - Well 1 Monthly Volume (chart value x 100,000)

Channel #3

Green Pen - Well 2 Monthly Volume (chart value x 100,000)

Channel #4

Black Pen - Temperature (chart value x 0)

Circle Charts Well 1

Circle chart recorder #1 is now broken (unable to power up) and #3 is not properly recording because we are not had pens until the end of May into June. Both circle chart #1 and #2 are being replaced by Utilities Instrumentation Services. Continuous monitoring data is being recorded and backed up on a hard drive system. Upon request from the EPA the data can be accessed and provided for any reporting month. Otherwise, the data recorded every 10 seconds throughout the month would take 259,000 lines of data and more than 2,000 extra pages to be added to this report.

WELL 2 DATA



**REPUBLIC
SERVICES**

Well 02 Monthly Data

	Injection Pressure (psig)		Annulus Tank Level (in)		Annulus Pressure (psig)		Injection pH		Flow Rate (gpm)		Differential Pressure (psig)	
	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
5/1/21	151.1	915.7	36.3	36.5	1059.6	1,518.9	6.7	7.9	40.3	85.2	870.5	1,514.8
5/2/21	127.1	150.7	36.4	36.5	1,057.7	1,104.1	6.7	7.9	0.0	0.0	930.6	953.4
5/3/21	124.0	794.6	36.4	36.5	1,049.9	1,347.3	5.7	7.3	43.2	74.1	548.7	948.6
5/4/21	131.3	607.6	36.2	36.4	1,047.5	1,262.0	6.9	7.7	82.3	90.8	653.1	919.0
5/5/21	167.2	891.2	36.1	36.3	1,141.7	1,496.0	7.1	7.8	43.6	99.9	529.2	1,495.1
5/6/21	228.3	905.8	36.0	3.0	1,146.2	1,487.4	6.9	7.5	40.0	75.7	903.6	1,466.3
5/7/21	154.4	912.1	36.0	3.0	1,148.3	1,461.6	2.2	7.3	41.1	83.6	901.8	1,457.9
5/8/21	153.0	919.1	36.2	3.0	1,044.7	1,409.2	4.1	8.8	41.9	83.8	413.9	891.7
5/9/21	133.2	153.0	36.1	3.0	1,028.8	1,044.7	6.3	7.7	0.0	0.0	891.7	895.5
5/10/21	130.3	909.9	36.0	3.0	909.2	1,339.6	6.3	7.6	40.3	87.7	201.1	895.9
5/11/21	196.2	908.7	36.2	3.0	825.2	1,386.2	6.0	7.6	40.6	79.3	194.3	855.5
5/12/21	764.5	912.6	36.3	3.0	1,337.5	1,412.9	6.1	7.9	40.6	76.7	489.2	573.3
5/13/21	906.8	909.2	36.4	3.0	1,401.1	1,444.3	6.8	7.6	75.0	75.9	493.4	536.6
5/14/21	184.5	924.2	36.4	3.0	981.6	1,461.3	6.2	7.6	42.0	79.7	397.7	865.9
5/15/21	171.7	207.4	36.4	3.0	1,011.6	1,030.3	6.4	6.8	0.0	0.7	804.2	843.6
5/16/21	155.5	171.7	36.2	3.0	1,003.1	1,015.2	6.6	6.6	0.0	0.2	843.6	847.6
5/17/21	163.5	772.6	36.2	3.0	1,001.2	1,401.9	7.0	7.0	40.6	77.0	619.3	1,066.0
5/18/21	154.1	845.0	36.5	3.0	889.1	1,480.3	7.6	7.5	40.5	75.7	739.5	938.7
5/19/21	184.8	926.1	36.5	3.1	1,141.9	1,523.7	7.4	7.8	40.4	76.9	582.9	978.0
5/20/21	309.3	930.3	36.5	3.1	1,267.5	1,568.4	4.3	6.9	42.3	75.2	617.4	958.1
5/21/21	211.8	938.8	36.6	3.1	1,197.5	1,586.9	4.1	6.8	40.3	89.1	515.5	985.7
5/22/21	174.6	925.5	36.5	3.1	998.1	1,524.4	4.4	7.0	41.9	78.1	-618.9	1,417.4
5/23/21	158.9	173.8	36.4	3.0	1,004.0	1,017.3	5.2	6.5	0.0	0.0	843.5	845.4
5/24/21	156.5	817.7	36.3	3.0	1,001.2	1,519.3	7.0	7.1	68.2	79.8	631.7	1,005.5
5/25/21	151.4	848.2	36.4	3.1	1,065.7	1,555.6	6.7	6.9	45.2	79.8	584.9	1,020.6
5/26/21	239.9	933.6	36.6	3.1	1,292.3	1,649.3	6.5	7.1	41.9	83.0	675.5	1,066.5
5/27/21	496.0	941.4	36.5	3.0	1,381.0	1,595.9	6.7	7.3	40.3	71.5	621.3	885.3
5/28/21	737.5	948.6	36.2	3.0	1,431.0	1,587.6	6.5	6.9	41.9	71.5	531.7	717.7
5/29/21	166.4	941.8	36.2	3.0	1,057.6	1,517.4	6.6	6.8	40.3	61.3	541.8	944.1
5/30/21	133.7	156.4	36.1	3.0	992.7	1,057.6	6.5	6.8	0.0	0.0	859.0	901.2
5/31/21	123.9	133.7	36.0	3.0	968.0	992.7	6.6	7.0	0.0	0.0	844.1	859.0

Circle Chart Index

Environmental Geo-Technologies, LLC 28470 Citrin Drive Romulus, MI 48174

Chart Recorder #1

Channel #1

Blue Pen - Well 1 Injection Pressure (chart value x 30)

Channel #2

Red Pen – Well 1 Annulus Pressure (chart value x 30)

Channel #3

Green Pen – Well 1 Flow Rate (chart value x 4)

Channel #4

Black Pen – Well 1 Annulus Tank Level (chart value x 0)

Chart Recorder #2

Channel #1

Blue Pen – Well 2 Injection Pressure (chart value x 30)

Channel #2

Red Pen – Well 2 Annulus Pressure (chart value x 30)

Channel #3

Green Pen – Well 2 Flow Rate (chart value x 4)

Channel #4

Black Pen – Well 2 Annulus Tank Level (chart value x 0)

Chart Recorder #3

Channel #1

Blue Pen – Injection pH Well 1 & 2 (chart value + 3.3)

Channel #2

Red Pen – Well 1 Monthly Volume (chart value x 100,000)

Channel #3

Green Pen – Well 2 Monthly Volume (chart value x 100,000)

Channel #4

Black Pen – Temperature (chart value x 0)

Circle Charts Well 2

Circle chart recorder is no longer functional and is being evaluated for an updated replacement. Continuous monitoring data is being recorded and backed up on a hard drive system. Upon request from the EPA the data can be accessed and provided for any reporting month. Otherwise, it would take 259,000 lines of data and more than 2,000 extra pages to be added to this report.

CORROSION MONITORING

COOROSION MONITORING COUPONS VISUAL DESCRIPTION

May, 2021

Fiberglass Coupon

The coupon is dark orange (rust) in color with a semi-smooth texture on both sides. Its cut edges appear sanded. The coupon is free of cracks, pitting, swelling, blemishes, and corrosion. There is no obvious effect on this coupon since last month.

Hastelloy Coupon

This coupon is identified as C276 with Serial Number 5. The coupon is silver in color with a lightly sandblasted texture. It is clean and free of pits, cracks, and blemishes. There is no effect to this coupon.

Stainless Steel Coupon

No change to this coupon since last month. There has been no significant pumping on the wells and no significant exposure to hazardous waste since October 2018.

**CORROSION MONITORING PLAN
COUPON SUMMARY**

Date	Hastelloy (C267)	Stainless Steel (316L)	Fiberglass (Redbox)		
12/19/2013	13.330 g	10.848 g	7.309 g	Initial Mass @ start up	
2/21/2014	13.329 g	10.846 g	7.306 g		
3/10/2014	13.327 g	10.845 g	7.300 g		
4/18/2014	13.324 g	10.841 g	7.272 g		
5/30/2014	13.328 g	10.818 g	7.226 g		
6/30/2014	13.321 g	10.337 g	7.196 g		
7/11/2014	13.323 g	10.304 g	7.196 g		
8/12/2014	13.328 g	10.045 g	7.182 g		
9/17/2014	13.321 g	9.997 g	7.090 g		
10/30/2014	13.321 g	9.387 g	7.075 g		
11/21/2014	13.320 g	9.386 g	7.069 g		
12/19/2014	13.321 g	9.315 g	7.084 g		
1/12/2015	13.321 g	9.289 g	7.063 g		
2/23/2015	13.339 g	9.286 g	7.005 g		New hastelloy coupon
3/31/2015	13.339 g	9.286 g	7.005 g		
4/27/2015	13.335 g	9.130 g	6.852 g		
5/21/2015	13.336 g	9.124 g	6.809 g		
6/12/2015	13.334 g	9.126 g	6.819 g		
7/27/2015	13.337 g	9.127 g	6.818 g		
8/26/2015	13.337 g	9.022 g	6.780 g		
9/21/2015	13.336 g	8.987 g	6.792 g		
10/19/2015	13.335 g	8.985 g	6.797 g		
11/16/2015	13.334 g	8.982 g	6.788 g		
12/17/2015	13.334 g	8.933 g	6.791 g		
1/29/2016	13.334 g	8.931 g	6.788 g		
2/16/2016	13.332 g	8.799 g	6.757 g		
3/31/2016	13.339 g	9.286 g	7.005 g		
4/22/2016	13.333 g	8.590 g	6.744 g		
5/31/2016	13.334 g	6.084 g	6.784 g		
6/30/2016	13.328 g	10.942 g	6.793 g	New stainless steel coupon	
8/3/2016	13.326 g	10.529 g	6.743 g		
8/29/2016	13.325 g	10.020 g	6.723 g		
10/27/2016	13.325 g	8.765 g	6.708 g		
11/29/2016	13.327 g	8.571 g	6.740 g		
12/12/2016	13.323 g	8.223 g	6.717 g		
1/3/2017	13.325 g	8.059 g	6.712 g		
2/28/2017	13.324 g	7.634 g	6.727 g		
3/24/2017	13.325 g	7.370 g	6.732 g		
4/28/2017	13.325 g	6.736 g	6.736 g		
5/11/2017	13.323 g	7.352 g	6.689 g		
6/12/2017	13.323 g	7.357 g	6.689 g		
7/5/2017	13.323 g	7.355 g	6.689 g		
8/30/2017	13.324 g	7.353 g	18.105 g	New Fiberglass coupon	
9/28/2017	13.325 g	7.352 g	18.060 g		
10/11/2017	13.324 g	7.350 g	18.038 g		
11/16/2017	13.325 g	7.363 g	18.047 g		
12/12/2017	13.326 g	7.308 g	18.307 g		

CORROSION MONITORING PLAN
COUPON SUMMARY

Date	Hastelloy	Stainless Steel	Fiberglass		
1/29/2018	13.326 g	10.930 g	18.027 g	New stainless steel coupon	
2/9/2018	13.325 g	10.932 g	18.044 g		
3/19/2018	13.325 g	10.926 g	18.030 g		
4/16/2018	13.336 g	10.863 g	18.068 g		
5/17/2018	13.325 g	10.858 g	18.037 g		
6/20/2018	13.325 g	10.855 g	18.029 g		
7/12/2018	13.326 g	10.852 g	18.032 g		
8/21/2018	13.326 g	10.854 g	18.031 g		
9/14/2018	13.326 g	10.852 g	18.036 g		
10/10/2018	13.326 g	10.851 g	18.031 g		
11/20/2018	13.326 g	10.853 g	18.032 g		
12/11/2018	13.326 g	10.852 g	18.033 g		
1/14/2019	13.326 g	10.852 g	18.033 g		
2/20/2019	13.326 g	10.850 g	18.033 g		
3/15/2019	13.326 g	10.850 g	18.033 g		
4/10/2019	13.326 g	10.848 g	18.031 g		
5/17/2019	13.326 g	10.849 g	18.036 g		
6/5/2019	13.326 g	10.848 g	18.031 g		
7/8/2019	13.326 g	10.845 g	18.032 g		
8/12/2019	13.326 g	10.845 g	18.032 g		
9/8/2019	13.326 g	10.842 g	18.029 g		
10/17/2019	13.326 g	10.842 g	18.030 g		
11/20/2019	13.326 g	10.842 g	18.030 g		
12/11/2019	13.326 g	10.842 g	18.030 g		
1/16/2020	13.326 g	10.840 g	18.033 g		
2/6/2020	13.326 g	10.836 g	18.034 g		
3/3/2020	13.326 g	10.842 g	18.034 g		Well 1 workover new well
4/9/2020	13.328 g	10.839 g	18.037 g		
5/12/2020	13.322 g	10.830 g	18.035 g		
6/16/2020	13.316 g	10.771 g	18.009 g		
7/16/2020	13.308 g	10.560 g	17.843 g		
8/25/2020	13.310 g	10.214 g	17.773 g		
9/24/2020	13.289 g	9.796 g	17.656 g		
10/19/2020	13.282g	9.737g	17.621g		
11/5/2020	13.280g	9.728g	17.600g		
12/3/2020	13.281g	9.730g	17.689g		
1/2/2021	13.283g	9.730g	17.658g		
2/10/2021	13.284g	9.728g	17.683g		
3/9/2021	13.290g	9.733g	17.585g		
4/13/2021	13.288g	9.733g	17.649g		
5/18/2021	13.282g	9.691g	17.543g		

05/18/2021

02/07/16 5

11/11/16

05/18/2021

Serial: C1563 / 316L

9.691 g.

ate: 05/18/2021

aterial: Fiberglass

eight: 17.543 g.

CORROSION MONITORING COUPONS BASELINE VISUAL DESCRIPTION

November 4, 2013

Fiberglass

The fiberglass coupon is Red Box 2000 type and is 2-1/2 inches long by 1/2 inch wide and 1/4 inches thick. It is a dark orange (rust) in color with a glossy shine on one side a polished look on the opposite side and the cut edges look sanded.

Hastelloy

The hastelloy coupon is identified as C276 with serial number 1. The dimensions of the coupon are 3 inches long by 1/2 inch wide and 1/4 inch thick. The coupon is silver in color with a lightly sandblasted surface.

Stainless Steel

The stainless steel coupon is identified as 316L with serial number C1562. The dimensions of the coupon are 3 inches long by 1/2 inch wide and 1/4 inch thick. The coupon is silver in color with a lightly sandblasted surface.



AKRON RUBBER DEVELOPMENT LABORATORY, INC.

Progress Through Innovation, Technology and Customer Satisfaction

October 22, 2015

• TEST REPORT •

PN 125322

PO 00154

PLASTICS TESTING DEPARTMENT

Prepared For:

John Frost
Environmental Geo-Technologies, LLC
28470 Citrin Drive
Romulus, MI 48174

Prepared By:

Melissa Martin
Sr. Project Technician

Approved By:

Jim Drummond, Sr.
Physical & Plastic Testing, Manager



An A2LA ISO 17025 Accredited Testing Laboratory — Certificate Numbers 255.01 & 255.02
ISO 9001:2008 Registered

ISO 9001:2008
Registered

*Certificate Numbers 255.01 & 255.02

Letters and reports are for the exclusive use of the clients to whom they are addressed and shall not be reproduced, except in full, without the written permission of Akron Rubber Development Laboratory, Inc. (ARDL). The information contained herein applies to the specific material, products or processes tested or evaluated. No warranty of any kind is herein construed or implied. The liability of ARDL, Inc. shall be limited to the amount of consideration paid for services. ARDL, Inc. is ISO 17025 accredited by A2LA for the test methods listed on the attached scope.

www.ardl.com | 2887 Gilchrist Rd. | Akron, Ohio 44305 | answers@ardl.com | Toll Free (800) 830-ARDL
Fax (330) 794-6610 | Worldwide (330) 794-6600

October 22, 2015

John Frost
Environmental Geo-Technologies, LLC

Page 2 of 2
PN 125322

SUBJECT: Barcol Hardness on one material.

RECEIVED: One small section identified as; Fiberglass Coupon.

BARCOL HARDNESS ASTM D 2583-13a
Instant Reading

Results

Barcol Hardness, Instant


96

Prepared By:


Melissa Martin
Sr. Project Technician

tc

Approved By:


Scott W. Yates
Plastics Testing Assistant Manager

December 12, 2016

▪TEST REPORT▪


PN 132662
PO

PLASTICS TESTING DEPARTMENT

Prepared For:


John Frost
Environmental Geo-Technologies, LLC
28470 Citrin Drive
Romulus, MI 48174

Prepared By:


Melissa Martin
Senior Project Technician

Rev 041916

Approved By:


Jim Drummond
Physical Testing, Manager



An A2LA ISO 17025 Accredited Testing Laboratory — Certificate Numbers 255.01 & 255.02
ISO 9001:2008 Registered

ISO 9001:2008
Registered

Letters and reports are for the exclusive use of the clients to whom they are addressed and shall not be reproduced, except in full, without the written permission of Akron Rubber Development Laboratory, Inc. (ARDL). The information contained herein applies to the specific material, products or processes tested or evaluated. No warranty of any kind is herein construed or implied. The liability of ARDL, Inc. shall be limited to the amount of consideration paid for services. ARDL, Inc. is ISO 17025 accredited by A2LA for the test methods listed on the referenced certificates.



December 12, 2016

John Frost
Environmental Geo-Technologies, LLC

Page 2 of 2
PN 132662

SUBJECT: Barcol Hardness on one (1) material.

RECEIVED: One (1) small section identified as; Fiberglass Coupon.


BARCOL HARDNESS ASTM D 2583-13a
Instant Reading

RESULTS


Barcol Hardness, Instant

96

Prepared By:


Melissa Martin
Senior Project Technician

Approved By:


Scott Yates
Plastics Testing, Assistant Manager

wk

ARDL is ISO 17025 accredited by A2LA for the test methods listed on the certificates referenced on page one. NOTE: Non-ISO 17025 accredited test methods are designated with the ^ symbol to differentiate from ISO 17025 accredited methods in the body of the test report.



Progress Through Innovation, Technology and Customer Satisfaction

December 13, 2017

▪TEST REPORT▪

PN 139140


PO#

PLASTIC TESTING DEPARTMENT

Prepared For:

John Frost
Environmental Geo-Technologies, LLC
28470 Citrin Drive
Romulus, MI 48174

Prepared By:


Melissa Martin
Sr Project Technician

Approved By:


Jim Drummond
Rubber & Plastic Testing, Manager

Rev 041916



An A2LA ISO 17025 Accredited Testing Laboratory — Certificate Numbers 255.01 & 255.02
ISO 9001:2008 Registered

ISO 9001:2008
Registered

Letters and reports are for the exclusive use of the clients to whom they are addressed and shall not be reproduced, except in full, without the written permission of Akron Rubber Development Laboratory, Inc. (ARDL). The information contained herein applies to the specific material, products or processes tested or evaluated. No warranty of any kind is herein construed or implied. The liability of ARDL, Inc. shall be limited to the amount of consideration paid for services. ARDL, Inc. is ISO 17025 accredited by A2LA for the test methods listed on the referenced certificates.

December 13, 2017

John Frost
Environmental Geo-Technologies, LLC

Page 2 of 2
PN 139140

SUBJECT: Barcol Hardness on one material.

RECEIVED: One small section identified as; Fiberglass Coupon.

BARCOL HARDNESS ASTM D 2583-13a


Instant Reading

Results


Barcol Hardness, Instant

96

Prepared By:


Melissa Martin
Sr Project Technician

Approved By:


Scott Yates
Plastics Testing, Assistant Manager

sc

ARDL is ISO 17025 accredited by A2LA for the test methods listed on the certificates referenced on page one. NOTE: Non-ISO 17025 accredited test methods are designated with the ^ symbol to differentiate from ISO 17025 accredited methods in the body of the test report.

GHESQUIERE PLASTIC TESTING, INC.

20450 HARPER AVENUE
HARPER WOODS, MI 48225
PHONE (313) 885-3535
FAX (313) 885-1771

Report Date: November 15, 2013
Test Date: October 15 - November 14, 2013

Report #1310-77651
Performed for:
Environmental Geo-Technologies
28470 Citrin Drive
Romulus, MI 48174

Attention: Mr. Don Anderson

WORK REQUESTED:

Perform Barcol Hardness test on sample submitted.

DESCRIPTION OF SAMPLE:

Sample submitted was identified as a fiberglass test coupon.

(P. O. #Credit Card).

WORK PERFORMED:

Test specimen was prepared as necessary and conditioned for a minimum of 24 hours at standard laboratory conditions prior to testing.

Barcol Hardness test was performed in accordance with the procedures of ASTM D2583-13. One specimen was tested.

RESULTS:


The following determination was made based upon the above test:

BARCOL HARDNESS

	<u>Hardness</u>
Specimen 1	90

Specimen is being returned with this report for further evaluation.

GHESQUIERE PLASTIC TESTING, INC.


M. W. Ghesquiere
President

MWG/kni

Ghesquiere Plastic Testing, Inc.

20450 HARPER AVENUE
HARPER WOODS, MI 48225
PHONE (313) 885-3535
FAX (313) 885-1771

Report Date: February 17, 2014
Test Date: February 14 - 17, 2014

Report #1402-78036
Performed for:
Environmental Geo-Technologies
28470 Citrin Drive
Romulus, MI 48174

Attention: Mr. Don Anderson

WORK REQUESTED:

Perform Barcol Hardness test on sample submitted.

DESCRIPTION OF SAMPLE:

Sample submitted was identified as a fiberglass test coupon.
(P. O. #Credit Card).

WORK PERFORMED:

Test specimen was prepared as necessary and conditioned for a minimum of 24 hours at standard laboratory conditions prior to testing.

Barcol Hardness test was performed in accordance with the procedures of ASTM D2583-13. One specimen was tested.

RESULTS:

The following determination was made based upon the above test:

BARCOL HARDNESS

Hardness

Specimen 1: 90

Specimen was returned to the client on February 17, 2014.

Ghesquiere Plastic Testing, Inc.

M. W. Ghesquiere
President

MWG/dm

Ghesquiere Plastic Testing, Inc.

20450 HARPER AVENUE
HARPER WOODS, MI 48225
PHONE (313) 885-3535
FAX (313) 885-1771

Report Date: June 16, 2014
Test Date: June 13 - 16, 2014

Report #1406-78499
Performed for:
Environmental Geo-Technologies, LLC
28470 Citrin Drive
Romulus, MI 48174

Attention: Mr. Don Anderson

WORK REQUESTED:

Perform Barcol Hardness test on sample submitted.

DESCRIPTION OF SAMPLE:

Sample submitted was identified as a fiberglass test coupon.
(P. O. #Credit Card).

WORK PERFORMED:

Test specimen was prepared as necessary and conditioned for a minimum of 24 hours at standard laboratory conditions prior to testing.

Barcol Hardness test was performed in accordance with the procedures of ASTM D2583-13. One specimen was tested.

RESULTS:


The following determination was made based upon the above test:

BARCOL HARDNESS

	<u>Hardness</u>
Specimen 1	85

Specimen was returned to the client June 16, 2014.

Ghesquiere Plastic Testing, Inc.


M. W. Ghesquiere
President

MWG/dm

October 2, 2014

- TEST REPORT -

PN 118325


PO Attn: John Frost

PLASTICS TESTING DEPARTMENT


Prepared For:

John Frost
Environmental Geo-Technologies, LLC
28470 Citrin Drive
Romulus, MI 48174

Prepared By:


Melissa Martin
Sr. Project Technician

Approved By:


Jim Drummond
Physical & Plastics Testing, Manager



An A2LA ISO 17025 Accredited Testing Laboratory — Certificate Numbers 255.01 & 255.02
ISO 9001:2008 Registered

ISO 9001:2008
Registered

Letters and reports are for the exclusive use of the clients to whom they are addressed and shall not be reproduced, except in full, without the written permission of Akron Rubber Development Laboratory, Inc. (ARDL). The information contained herein applies to the specific material, products or processes tested or evaluated. No warranty of any kind is herein construed or implied. The liability of ARDL, Inc. shall be limited to the amount of consideration paid for services. ARDL, Inc. is ISO 17025 accredited by A2LA for the test methods listed on the attached scope.

www.ardl.com

2887 Gilchrist Rd. | Akron, Ohio 44305 | answers@ardl.com
Toll Free (800) 830-ARDL | Worldwide (330) 794-6600 | Fax (330) 794-6610

October 2, 2014

John Frost
Environmental Geo-Technologies, LLC

Page 2 of 2
PN118325

SUBJECT: Barcol Hardness on one material.
PO# Attn; John Frost

RECEIVED: One small section identified as; Fiberglass Coupon.

BARCOL HARDNESS ASTM D 2583-13a

Results

Barcol Hardness, Instant

97


Prepared By:



Melisse Martin
Sr. Project Technician

st

Approved By:



Scott W. Yates
Plastics Testing Assistant Manager

www.ardl.com

2887 Gilchrist Rd. | Akron, Ohio 44305 | answers@ardl.com
Toll Free (800) 830-ARDL | Worldwide (330) 794-6600 | Fax (330) 794-6610

BARCOL HARDNESS REPORT


Customer: Republic Industrial and Energy Solutions, LLC

Component Tested: Test Coupon

PO Number: 9575553 **Job Number:** 3415

Calibration: **Disc:** 43 - 48 **Actual Reading:** 45

Barcol Readings	1	2	3	Average
Side One:	62	63	58	61
Side Two:	58	60	57	58
	Overall Average:			60

Tested By: 
(signature)

Gary Nicholson
(print or type name)

Date: 01/12/2021

MAINTENANCE

UIC Monthly Maintenance Log

			No Maintenance
--	--	--	----------------

INJECTION FINGERPRINTS

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	05/01/21
Receiving ID#	105012101
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.T.
Sampled by	TL

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.97
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	66.7
Conductivity	376ms
% Solids	3.79
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.T.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-1-21
Receiving ID#	105012102
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.F.
Sampled by	J.F.

LAB INFORMATION	
Compatible? (RT#)	Y
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.77
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.7
Conductivity	39.1 mS
% Solids	2.12
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.F.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5.1.21
Receiving ID#	Z05012103
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.T.
Sampled by	

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.72
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.6
Conductivity	40.7ms
% Solids	0.97
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.T.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-3-21
Receiving ID#	IoSc32101
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.H.
Sampled by	J.E.

LAB INFORMATION	
Compatible? (RT#)	✓
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.85
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.1
Conductivity	40.7ms
% Solids	1.56
Turbidity	Yes No
Color	
TSS (%)	40.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.E.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	05-03-21
Receiving ID#	T05032102
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	(Signature)
Sampled by	(Signature)

LAB INFORMATION	
Compatible? (RT#)	X
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.95
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.2
Conductivity	40.5 mS
% Solids	2.01
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	(Signature)

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-3-21
Receiving ID#	IOS032103
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.H.
Sampled by	J.H.

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	
pH (S.U.)	6.95
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.1
Conductivity	356 μ S
% Solids	1.19
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-3-21
Receiving ID#	205032104
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.J.
Sampled by	DM

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.73
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.8
Conductivity	37.1
% Solids	2.65
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.J.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-3-21
Receiving ID#	E05032105
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.T.
Sampled by	D.

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>145
pH (S.U.)	6.84
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.0
Conductivity	11.4 mS
% Solids	2.49
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-4-21
Receiving ID#	205042161
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.H.
Sampled by	Dg

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 100
pH (S.U.)	6.88
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.9
Conductivity	35.0 us
% Solids	2.5
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-4-21
Receiving ID#	I 05042101
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.M.
Sampled by	NS

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.81
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.9
Conductivity	37.9 mS
% Solids	2.55
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.M.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	05/04-2021
Receiving ID#	I05042102
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	JT
Sampled by	BB


LAB INFORMATION	
Compatible? (RT#)	Y
PCBs (ppm) (Oily Waste Only)?	Y
TOC ppm (CC Waste Only)?	
Flash Point (F)	>14
pH (S.U.)	6.81
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.2
Conductivity	37.4mg
% Solids	2.50
Turbidity	Yes No
Color	
TSS (%)	20.1
Radiation Screen (as needed)	
Lab Signature/Initials	JT

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-4-21
Receiving ID#	Z05042104
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.H.
Sampled by	GW

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.78
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.7
Conductivity	38.0 μ S
% Solids	1.52
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-4-21
Receiving ID#	105042105
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.T.
Sampled by	

LAB INFORMATION	
Compatible? (RT#)	Y
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.75
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.9
Conductivity	383.5
% Solids	2.31
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.T.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5.4.21
Receiving ID#	IOS042106
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	(J.T.)
Sampled by	AW

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.74
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.9
Conductivity	32.7ms
% Solids	2.43
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	(J.T.)

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5.4.21
Receiving ID#	IOS042107
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.A
Sampled by	AW

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.75
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68
Conductivity	37.8ms
% Solids	2.55
Turbidity	Yes No
Color	
TSS (%)	2.0
Radiation Screen (as needed)	
Lab Signature/Initials	J.A

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	05.04.21
Receiving ID#	Z05042108
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.H
Sampled by	AW

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.67
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.2
Conductivity	37.4 μ S
% Solids	2.77
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	05/05-2021
Receiving ID#	I05052101
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	
Sampled by	BB

LAB INFORMATION	
Compatible? (RT#)	Y
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.72
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.0
Conductivity	38.1 mS
% Solids	2.49
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-5-21
Receiving ID#	I05652162
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.H.
Sampled by	D.

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.73
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.1
Conductivity	38.2 μ S
% Solids	2.50
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-5-21
Receiving ID#	I65052103
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.T.
Sampled by	Wg

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.75
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.5
Conductivity	39.3ms
% Solids	2.58
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.T.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-5-21
Receiving ID#	FG5052104
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.H.
Sampled by	J.H.

LAB INFORMATION	
Compatible? (RT#)	Y
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	7.80
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.4
Conductivity	38.805
% Solids	2.51
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-5-21
Receiving ID#	105052105
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.T.
Sampled by	J.T.

LAB INFORMATION	
Compatible? (RT#)	Y
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	214
pH (S.U.)	6.7
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.6
Conductivity	37.2mS
% Solids	2.26
Turbidity	Yes No
Color	
TSS (%)	50.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.T.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5.5.21
Receiving ID#	IOS052106
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.T.
Sampled by	AW

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.72
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.0
Conductivity	37.65
% Solids	2.44
Turbidity	Yes No
Color	
TSS (%)	50.1
Radiation Screen (as needed)	
Lab Signature/Initials	JA

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5.5.21
Receiving ID#	205052107
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.T.
Sampled by	AW

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.80
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.3
Conductivity	38.1 mS
% Solids	2.42
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.T.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-6-21
Receiving ID#	I05062101
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.T.
Sampled by	D.J.

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	140
pH (S.U.)	6.86
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	66.4
Conductivity	38.2ms
% Solids	2.44
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.T.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-6-21
Receiving ID#	I05062102
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.T.
Sampled by	WJ

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.9
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	66.2
Conductivity	38.8mS
% Solids	2.87
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.T.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-6-21
Receiving ID#	F05062103
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.71
Sampled by	J.71

LAB INFORMATION	
Compatible? (RT#)	X
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.68
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.3
Conductivity	37.9 mS
% Solids	2.14
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.71

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	105062104
Receiving ID#	5-6-21
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	JH
Sampled by	JH

LAB INFORMATION	
Compatible? (RT#)	X
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.64
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.4
Conductivity	37.6mS
% Solids	2.16
Turbidity	Yes No
Color	
TSS (%)	2.6
Radiation Screen (as needed)	
Lab Signature/Initials	JH

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5/6/21
Receiving ID#	L25062105
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	JH
Sampled by	TL

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.67
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.9
Conductivity	36.2 mS
% Solids	1.88
Turbidity	Yes No
Color	
TSS (%)	<5
Radiation Screen (as needed)	
Lab Signature/Initials	JH

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5/6/21
Receiving ID#	LOS062106
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	S.T.
Sampled by	TL

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.64
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.7
Conductivity	35.9ms
% Solids	2.1
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5.6.21
Receiving ID#	I05062107
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	JH
Sampled by	AW

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.74
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.9
Conductivity	36.8 mS
% Solids	2.15
Turbidity	Yes No
Color	
TSS (%)	5.5
Radiation Screen (as needed)	
Lab Signature/Initials	JH

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-7-21
Receiving ID#	I05672161
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.T.
Sampled by	D.J.

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.71
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.0
Conductivity	36.9 mg
% Solids	2.48
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.T.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	05/07-2021
Receiving ID#	I05072102
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.H
Sampled by	BB

LAB INFORMATION	
Compatible? (RT#)	✓
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.59
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.1
Conductivity	20.7 mS
% Solids	2.01
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	05/07-2021
Receiving ID#	I05072103
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.H
Sampled by	BB

LAB INFORMATION	
Compatible? (RT#)	Y
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.61
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.6
Conductivity	19.0ms
% Solids	2.18
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-7-21
Receiving ID#	IOS072104
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	JH
Sampled by	JH

LAB INFORMATION	
Compatible? (RT#)	Y
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 146
pH (S.U.)	6.63
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.4
Conductivity	37.3 mS
% Solids	2.24
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	JH

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-7-21
Receiving ID#	IC5072105
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.H.
Sampled by	

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.68
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	65.1
Conductivity	36.9
% Solids	2.10
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5.7.21
Receiving ID#	IOS072106 SST-1
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.M.
Sampled by	AW

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.74
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.7
Conductivity	35.9ms
% Solids	2.21
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.M.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5.7.21
Receiving ID#	I05072106
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.H.
Sampled by	AW

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.44
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.01
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.8
Conductivity	1153 mS
% Solids	0.75
Turbidity	Yes No
Color	
TSS (%)	<6.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	05/07/21
Receiving ID#	L95072107 well #
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.H.
Sampled by	TL

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.42
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.6
Conductivity	34.8 μ S
% Solids	1.98
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	05/07/21
Receiving ID#	105072107 well 2
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.T.
Sampled by	TZ

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.49
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	66.8
Conductivity	35.1 mS
% Solids	2.40
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.T.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	S-7-21
Receiving ID#	105072108
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.J.
Sampled by	AW

SST-1

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.91
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	66A
Conductivity	35.7 us
% Solids	2.12
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.J.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5.7.21
Receiving ID#	I08072108
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.H.
Sampled by	AW

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	10.5
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	66.7
Conductivity	32.2 mS
% Solids	2.60
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-8-21
Receiving ID#	T05082101
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.H.
Sampled by	D.J.

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.63
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	66.8
Conductivity	34.1ms
% Solids	2.18
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	05/08-2021
Receiving ID#	I05082102
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.H.
Sampled by	B.B.

SST 1

LAB INFORMATION	
Compatible? (RT#)	Y
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.74
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	69.8
Conductivity	36.3 mS
% Solids	2.23
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	05/08-2021
Receiving ID#	E050821 02
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.H
Sampled by	BB

SST 2

LAB INFORMATION	
Compatible? (RT#)	✓
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	J.H 6.74 5.63
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	70.0
Conductivity	39.3mS
% Solids	2.57
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	05/08-2021
Receiving ID#	F050821 03
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.H.
Sampled by	BB

LAB INFORMATION	
Compatible? (RT#)	Y
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.81
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	69.6
Conductivity	J.H. 39 37.2
% Solids	2.23
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-10-21
Receiving ID#	IOS102101
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	JST
Sampled by	JST

LAB INFORMATION	
Compatible? (RT#)	X
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.81
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.4
Conductivity	37.2 us
% Solids	2.33
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	JST

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-10-21
Receiving ID#	F05102102
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	JH
Sampled by	JH

LAB INFORMATION	
Compatible? (RT#)	X
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.75
Cyanides? (mg/L)	
Sulfides? (ppm)?	< 200
Specific Gravity	1.02
Physical Description	1.9 qt
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	63.6
Conductivity	35.8 mS
% Solids	2.07
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	JH

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5.10.21
Receiving ID#	IOS1021 03
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.T.
Sampled by	AW

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	8.22
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	66.7
Conductivity	34.8mS
% Solids	2.19
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.T.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	S-10-21
Receiving ID#	20510 2104
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.H.
Sampled by	AW

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.79
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	66.3
Conductivity	36.6 mS
% Solids	2.18
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-11-21
Receiving ID#	I05112101
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.H.
Sampled by	Dg

Well #1

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.79
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.0
Conductivity	37.6ms
% Solids	<0.1
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5/11/21
Receiving ID#	305112101
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.J.
Sampled by	

well #2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	7.16
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.01
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.0
Conductivity	3.29ms
% Solids	<0.1
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	3-11-21
Receiving ID#	BI05112102
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	JH
Sampled by	Qg

SST-2 Wal) #1 ; 2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.77
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.9
Conductivity	36.5 mS
% Solids	1.83
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	JH

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-11-21
Receiving ID#	105112103
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.T.
Sampled by	

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.84
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.0
Conductivity	36.0
% Solids	0.28
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.T.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-11-21
Receiving ID#	205112104
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	
Sampled by	<i>[Signature]</i>

LAB INFORMATION	
Compatible? (RT#)	Y
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.87
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.5
Conductivity	36.4 mS
% Solids	2.20
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	05-11-21
Receiving ID#	IOS112105
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.H.
Sampled by	AW

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.72
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.7
Conductivity	36.9 mS
% Solids	2.1
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-12-21
Receiving ID#	I05122101
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.H.
Sampled by	Dg

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 148
pH (S.U.)	7.03
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.0
Conductivity	38.0mS
% Solids	2.33
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	05/12-2021
Receiving ID#	I05122102
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.T
Sampled by	BB

LAB INFORMATION	
Compatible? (RT#)	Y
PCBs (ppm) (Oily Waste Only)?	Y
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.79
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.2
Conductivity	38.3ms
% Solids	2.40
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.T

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-12-21
Receiving ID#	105122103
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.T.
Sampled by	Dg

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.80
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.9
Conductivity	38.7ms
% Solids	1.94
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-12-21
Receiving ID#	IOS122104
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	JTL
Sampled by	JTL

LAB INFORMATION	
Compatible? (RT#)	Y
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.67
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.3
Conductivity	37.7mS
% Solids	2.42
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	JTL

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	05/13-2021
Receiving ID#	I051321 03
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	
Sampled by	BB

LAB INFORMATION	
Compatible? (RT#)	Y
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.85
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	62.4
Conductivity	37.2 ns
% Solids	2.27
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J, A

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-12-21
Receiving ID#	IOS122105
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	
Sampled by	<i>[Signature]</i>

LAB INFORMATION	
Compatible? (RT#)	X
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.70
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.8
Conductivity	37.4 mS
% Solids	2.30
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	S.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	05-12-21
Receiving ID#	IOS 12 2106
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.A.
Sampled by	AW

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 148
pH (S.U.)	6.91
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	66.0
Conductivity	36.8 mS
% Solids	2.15
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.A.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5.12.21
Receiving ID#	IOS122107
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.H.
Sampled by	AW

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.86
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	65.7
Conductivity	36.8mS
% Solids	2.14
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-13-21
Receiving ID#	I05132101
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.T.
Sampled by	Dg

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.76
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.4
Conductivity	37.0 ug
% Solids	2.26
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-13-21
Receiving ID#	I05132102
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	
Sampled by	Dg

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.95
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	66.1
Conductivity	37.4 mS
% Solids	2.11
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	4-12-21
Receiving ID#	T09122101
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	
Sampled by	<i>[Signature]</i>

LAB INFORMATION	
Compatible? (RT#)	5 X
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	
pH (S.U.)	
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	
Conductivity	
% Solids	
Turbidity	Yes No
Color	
TSS (%)	
Radiation Screen (as needed)	_____
Lab Signature/Initials	_____

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-13-21
Receiving ID#	IO5132104
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.H.
Sampled by	J.H.

LAB INFORMATION	
Compatible? (RT#)	Y
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.88
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.2
Conductivity	36.6ms
% Solids	0.67
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-13-21
Receiving ID#	LD5132105
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.H.
Sampled by	J.F.

LAB INFORMATION	
Compatible? (RT#)	X
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.87
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.1
Conductivity	360.5
% Solids	1.92
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	S. 13. 21
Receiving ID#	205132106
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	
Sampled by	AW

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	7140
pH (S.U.)	6.81
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	69.4
Conductivity	319.3 mS
% Solids	2.16
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.W.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-13-21
Receiving ID#	205132107
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.T.
Sampled by	AW

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.86
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.8
Conductivity	35.1 μ S
% Solids	1.92
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.T.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-14-21
Receiving ID#	I05142101
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.H.
Sampled by	DJ

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.87
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.3
Conductivity	36.8 mS
% Solids	1.89
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	05/14-2021
Receiving ID#	I05142102
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.T.
Sampled by	BB

LAB INFORMATION	
Compatible? (RT#)	Y
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.80
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.4
Conductivity	36.9mS
% Solids	2.05
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-14-21
Receiving ID#	I05142103
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.T.
Sampled by	D.G.

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.79
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.9
Conductivity	37.4 mS
% Solids	2.00
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.T.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-14-21
Receiving ID#	IOS142104
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.H.
Sampled by	J.H.

LAB INFORMATION	
Compatible? (RT#)	X
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.73
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.7
Conductivity	37.4 mS
% Solids	2.12
Turbidity	J.H. <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Color	Brown Colorless-Opaque
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

Turbidity - Yes

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-14-21
Receiving ID#	IOS142105
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.T.
Sampled by	J.T.

LAB INFORMATION	
Compatible? (RT#)	Y
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	(6.8)
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	69.5
Conductivity	36.2ms
% Solids	2.18
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.T.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	05/15-2021
Receiving ID#	I051521 01
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.A.
Sampled by	BB

LAB INFORMATION	
Compatible? (RT#)	Y
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.92
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.3
Conductivity	35.7 mg
% Solids	2.13
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.A.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	05/15-2024
Receiving ID#	I051521 02
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	G.T.
Sampled by	BB

LAB INFORMATION	
Compatible? (RT#)	Y
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.80
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	69.4ms
Conductivity	
% Solids	1.88
Turbidity	Yes No
Color	
TSS (%)	50.1
Radiation Screen (as needed)	
Lab Signature/Initials	G.T.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	105172101
Receiving ID#	5-17-21
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>[Signature]</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.82
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	69.3
Conductivity	39.5ms
% Solids	2.27
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-14-21
Receiving ID#	I05142106
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.J
Sampled by	ALW


LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.74
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.0
Conductivity	38.7ms
% Solids	2.29
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.J

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-17-21
Receiving ID#	IOS172102
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.T.
Sampled by	J

LAB INFORMATION	
Compatible? (RT#)	Y
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.75
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	70.4
Conductivity	354 mS
% Solids	2.04
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-17-21
Receiving ID#	IOS172103
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.H.
Sampled by	

LAB INFORMATION	
Compatible? (RT#)	Y
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.75
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	69.8
Conductivity	35.5 uS
% Solids	2.00
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-17-21
Receiving ID#	IOS172104
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.T.
Sampled by	

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	140
pH (S.U.)	5.71 7.74 6.77
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	69.5
Conductivity	36.0
% Solids	1.69
Turbidity	(Yes) No
Color	Brown
TSS (%)	<0-1
Radiation Screen (as needed)	
Lab Signature/Initials	J.T.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	05/17-2021
Receiving ID#	I05172105
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.H.
Sampled by	BB

LAB INFORMATION	
Compatible? (RT#)	✓
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.75
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	69.5
Conductivity	37.2 μ S
% Solids	2.16
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-18-21
Receiving ID#	205182101
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.H.
Sampled by	Wg

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.81
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.4
Conductivity	369 μ S
% Solids	2.08
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	05/18-2021
Receiving ID#	I05182102
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.H.
Sampled by	BB

LAB INFORMATION	
Compatible? (RT#)	✓
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	214
pH (S.U.)	6.71
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	69.1
Conductivity	37.3 μ S
% Solids	1.82
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-18-21
Receiving ID#	I-05182103
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.H.
Sampled by	

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.75
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	710
Conductivity	37.9ms
% Solids	2.1
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-18-21
Receiving ID#	IOS182104
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.H.
Sampled by	AW

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.93
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	69.8
Conductivity	37.8
% Solids	2.07
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-18-21
Receiving ID#	IOS182105
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.H.
Sampled by	AW

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.73
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	69.8
Conductivity	38.9 mS
% Solids	2.31
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-18-21
Receiving ID#	20518 2106
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.H.
Sampled by	AW

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.81
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	69.5
Conductivity	39.3 μ S
% Solids	2.47
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-19-21
Receiving ID#	I05192101
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.T.
Sampled by	D.

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.84
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	69.6
Conductivity	39.3 mS
% Solids	2.45
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.T.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-19-21
Receiving ID#	I 0519 2102
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.H.
Sampled by	D.

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.74
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	70.9
Conductivity	39.3 μ S
% Solids	2.48
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-19-21
Receiving ID#	IOS192103
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.H.
Sampled by	J.H.

LAB INFORMATION	
Compatible? (RT#)	Y
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.60
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	71.6
Conductivity	38.1ms
% Solids	1.90
Turbidity	Yes No
Color	
TSS (%)	60.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-19-21
Receiving ID#	IO5192104
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.H.
Sampled by	J.H.

LAB INFORMATION	
Compatible? (RT#)	X
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	140
pH (S.U.)	6.79
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	69.8
Conductivity	32.3ms
% Solids	2.17
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-19-21
Receiving ID#	Z05192105
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.T.
Sampled by	AL

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.87
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.9
Conductivity	38.4ms
% Solids	2.37
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.A.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-19-21
Receiving ID#	205192106
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	
Sampled by	AW

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.87
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.8
Conductivity	358ms
% Solids	2.05
Turbidity	Yes No
Color	
TSS (%)	40.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.M.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	05/20-2021
Receiving ID#	I052021 01
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.F.
Sampled by	BB

LAB INFORMATION	
Compatible? (RT#)	Y
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.80
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	69.7
Conductivity	37.9 us
% Solids	2.210
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	05/20-2021
Receiving ID#	I05202102
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	
Sampled by	BB

LAB INFORMATION	
Compatible? (RT#)	Y
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.84
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	69.9
Conductivity	39.2 mS
% Solids	2.48
Turbidity	Yes No
Color	
TSS (%)	< 6.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	05/20-2021
Receiving ID#	I05202103
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.T.
Sampled by	BB

LAB INFORMATION	
Compatible? (RT#)	Y
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.67
Cyanides? (mg/L)	
Sulfides? (ppm)?	<200
Specific Gravity	1.02
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	73.5
Conductivity	39.8ms
% Solids	0.46
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.T.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-20-21
Receiving ID#	105202104
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.H.
Sampled by	J.H.
LAB INFORMATION	
Compatible? (RT#)	Y
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.65
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	74.4
Conductivity	39.4 mS
% Solids	2.38
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	S. 20. 21
Receiving ID#	ZOS 20 21 OS
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.T
Sampled by	AW

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.93
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.1
Conductivity	37.0-5
% Solids	2.61
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5.20.21
Receiving ID#	IOS 20 2106
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.H.
Sampled by	AW

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	(6.94)
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.0
Conductivity	37.3mS
% Solids	2.39
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-21-21
Receiving ID#	E05212161
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.T.
Sampled by	D.

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.83
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.5
Conductivity	30.3ms
% Solids	2.74
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.T.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-21-21
Receiving ID#	I05212102
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.T.
Sampled by	Dg

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	114
pH (S.U.)	6.81
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	69.8
Conductivity	36.2
% Solids	2.01
Turbidity	Yes No
Color	
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.T.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-21-21
Receiving ID#	IOS212103
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.H.
Sampled by	J.H.

LAB INFORMATION	
Compatible? (RT#)	<input checked="" type="checkbox"/>
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.78
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	71.8
Conductivity	37.2 μ S
% Solids	2.05
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-21-21
Receiving ID#	Z05212104
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.H
Sampled by	GW

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	6.21
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.01
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	69.9
Conductivity	1798ms
% Solids	1.86
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	S. 21. 21
Receiving ID#	IOS 212109
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	
Sampled by	AW

SS7-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	7.00
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	69.5
Conductivity	34.5 mS
% Solids	1.20
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	S. 21.21
Receiving ID#	I0821 2105
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	JTH
Sampled by	AV

SST-1

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	7140
pH (S.U.)	6.50
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	70.1
Conductivity	390.5
% Solids	1.28
Turbidity	Yes No
Color	
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	JTH

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-21-21
Receiving ID#	IOS21 2106
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.A
Sampled by	AW

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	7.15
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	69.6
Conductivity	338 mS
% Solids	1.75
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.A

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	05/22-2021
Receiving ID#	I05222101
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.H
Sampled by	BB

LAB INFORMATION	
Compatible? (RT#)	Y
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.91
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	70.7
Conductivity	28.1 mS
% Solids	1.59
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-24-21
Receiving ID#	105242101
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.H.
Sampled by	J.H.

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	71.4
pH (S.U.)	6.82
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	71.6
Conductivity	36.2 mS
% Solids	2.08
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-24-21
Receiving ID#	IOS242102
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.H.
Sampled by	J.H.

LAB INFORMATION	
Compatible? (RT#)	X
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.80
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	71.8
Conductivity	36.7 mS
% Solids	2.18
Turbidity	Yes No
Color	
TSS (%)	50.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-24-21
Receiving ID#	105242107
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.H.
Sampled by	Jim

3 J.H.

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.76
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	72.1
Conductivity	34.4 mS
% Solids	2.01
Turbidity	Yes No
Color	
TSS (%)	60.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5/24/21
Receiving ID#	Lo5242104
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	'
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.T.H
Sampled by	TL

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.82
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	73.7
Conductivity	35.0 mS
% Solids	2.89
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.A.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	05/24/21
Receiving ID#	205242105
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.H.
Sampled by	TL

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.81
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	73.9
Conductivity	35.5 mS
% Solids	2.55
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	05/24/21
Receiving ID#	Los242106
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.H
Sampled by	TL

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.79
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	73.7
Conductivity	36.4 μ S
% Solids	2.42
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-25-21
Receiving ID#	I05252101
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.A
Sampled by	D

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.78
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	73.9
Conductivity	37.8 mS
% Solids	3.18
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.A

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	05/25 - 2021
Receiving ID#	7.052521 02
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.T.
Sampled by	BB

LAB INFORMATION	
Compatible? (RT#)	Y
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.78
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	74.1
Conductivity	37.8 mg
% Solids	3.21
Turbidity	Yes No
Color	
TSS (%)	40.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.T.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-25-21
Receiving ID#	F05252101
Manifest #	Line
	SST-1 HAR
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.T.
Sampled by	

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	
pH (S.U.)	6.67
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	75.8
Conductivity	23.3 mS
% Solids	3.67
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.T.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-25-21
Receiving ID#	I052521 03
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	(J.T.)
Sampled by	<i>[Signature]</i>

LAB INFORMATION	
Compatible? (RT#)	✓
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	
pH (S.U.)	6.82
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	75.8
Conductivity	39.4ms
% Solids	2.34
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	(J.T.)

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-25-21
Receiving ID#	T05252104
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.T.
Sampled by	J.T.

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.88
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.5
Conductivity	40.0 μS
% Solids	2.69
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.T.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-25-21
Receiving ID#	ZOS 25 2105
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.J
Sampled by	MV

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.89
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.5
Conductivity	39.6 mg
% Solids	2.87
Turbidity	Yes No
Color	
TSS (%)	40.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	S. 25. 21
Receiving ID#	ZOS 2521 06
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.T.
Sampled by	AW

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	140
pH (S.U.)	6.73
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.6
Conductivity	18.0
% Solids	2.64
Turbidity	Yes No
Color	
TSS (%)	50.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.A.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-26-21
Receiving ID#	I05262101
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.H.
Sampled by	Wg

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	7140
pH (S.U.)	6.73
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.5
Conductivity	40.4 mS
% Solids	2.57
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-26-21
Receiving ID#	I 05262102
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.F.L.
Sampled by	Wg

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	140
pH (S.U.)	6.78
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.5
Conductivity	39.3 μS
% Solids	2.55
Turbidity	Yes No
Color	
TSS (%)	LO.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.F.L.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	05/26-2021
Receiving ID#	I052621 03
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.T?
Sampled by	BB

LAB INFORMATION	
Compatible? (RT#)	✓
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.77
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	72.1
Conductivity	39.0ms
% Solids	3.73
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.T?

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	F05262101
Receiving ID#	S-26-21
Manifest #	Line SST-1
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.T.
Sampled by	<i>[Signature]</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	6.99
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.01
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	72.0
Conductivity	5.03 mS
% Solids	0.93
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.T.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-26-21
Receiving ID#	Ios262104
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	
Sampled by	<i>JT</i>
LAB INFORMATION	
Compatible? (RT#)	Y
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	3,40
pH (S.U.)	6.67
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	72.6
Conductivity	40.6 mS
% Solids	3.38
Turbidity	Yes No
Color	
TSS (%)	60.1
Radiation Screen (as needed)	N 3.72
Lab Signature/Initials	JT

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-26-21
Receiving ID#	105262105
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.T.
Sampled by	J.T.
LAB INFORMATION	
Compatible? (RT#)	Y
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	66.1
Conductivity	40.4 μ S
% Solids	2.74
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.T.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	S-26-21
Receiving ID#	I05262106
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.T.
Sampled by	AW

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.58
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	66.1
Conductivity	38.7 mS
% Solids	2.27
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.T.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	S. 26. 21
Receiving ID#	208262107
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.J.
Sampled by	Aw

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.67
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	66.0
Conductivity	37.4 ms
% Solids	2.13
Turbidity	Yes No
Color	
TSS (%)	40.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.J.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-27-21
Receiving ID#	I05272101
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.T.
Sampled by	W.

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.61
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	66.1
Conductivity	37.9 mS
% Solids	2.25
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.T.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	05/27-2021
Receiving ID#	I052721 02
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.H
Sampled by	BB
LAB INFORMATION	
Compatible? (RT#)	Y
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.65
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	66.2
Conductivity	28.7 mg
% Solids	2.32
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-27-21
Receiving ID#	I 05272103
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.T.
Sampled by	J.T.

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	7140
pH (S.U.)	7.29
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.7
Conductivity	40.7 mS
% Solids	2.49
Turbidity	Yes No
Color	
TSS (%)	20.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.T.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-27-21
Receiving ID#	FG5272104
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	G.H.
Sampled by	Jin

LAB INFORMATION	
Compatible? (RT#)	Y
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.67
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.1
Conductivity	39.9 mS
% Solids	2.61
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-27-21
Receiving ID#	IOS272101
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.H.
Sampled by	J.H.

SST-1

LAB INFORMATION	
Compatible? (RT#)	Y
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	7.10
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.01
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.1
Conductivity	319.05
% Solids	0.13
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	S- 27-21
Receiving ID#	IOS 272103
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.T.
Sampled by	AW

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.75
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	65.6
Conductivity	37.8 mS
% Solids	2.45
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.T.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	S. 27. 21
Receiving ID#	I0527 2106
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.H.
Sampled by	AW

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.78
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	65.5
Conductivity	36.9 us
% Solids	3.15
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	S. 28. 21
Receiving ID#	IOS 28 2101
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.F.
Sampled by	AW

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 14
pH (S.U.)	6.90
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	69.0
Conductivity	35.0 μ S
% Solids	2.28
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.F.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-28-21
Receiving ID#	IGS282102
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.T.
Sampled by	AW

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.75
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	65.1
Conductivity	6.74
% Solids	2.13
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.T.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-28-21
Receiving ID#	I05282101
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.H
Sampled by	DM

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	7.00
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.01
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	65.5
Conductivity	2.9 ms
% Solids	< 0.10
Turbidity	Yes No
Color	
TSS (%)	LO.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-28-21
Receiving ID#	I05282103
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.F.
Sampled by	J.F.

LAB INFORMATION	
Compatible? (RT#)	Y
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.71
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	65.7
Conductivity	37.2ms
% Solids	3.72
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.F.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-28-21
Receiving ID#	705282104
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.H.
Sampled by	J.H.
LAB INFORMATION	
Compatible? (RT#)	Y
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	5.7 7.6-6.7
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	64.9
Conductivity	38.1 ms
% Solids	2.84
Turbidity	Yes No
Color	
TSS (%)	20.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	05-28-21
Receiving ID#	IOS 2821 05
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	S.T.
Sampled by	AW

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.85
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	107.0
Conductivity	3410ms
% Solids	2.14
Turbidity	Yes No
Color	
TSS (%)	50.1
Radiation Screen (as needed)	
Lab Signature/Initials	S.T.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	05/29-2021
Receiving ID#	I05292101
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.J
Sampled by	BB

LAB INFORMATION	
Compatible? (RT#)	Y
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	
pH (S.U.)	7.01
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.2
Conductivity	2461 us
% Solids	0.27
Turbidity	Yes No
Color	
TSS (%)	40.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.J

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	S. 29-21
Receiving ID#	IOS 292104
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.H.
Sampled by	AW
LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	7.07
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	60.1
Conductivity	38.1 ms
% Solids	1.99
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-29-21
Receiving ID#	105292101
Manifest #	Line SST-1
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.H
Sampled by	J.H
LAB INFORMATION	
Compatible? (RT# 6)	Y
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	140
pH (S.U.)	7.01
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.0
Conductivity	35.8 mS
% Solids	1.97
Turbidity	Yes No
Color	
TSS (%)	20.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.H

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	05/29-2021
Receiving ID#	F052921 02
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.T.
Sampled by	BB
LAB INFORMATION	
Compatible? (RT#)	Y
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	140
pH (S.U.)	6.95
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.2
Conductivity	37.1 mg
% Solids	2.43
Turbidity	Yes No
Color	
TSS (%)	2.21
Radiation Screen (as needed)	
Lab Signature/Initials	J.T.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5-29-21
Receiving ID#	T05292103
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J.T.
Sampled by	J
LAB INFORMATION	
Compatible? (RT#)	Y
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.94
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.3
Conductivity	37.7mS
% Solids	2.23
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J.T.

WASTE PROFILES



Republic Services

18500 N. Allied Way, Phoenix, AZ 85064

SPECIAL WASTE DEPARTMENT DECISION

Waste Profile #
64402127033

Expiration Date
2/5/2022

I. Decision Request:

Initial Recertification Change

Disposal Facility: 6440 - Detroit Industrial Well

Generator Name: KC JONES

Generator Site Address: 321 WEST 10 MILES ROAD

City: HAZEL PARK

County:

State: MI

Zip:

Name of Waste: ELECTROLESS NICKEL PLATING

Estimated Annual Volume: 80,000 Gallons

II. Special Waste Department Decision: Approved Rejected

Management Method(s): Landfill Solidification Bioremediation Deep Well Transfer Facility

Problematic Special Waste according to Republic? Yes No

If yes, which one?

Approved by Special Waste Review Committee? Yes No Not Applicable

Precautions, Conditions or Limitations on Approval

The site must ensure that all pre-acceptance and verification analytical is performed in accordance with the site's permit requirements prior to acceptance and disposal of the profiled waste.

Special Waste Analyst Signature: Holly Wilson
Date: 5/14/2021

Name (Printed): Holly Wilson

III. Facility Decision: Approved Rejected

Precautions, Conditions or Limitations on Approval

By signing below, the General Manager or Designee agrees that a fully executed Special Waste Service Agreement is on file for this profile and that the special waste file is complete.

General Manager or Designee: John Frost
Date: 5/14/2021

Name (Printed): John Frost

Republic Industrial and Energy Solutions, LLC
 28470 Citrin Dr, Romulus, MI 48174. Telephone 734 948 1000. Fax 734 948 1002

GENERATOR WASTE PROFILE

Profile # 64402127033

GENERATOR INFORMATION

Name: KC Jones USEPA ID # MID005511852
 Facility Address: 321 West 10 Mile Road SIC/NAICS Code: _____ State Code: _____
 City: Hazel Park State: MI Zip Code: 48030
 Contact: _____ Title: _____ Phone: () _____ Fax: () _____

BILLING INFORMATION

SAME AS ABOVE

Company Name: Environmental and Disposal Management
 Address: 1900 Stephenson Hwy, Suite 100
 City: Troy State: MI Zip Code: 48083
 Attention: Lamar Gabbara Title: CFO Phone: (+) 244-2211 Fax: (+) 269-6041

WASTE INFORMATION

Name of Waste/Common Chemical Name:
Electroless Nickel Plating
 Process Generating Waste (Please be specific, incomplete information may delay the approval process):
~~solution is generated from an electroless plating line, used to plate steel, aluminum, and copper substrates.~~

USEPA / STATE WASTE IDENTIFICATION

- This waste is considered to be: Non Hazardous Liquid Industrial Waste Hazardous Waste
- Regulated by TSCA? Yes No (PCBs, etc.)
- List ALL Applicable Waste Codes: _____

PHYSICAL CHARACTERISTICS OF WASTE

Color: <input type="checkbox"/> White/Clear <input type="checkbox"/> Black/Brown <input checked="" type="checkbox"/> Other	Suspended Solids <input type="checkbox"/> 0-1 % <input type="checkbox"/> 3-5 % <input type="checkbox"/> 1-3 % <input checked="" type="checkbox"/> > 5%	Layers: <input type="checkbox"/> Multi layered <input type="checkbox"/> Bi-Layered <input checked="" type="checkbox"/> Single Phase	Specific Gravity: <input type="checkbox"/> <0.8 <input checked="" type="checkbox"/> 1.0 - 1.2 <input type="checkbox"/> 0.8 - 1.0 <input type="checkbox"/> 1.3 - 1.4 Exact / Other <input type="text"/>
--	---	---	--

pH: NA < 2 2 - 4 4 - 6 6 - 8 8-10 10 - 12.5 > 12.5
 Liquid Flash Point: < 73°F 73-100°F 101-140°F 141-200°F > 200°F None Closed Cup Open Cup
 VOC CONCENTRATION - 0-0 PPM (MUST BE COMPLETED)
 TOTAL COMPOSITION OF WASTE - MUST BE EQUAL TO OR GREATER THAN 100% (LIST EACH CONSTITUENT <> 1= 0.1%)

CONSTITUENT	MAX	MIN	CONSTITUENT	MAX	MIN
water	99	100			%
solids	5	10			%
					%

Metals: Indicate if this waste contains any of the following metals
 If Generator Knowledge-provide backup Lab Analysis Generator Knowledge

TCLP TOTAL

	Not Present	Concentration	Not Present	Concentration							
PCB	<input checked="" type="checkbox"/>	ppm	Aromatic Amine	<input checked="" type="checkbox"/>	ppm	Arsenic (As)	D004	<input checked="" type="checkbox"/>	<5	ppm	ppm
Dioxins	<input checked="" type="checkbox"/>	ppm	Pesticides	<input checked="" type="checkbox"/>	ppm	Barium (Ba)	D005	<input checked="" type="checkbox"/>	<100	ppm	ppm
Cyanides Reactive	<input checked="" type="checkbox"/>	ppm	Rodenticides	<input checked="" type="checkbox"/>	ppm	Cadmium (Cd)	D006	<input checked="" type="checkbox"/>	<1	ppm	ppm
Cyanides Total	<input checked="" type="checkbox"/>	ppm	Fungicides	<input checked="" type="checkbox"/>	ppm	Chromium (Cr)	D007	<input checked="" type="checkbox"/>	<5	ppm	ppm
Sulfides Reactive	<input checked="" type="checkbox"/>	ppm				Lead (Pb)	D008	<input checked="" type="checkbox"/>	<5	ppm	ppm
Sulfides Total	<input checked="" type="checkbox"/>	ppm				Mercury (Hg)	D009	<input checked="" type="checkbox"/>	<0.2	ppm	ppm
						Selenium (Se)	D010	<input checked="" type="checkbox"/>	<1	ppm	ppm
						Silver (Ag)	D011	<input checked="" type="checkbox"/>	<5	ppm	ppm

TCLP Organics D012 - D043 above regulatory limits: Present Not Present

IS WASTE ANY OF THE FOLLOWING? *At Least One Box Must Be Checked.*

- Radioactive Water Reactive Oxidizer Shock Sensitive Reactive (other) DOT Explosives
 NIOSH Human-Possible Carcinogens NESHAP Wastes (Benzene, etc.) Biological None Apply

SHIPPING INFORMATION

1. Is this a DOT Hazardous Material (49CFR 172.101 & 173 Subpart D)? Yes No
 2. Reportable Quantity (RQ) in pounds _____
 3. DOT Shipping Name Non regulated Hazard Class _____ UN/NA _____
 PG _____ ERG _____ Hazardous Constituents for "n.o.s." _____
 4. Method of Shipment: Bulk Tanker Van truck Rail Car Drums Totes
 5. Number of Units to Ship Now 6-7,000gal 6. Anticipated Volume / Units per Year: 80,000gal or One-Time
 6. Special Handling Requirements including PPE: _____

CERTIFICATION STATEMENT

I hereby represent and warrant that I have personally examined and am familiar with the information contained and submitted in this and all attached documents. Based on my inquiry and personal knowledge of those individuals responsible for supplying or obtaining the information, the information contained herein is true, accurate, and complete to the best of my knowledge and belief. Furthermore, no material fact has been omitted as to make this information misleading. I understand that others may rely on this representation and warranty in the handling and processing of the waste material described herein.

If this box is checked I request Environmental Geo-Technologies not to correct any inconsistencies. Any corrections Environmental Geo-Technologies makes will be consistent with the results of the sample characterization and/or regulatory requirements.

Printed Name: DAVE CZAGLA Title: 2-15-21 EHS
 Generator's Signature: [Signature] Date: 2-5-21

GENERATOR'S CHAIN OF CUSTODY RECORD INSTRUCTIONS: PLEASE collect a representative 1-quart sample of the waste described in the above referenced GENERATOR'S WASTE PROFILE REPORT using an appropriate container. A representative sample is one obtained using any of the applicable sampling methods cited in 40 CFR 281-Appendix 1. Fill in the sampling information in the spaces provided below. If you have problems obtaining a representative sample of your waste, please contact your Environmental Geo-Technologies representative.

1. Grab 2. Holdings Tank
 SAMPLING METHOD COLLECTION POINT
 3. DAVE CZAGLA EHS Manager KC JONES
 SAMPLE COLLECTOR'S NAME, TITLE, EMPLOYER

DATE SAMPLED - 1-12-21
 DATE FOR LAB - 1-12-21
 DATE COMPLETED - 2-5-21

4. Sample No. _____ Preservation: Yes No
 6. CHAIN OF CUSTODY Each person who handles the sample must sign below when the sample passes from one to another.

Relinquished by: (Signature)	Date	Time	Received by: (Signature)	Date	Time

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	2/22/2021
Receiving ID#	Electroless Ni Stripped Waste
Manifest #	Line
Land Ban Cert Included	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
EGT Approval #	Pre-Qual
Generator	KC Jones
Client	
Transporter	FedEx
Time in	
Time out	
Received by	J.H.
Sampled by	Client

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	5.49
Cyanides? (mg/L)	<30
Sulfides? (ppm)?	<200
Specific Gravity	1.275
Physical Description	liquid
Stream Consistency	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Oil in Sample?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Temperature (F)	69.6
Conductivity	83.6 mS
% Solids	34.15
Turbidity	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Color	Green
TSS (%)	<0.1
Radiation Screen (as needed)	Neg.
Lab Signature/Initials	J.H.

No Rx w/ conc H₂SO₄
 " " " 50% NaOH
 Effervesces w/ Cl₂/CFL
 w/ wt PPT

Lab ID. ①

Report of Analysis

Project Requested by: Environmental & Disposal Management LLC
1900 Stephenson Hwy, Ste 100
Troy, MI 48083
Contact: Jason Kanapsky

Project Name: KC Jones

Samples Identification: Electroless Nickel Water ; Nitric Stripper

UL Sample Numbers: 93603 ; 93604

UL Project number: 29153


Analyses Requested: Corrosivity (pH) ; Full TCLP ; Ignitability (Flash Point) ; PCBs (Aroclors) ; Reactivity (Cyanide & Sulfide)

Results: Analytical data starts on page 2 of this report.
This report has 9 pages.

Date and Time of Request: 01/12/2021 10:45 AM

Date and Time of Report: 02/05/2021 02:11 PM

UNIVERSITY LABORATORIES



Bijan Sedghi, M.S.
Director of Laboratories

Project Name: KC Jones
 Project Requested by: Environmental & Disposal Management LLC
 Sample Identification: Electroless Nickel Water
 Sample Matrix: Aqueous
 Date/Time Sampled: 01/12/2021 10:00 AM
 Sampled by: Dave Czapla
 Date/Time Sample Received: 01/12/2021 10:45 AM
 Date/Time Data Reported: 02/05/2021 02:11 PM

UL Sample Number: 93603
 UL Project Number: 29153

<u>Parameter</u>	<u>Measured Concentration</u>	<u>Unit</u>	<u>Method of Analysis</u>	<u>Reported Detection Limit</u>	<u>Regulatory Level</u>	<u>Footnote</u>
<u>Corrosivity (pH)</u>						
pH (Corrosivity)	5.22	pH	9040	N/A	(2.0-12.5)	
Analyst: RS Date/Time Prepared: 01/12/2021 08:30 PM Date/Time Analyzed: 01/12/2021 06:30 PM						

Full TCLP

TCLP Pesticides

Chlordane	<0.0300	mg/L	8081	0.0300	0.0300	
Endrin	<0.0200	mg/L	8081	0.0200	0.0200	
Heptachlor	<0.00400	mg/L	8081	0.00400	0.00800	
Heptachlor epoxide	<0.00400	mg/L	8081	0.00400	0.00800	
Lindane	<0.400	mg/L	8081	0.400	0.400	
Methoxychlor	<10.0	mg/L	8081	10.0	10.0	
Toxaphene	<0.500	mg/L	8081	0.500	0.500	

Analyst: CC Date/Time Prepared: 01/26/2021 10:35 AM Date/Time Analyzed: 02/03/2021 08:06 PM

TCLP Herbicides

2,4-D	<10.0	mg/L	8151A	10.0	10.0	
2,4,5-TP Silvex	<1.00	mg/L	8151A	1.00	1.00	

Analyst: CC Date/Time Prepared: 01/26/2021 11:30 AM Date/Time Analyzed: 02/05/2021 02:34 AM

Project Name: KC Jones
 Project Requested by: Environmental & Disposal Management LLC
 Sample Identification: Electroless Nickel Water
 Sample Matrix: Aqueous
 Date/Time Sampled: 01/12/2021 10:00 AM
 Sampled by: Dave Czapla
 Date/Time Sample Received: 01/12/2021 10:45 AM
 Date/Time Data Reported: 02/05/2021 02:11 PM

UL Sample Number: 93603
 UL Project Number: 29153

<u>Parameter</u>	<u>Measured Concentration</u>	<u>Unit</u>	<u>Method of Analysis</u>	<u>Reported Detection Limit</u>	<u>Regulatory Level</u>	<u>Footnote</u>
<u>TCLP Metals</u>						
Arsenic	<0.500	mg/L	6020	0.500	5.00	
Barium	<0.200	mg/L	6020	0.200	100	
Cadmium	<0.200	mg/L	6020	0.200	1.00	
Chromium	<0.200	mg/L	6020	0.200	5.00	
Copper	<0.200	mg/L	6020	0.200	100	
Lead	<0.200	mg/L	6020	0.200	5.00	
Selenium	<0.500	mg/L	6020	0.500	1.00	
Silver	<0.200	mg/L	6020	0.200	5.00	
Zinc	0.420	mg/L	6020	0.200	500	

Analyst: BS Date/Time Prepared: 01/15/2021 09:10 AM Date/Time Analyzed: 01/15/2021 10:38 PM

TCLP Semivolatiles

Pyridine	<0.500	mg/L	8270	0.500	5.00	
Hexachloroethane	<0.100	mg/L	8270	0.100	3.00	
Total Cresols	<0.630	mg/L	8270	0.630	200	
Nitrobenzene	<0.100	mg/L	8270	0.100	2.00	
Hexachloro-1,3-butadiene	<0.100	mg/L	8270	0.100	0.500	
2,4-Dinitrotoluene	<0.110	mg/L	8270	0.110	0.130	
2,4,6-Trichlorophenol	<0.161	mg/L	8270	0.161	2.00	
2,4,5-Trichlorophenol	<0.500	mg/L	8270	0.500	400	
Hexachlorobenzene	<0.130	mg/L	8270	0.130	0.130	
Pentachlorophenol	<1.00	mg/L	8270	1.00	100	

Analyst: CC Date/Time Prepared: 01/15/2021 09:30 AM Date/Time Analyzed: 02/02/2021 02:01 AM

Project Name: KC Jones
Project Requested by: Environmental & Disposal Management LLC
Sample Identification: Electroless Nickel Water
Sample Matrix: Aqueous
Date/Time Sampled: 01/12/2021 10:00 AM
Sampled by: Dave Czapla

Date/Time Sample Received: 01/12/2021 10:45 AM
Date/Time Data Reported: 02/05/2021 02:11 PM

UL Sample Number: 93603
UL Project Number: 29153

<u>Parameter</u>	<u>Measured Concentration</u>	<u>Unit</u>	<u>Method of Analysis</u>	<u>Reported Detection Limit</u>	<u>Regulatory Level</u>	<u>Footnote</u>
<u>TCLP (Mercury)</u>						
Mercury	<0.0195	mg/L	7471	0.0195	0.200	
Analyst: BS/RS Date/Time Prepared: 01/18/2021 03:30 PM Date/Time Analyzed: 01/19/2021 03:00 PM						
<u>TCLP Volatiles</u>						
Vinyl chloride	<0.200	mg/L	8260	0.200	0.200	
1,1-Dichloroethylene	<0.200	mg/L	8260	0.200	0.700	
Methyl ethyl ketone (2-Butanone)	<2.00	mg/L	8260	2.00	200	
Chloroform	<0.200	mg/L	8260	0.200	6.00	
Carbon tetrachloride	<0.200	mg/L	8260	0.200	0.500	
1,2-Dichloroethane	<0.200	mg/L	8260	0.200	0.500	
Benzene	<0.200	mg/L	8260	0.200	0.500	
Trichloroethylene	<0.200	mg/L	8260	0.200	0.500	
Tetrachloroethylene	<0.200	mg/L	8260	0.200	0.700	
Chlorobenzene	<0.200	mg/L	8260	0.200	100	
1,4-Dichlorobenzene	<0.200	mg/L	8260	0.200	7.50	
Analyst: CC Date/Time Prepared: 01/12/2021 04:00 PM Date/Time Analyzed: 01/13/2021 12:06 AM						

Ignitability (Flash Point)

Flash Point	>200	°F	1010	N/A	140	
-------------	------	----	------	-----	-----	--

Analyst: RS Date/Time Prepared: 01/19/2021 09:00 AM Date/Time Analyzed: 01/19/2021 09:30 AM

Project Name: KC Jones

Project Requested by: Environmental & Disposal Management LLC

Sample Identification: Electroless Nickel Water

Sample Matrix: Aqueous

Date/Time Sampled: 01/12/2021 10:00 AM

Sampled by: Dave Czapla

Date/Time Sample Received: 01/12/2021 10:45 AM

UL Sample Number: 93603

Date/Time Data Reported: 02/05/2021 02:11 PM

UL Project Number: 29153

<u>Parameter</u>	<u>Measured Concentration</u>	<u>Unit</u>	<u>Method of Analysis</u>	<u>Reported Detection Limit</u>	<u>Regulatory Level</u>	<u>Footnote</u>
<u>PCBs (Aroclors)</u>						
PCB 1016	<2.00	mg/Kg	8082	2.00		
PCB 1221	<2.00	mg/Kg	8082	2.00		
PCB 1232	<2.00	mg/Kg	8082	2.00		
PCB 1242	<2.00	mg/Kg	8082	2.00		
PCB 1248	<2.00	mg/Kg	8082	2.00		
PCB 1254	<2.00	mg/Kg	8082	2.00		
PCB 1260	<2.00	mg/Kg	8082	2.00		

Analyst: CC Date/Time Prepared: 01/18/2021 09:15 AM Date/Time Analyzed: 01/18/2021 06:57 PM

Reactivity (Cyanide & Sulfide)

Reactive Cyanide	<4.73	mg/Kg	7.3	4.73	250	
Reactive Sulfide	<9.45	mg/Kg	7.3	9.45	500	

Analyst: RS Date/Time Prepared: 01/25/2021 11:50 AM Date/Time Analyzed: 01/25/2021 01:50 PM

Project Name: KC Jones
Project Requested by: Environmental & Disposal Management LLC
Sample Identification: Nitric Stripper
Sample Matrix: Aqueous
Date/Time Sampled: 01/12/2021 10:00 AM
Sampled by: Dave Czapia

Date/Time Sample Received: 01/12/2021 10:45 AM
Date/Time Data Reported: 02/05/2021 02:11 PM

UL Sample Number: 93604
UL Project Number: 29153

<u>Parameter</u>	<u>Measured Concentration</u>	<u>Unit</u>	<u>Method of Analysis</u>	<u>Reported Detection Limit</u>	<u>Regulatory Level</u>	<u>Footnote</u>
<u>Corrosivity (pH)</u>						
pH (Corrosivity)	<1.00	pH	9040	N/A	(2.0-12.5)	

Analyst: RS Date/Time Prepared: 01/12/2021 06:30 PM Date/Time Analyzed: 01/12/2021 06:30 PM

Full TCLP

TCLP Pesticides

Chlordane	<0.0300	mg/L	8081	0.0300	0.0300
Endrin	<0.0200	mg/L	8081	0.0200	0.0200
Heptachlor	<0.00400	mg/L	8081	0.00400	0.00800
Heptachlor epoxide	<0.00400	mg/L	8081	0.00400	0.00800
Lindane	<0.400	mg/L	8081	0.400	0.400
Methoxychlor	<10.0	mg/L	8081	10.0	10.0
Toxaphene	<0.500	mg/L	8081	0.500	0.500

Analyst: CC Date/Time Prepared: 01/26/2021 10:35 AM Date/Time Analyzed: 02/03/2021 08:17 PM

TCLP Volatiles

Vinyl chloride	<0.200	mg/L	8260	0.200	0.200
1,1-Dichloroethylene	<0.200	mg/L	8260	0.200	0.700
Methyl ethyl ketone (2-Butanone)	<2.00	mg/L	8260	2.00	200
Chloroform	<0.200	mg/L	8260	0.200	6.00
Carbon tetrachloride	<0.200	mg/L	8260	0.200	0.500
1,2-Dichloroethane	<0.200	mg/L	8260	0.200	0.500
Benzene	<0.200	mg/L	8260	0.200	0.500
Trichloroethylene	<0.200	mg/L	8260	0.200	0.500
Tetrachloroethylene	<0.200	mg/L	8260	0.200	0.700
Chlorobenzene	<0.200	mg/L	8260	0.200	100
1,4-Dichlorobenzene	<0.200	mg/L	8260	0.200	7.50

Analyst: CC Date/Time Prepared: 01/12/2021 04:00 PM Date/Time Analyzed: 01/13/2021 12:27 AM

Project Name: KC Jones
 Project Requested by: Environmental & Disposal Management LLC
 Sample Identification: Nitric Stripper
 Sample Matrix: Aqueous
 Date/Time Sampled: 01/12/2021 10:00 AM
 Sampled by: Dave Czapla
 Date/Time Sample Received: 01/12/2021 10:45 AM
 Date/Time Data Reported: 02/05/2021 02:11 PM

UL Sample Number: 93604
 UL Project Number: 29153

<u>Parameter</u>	<u>Measured Concentration</u>	<u>Unit</u>	<u>Method of Analysis</u>	<u>Reported Detection Limit</u>	<u>Regulatory Level</u>	<u>Footnote</u>
<u>TCLP Semivolatiles</u>						
Pyridine	<0.500	mg/L	8270	0.500	5.00	
Hexachloroethane	<0.100	mg/L	8270	0.100	3.00	
Total Cresols	<0.630	mg/L	8270	0.630	200	
Nitrobenzene	<0.100	mg/L	8270	0.100	2.00	
Hexachloro-1,3-butadiene	<0.100	mg/L	8270	0.100	0.500	
2,4-Dinitrotoluene	<0.110	mg/L	8270	0.110	0.130	
2,4,6-Trichlorophenol	<0.161	mg/L	8270	0.161	2.00	
2,4,5-Trichlorophenol	<0.500	mg/L	8270	0.500	400	
Hexachlorobenzene	<0.170	mg/L	8270	0.170	0.130	
Pentachlorophenol	<1.00	mg/L	8270	1.00	100	

Analyst: CC Date/Time Prepared: 01/15/2021 09:30 AM Date/Time Analyzed: 02/02/2021 02:28 AM

TCLP (Mercury)

Mercury	<0.0186	mg/L	7471	0.0186	0.200	
---------	---------	------	------	--------	-------	--

Analyst: BS/RS Date/Time Prepared: 01/18/2021 03:30 PM Date/Time Analyzed: 01/19/2021 03:00 PM

TCLP Herbicides

2,4-D	<10.0	mg/L	8151A	10.0	10.0	
2,4,5-TP Silvex	<1.00	mg/L	8151A	1.00	1.00	

Analyst: CC Date/Time Prepared: 01/26/2021 11:30 AM Date/Time Analyzed: 02/05/2021 02:45 AM

Project Name: KC Jones
 Project Requested by: Environmental & Disposal Management LLC
 Sample Identification: Nitric Stripper
 Sample Matrix: Aqueous
 Date/Time Sampled: 01/12/2021 10:00 AM
 Sampled by: Dave Czapla
 Date/Time Sample Received: 01/12/2021 10:45 AM
 Date/Time Data Reported: 02/05/2021 02:11 PM

UL Sample Number: 93604
 UL Project Number: 29153

<u>Parameter</u>	<u>Measured Concentration</u>	<u>Unit</u>	<u>Method of Analysis</u>	<u>Reported Detection Limit</u>	<u>Regulatory Level</u>	<u>Footnote</u>
TCLP Metals						
Arsenic	<0.500	mg/L	6020	0.500	5.00	
Barium	0.877	mg/L	6020	0.200	100	
Cadmium	<0.200	mg/L	6020	0.200	1.00	
Chromium	9.65	mg/L	6020	0.200	5.00	
Copper	5.38	mg/L	6020	0.200	100	
Lead	<0.200	mg/L	6020	0.200	5.00	
Selenium	0.655	mg/L	6020	0.500	1.00	
Silver	0.240	mg/L	6020	0.200	5.00	
Zinc	2.30	mg/L	6020	0.200	500	

Analyst: BS Date/Time Prepared: 01/15/2021 09:10 AM Date/Time Analyzed: 01/15/2021 10:54 PM

Ignitability (Flash Point)

Flash Point	No Data	°F	1010	N/A	140	1
-------------	---------	----	------	-----	-----	---

Analyst: RS Date/Time Prepared: 01/19/2021 09:35 AM Date/Time Analyzed: 01/19/2021 10:00 AM

PCBs (Aroclors)

PCB 1016	<2.00	mg/Kg	8082	2.00		
PCB 1221	<2.00	mg/Kg	8082	2.00		
PCB 1232	<2.00	mg/Kg	8082	2.00		
PCB 1242	<2.00	mg/Kg	8082	2.00		
PCB 1248	<2.00	mg/Kg	8082	2.00		
PCB 1254	<2.00	mg/Kg	8082	2.00		
PCB 1260	<2.00	mg/Kg	8082	2.00		

Analyst: CC Date/Time Prepared: 01/18/2021 09:15 AM Date/Time Analyzed: 01/18/2021 07:19 PM

Project Name: KC Jones
 Project Requested by: Environmental & Disposal Management LLC
 Sample Identification: Nitric Stripper
 Sample Matrix: Aqueous
 Date/Time Sampled: 01/12/2021 10:00 AM
 Sampled by: Dave Czapla
 Date/Time Sample Received: 01/12/2021 10:45 AM
 Date/Time Data Reported: 02/05/2021 02:11 PM
 UL Sample Number: 93604
 UL Project Number: 29153

<u>Parameter</u>	<u>Measured Concentration</u>	<u>Unit</u>	<u>Method of Analysis</u>	<u>Reported Detection Limit</u>	<u>Regulatory Level</u>	<u>Footnote</u>
Reactivity (Cyanide & Sulfide)						
Reactive Cyanide	<4.32	mg/Kg	7.3	4.32	250	
Reactive Sulfide	<8.64	mg/Kg	7.3	8.64	500	

Analyst: RS Date/Time Prepared: 01/25/2021 11:50 AM Date/Time Analyzed: 01/25/2021 01:50 PM

Footnotes:

- 1) No data could be evaluated for the parameter.



Republic Services

18500 N. Allied Way, Phoenix, AZ 85054

SPECIAL WASTE DEPARTMENT DECISION

	Waste Profile # 64402127034	Expiration Date 2/5/2022	
I. Decision Request:	<input checked="" type="checkbox"/> Initial	<input type="checkbox"/> Recertification	<input type="checkbox"/> Change
Disposal Facility: 6440 - Detroit Industrial Well			
Generator Name: CHOR INDUSTRIES			
Generator Site Address: 500 ROBBINS AVE			
City: TROY	County:	State: MI	Zip:
Name of Waste: ELECTROLESS NICKEL PLATING			
Estimated Annual Volume: 80,000 Gallons			

II. Special Waste Department Decision: Approved Rejected

Management Method(s): Landfill Solidification Bioremediation Deep Well Transfer Facility

Problematic Special Waste according to Republic? Yes No

If yes, which one?

Approved by Special Waste Review Committee? Yes No Not Applicable

Precautions, Conditions or Limitations on Approval

The site must ensure that all pre-acceptance and verification analytical is performed in accordance with the site's permit requirements prior to acceptance and disposal of the profiled waste.

Special Waste Analyst Signature: Holly Wilson
Date: 5/14/2021

Name (Printed): Holly Wilson

III. Facility Decision: Approved Rejected

Precautions, Conditions or Limitations on Approval

By signing below, the General Manager or Designee agrees that a fully executed Special Waste Service Agreement is on file for this profile and that the special waste file is complete.

General Manager or Designee: John Frost
Date: 5/14/2021

Name (Printed): John Frost

Republic Industrial and Energy Solutions, LLC

28470 Gilrin Dr, Romulus, MI 48174. Telephone 734 946 1000. Fax 734 946 1002

GENERATOR WASTE PROFILE

Profile # 64402127034

GENERATOR INFORMATION

Name: Chor Industries USEPA ID # MID148827904
Facility Address: 500 Robbins ave SIC/NAICS Code: _____ State Code: _____
City: Troy State: MI Zip Code: 48083
Contact: Debbie Leffew Title: _____ Phone: (313) 585-3323 Fax: () _____

BILLING INFORMATION

SAME AS ABOVE

Company Name: Environmental and Disposal Management
Address: 1900 Stephenson Hwy, Suite 100
City: Troy State: MI Zip Code: 48083
Attention: Lamar Gabbara Title: CFO Phone: (313) 244-2211 Fax: (313) 269-6041

WASTE INFORMATION

Name of Waste/Common Chemical Name: Electroless Nickel Plating

Process Generating Waste (Please be specific, incomplete information may delay the approval process):

-solution is generated from an electroless plating line, used to plate steel, aluminum, and copper substrates.

USEPA / STATE WASTE IDENTIFICATION

- 1. This waste is considered to be: Non Hazardous Liquid Industrial Waste Hazardous Waste
- 2. Regulated by TSCA? Yes No (PCBs, etc.)
- 3. List ALL Applicable Waste Codes: NAICS CODE 332813

PHYSICAL CHARACTERISTICS OF WASTE

Color: <input type="checkbox"/> White/Clear <input type="checkbox"/> Black/Brown <input checked="" type="checkbox"/> Other	Suspended Solids <input type="checkbox"/> 0-1 % <input type="checkbox"/> 3-5 % <input type="checkbox"/> 1-3 % <input checked="" type="checkbox"/> >5%	Layers: <input type="checkbox"/> Multi layered <input type="checkbox"/> Bi-Layered <input checked="" type="checkbox"/> Single Phase	Specific Gravity: <input type="checkbox"/> <0.8 <input checked="" type="checkbox"/> 1.0-1.2 <input type="checkbox"/> 0.8-1.0 <input type="checkbox"/> 1.3-1.4 Exact / Other _____
--	--	---	---

pH: NA < 2 2-4 4-8 8-8 8-10 10-12.5 >12.5

Liquid Flash Point: <73°F 73-100°F 101-140°F 141-200°F >200°F None Closed Cup Open Cup

VOC CONCENTRATION 0-0 PPM (MUST BE COMPLETED)

TOTAL COMPOSITION OF WASTE - MUST BE EQUAL TO OR GREATER THAN 100% (LIST EACH CONSTITUENT <=> 0.1%)

CONSTITUENT	MAX	MIN	CONSTITUENT	MAX	MIN
water	99	100			%
solids	1	0			%
					%

Metals: Indicate if this waste contains any of the following metals
 If Generator Knowledge-provide backup Lab Analysis Generator Knowledge TCLP TOTAL

	Not Present	Concentration	Not Present	Concentration							
PGB	<input checked="" type="checkbox"/>	ppm	Aromatic Amine	<input checked="" type="checkbox"/>	ppm	Arsenic (As)	D004	<input checked="" type="checkbox"/>	<5	ppm	ppm
Dioxina	<input checked="" type="checkbox"/>	ppm	Pesticides	<input checked="" type="checkbox"/>	ppm	Barium (Ba)	D005	<input checked="" type="checkbox"/>	<100	ppm	ppm
Cyanides Reactive	<input checked="" type="checkbox"/>	ppm	Rodenticides	<input checked="" type="checkbox"/>	ppm	Cadmium (Cd)	D008	<input checked="" type="checkbox"/>	<1	ppm	ppm
Cyanides Total	<input checked="" type="checkbox"/>	ppm	Fungicides	<input checked="" type="checkbox"/>	ppm	Chromium (Cr)	D007	<input checked="" type="checkbox"/>	<5	ppm	ppm
Sulfides Reactive	<input checked="" type="checkbox"/>	ppm				Lead (Pb)	D008	<input checked="" type="checkbox"/>	<5	ppm	ppm
Sulfides Total	<input checked="" type="checkbox"/>	ppm				Mercury (Hg)	D009	<input checked="" type="checkbox"/>	<0.2	ppm	ppm
						Selenium (Se)	D010	<input checked="" type="checkbox"/>	<1	ppm	ppm
						Silver (Ag)	D011	<input checked="" type="checkbox"/>	<5	ppm	ppm

TCLP Organics D012 — D043 above regulatory limits: Present Not Present

IS WASTE ANY OF THE FOLLOWING? *At Least One Box Must Be Checked.*
 Radioactive Water Reactive Oxidizer Shock Sensitive Reactive (other) DOT Explosives
 NIOSH Human-Possible Carcinogens NEBHP Wastes (Benzene, etc.) Biological None Apply

SHIPPING INFORMATION

1. Is this a DOT Hazardous Material (49CFR 172.101 & 178 Subpart D)? Yes No
 2. Reportable Quantity (RQ) in pounds _____
 3. DOT Shipping Name non regulated Hazard Class _____ UN/NA _____
 PG _____ ERG _____ Hazardous Constituents for "h.o.s." _____
 4. Method of Shipment: Bulk Tanker Vao truck Rail Car Drums Totes
 5. Number of Units to Ship Now 6-7,000gal 6. Anticipated Volume / Units per Year: 80,000gal or One Time
 6. Special Handling Requirements Including PPE: _____

CERTIFICATION STATEMENT

I hereby represent and warrant that I have personally examined and am familiar with the information contained and submitted in this and all attached documents. Based on my inquiry and personal knowledge of those individuals responsible for supplying or obtaining the information, the information contained herein is true, accurate, and complete to the best of my knowledge and belief. Furthermore, no material fact has been omitted as to make this information misleading. I understand that others may rely on this representation and warranty in the handling and processing of the waste material described herein.

If this box is checked I request Environmental Geo-Technologies not to correct any inconsistencies. Any corrections Environmental Geo-Technologies makes will be consistent with the results of the sample characterization and/or regulatory requirements.

Printed Name: DAVE CHOO Title: OWNER
 Generator's Signature: [Signature] Date: 2-15-21

GENERATOR'S CHAIN OF CUSTODY RECORD INSTRUCTIONS: PLEASE collect a representative 1-quart sample of the waste described in the above referenced GENERATORS WASTE PROFILE REPORT using an appropriate container. A representative sample is one obtained using any of the applicable sampling methods cited in 40 CFR 281-Appendix 1. Fill in the sampling information in the spaces provided below. If you have problems obtaining a representative sample of your waste, please contact your Environmental Geo-Technologies representative.

1. Goal 2. Holding Tank
 SAMPLING METHOD COLLECTION POINT
 3. Dave Choo Owner Choo Industries
 SAMPLE COLLECTOR'S NAME, TITLE, EMPLOYER
 4. Sample No. 93602 Preservation: Yes No
 5. CHAIN OF CUSTODY Each person who handles the sample must sign below when the sample passes from one to another.

DATE SAMPLED
1-12-21
 DATE FOLLOW UP
2-5-21

Relinquished by: (Signature)	Date	Time	Received by: (Signature)	Date	Time

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	2/22/2021
Receiving ID#	Ni Waters
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	Pre-Quol -
Generator	Chor Industries
Client	-
Transporter	Fed Ex
Time in	
Time out	
Received by	J.H.
Sampled by	CJ:caj

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	5.53
Cyanides? (mg/L)	< 30
Sulfides? (ppm)?	< 200
Specific Gravity	1.258
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes (No)
Temperature (F)	68.6
Conductivity	85.3 mS
% Solids	36.76
Turbidity	Yes (No)
Color	Green
TSS (%)	< 21
Radiation Screen (as needed)	Neg.
Lab Signature/Initials	J.H.

No Rx by Cont. H2SO4
 " " " 50% NaOH
 Efficiencies of CFL/CJC

Lab Id (2)

Report of Analysis

Project Requested by: Environmental & Disposal Management LLC
1900 Stephenson Hwy, Ste 100
Troy, MI 48083
Contact: Jason Kanapsky

Project Name: Chor Industries Nickel Water

Samples Identification: Nickel Water

UL Sample Numbers: 93602

UL Project number: 29152


Analyses Requested: Corrosivity (pH) ; Full TCLP ; Ignitability (Flash Point) ; PCBs (Aroclors) ; Reactivity (Cyanide & Sulfide)

Results: Analytical data starts on page 2 of this report.
This report has 5 pages.

Date and Time of Request: 01/12/2021 11:45 AM

Date and Time of Report: 02/05/2021 02:08 PM

UNIVERSITY LABORATORIES



Bijan Sedghi, M.S.
Director of Laboratories

Project Name: Chor Industries Nickel Water
 Project Requested by: Environmental & Disposal Management LLC
 Sample Identification: Nickel Water
 Sample Matrix: Aqueous
 Date/Time Sampled: 01/12/2021 09:00 AM
 Sampled by: Dave Chor
 Date/Time Sample Received: 01/12/2021 11:45 AM
 Date/Time Data Reported: 02/05/2021 02:08 PM

UL Sample Number: 93602
 UL Project Number: 29152

<u>Parameter</u>	<u>Measured Concentration</u>	<u>Unit</u>	<u>Method of Analysis</u>	<u>Reported Detection Limit</u>	<u>Regulatory Level</u>	<u>Footnote</u>
<u>Corrosivity (pH)</u>						
pH (Corrosivity)	5.31	pH	9040	N/A	(2.0-12.5)	

Analyst: RS Date/Time Prepared: 01/12/2021 06:30 PM Date/Time Analyzed: 01/12/2021 06:30 PM

Full TCLP

TCLP Semivolatiles

Pyridine	<0.500	mg/L	8270	0.500	5.00	
Hexachloroethane	<0.100	mg/L	8270	0.100	3.00	
Total Cresols	<0.630	mg/L	8270	0.630	200	
Nitrobenzene	<0.100	mg/L	8270	0.100	2.00	
Hexachloro-1,3-butadiene	<0.100	mg/L	8270	0.100	0.500	
2,4-Dinitrotoluene	<0.110	mg/L	8270	0.110	0.130	
2,4,6-Trichlorophenol	<0.180	mg/L	8270	0.180	2.00	
2,4,5-Trichlorophenol	<0.500	mg/L	8270	0.500	400	
Hexachlorobenzene	<0.130	mg/L	8270	0.130	0.130	1
Pentachlorophenol	<1.00	mg/L	8270	1.00	100	1

Analyst: CC Date/Time Prepared: 01/15/2021 09:30 AM Date/Time Analyzed: 02/02/2021 01:33 AM

TCLP Volatiles

Vinyl chloride	<0.200	mg/L	8260	0.200	0.200	
1,1-Dichloroethylene	<0.200	mg/L	8260	0.200	0.700	
Methyl ethyl ketone (2-Butanone)	<2.00	mg/L	8260	2.00	200	
Chloroform	<0.200	mg/L	8260	0.200	6.00	
Carbon tetrachloride	<0.200	mg/L	8260	0.200	0.500	
1,2-Dichloroethane	<0.200	mg/L	8260	0.200	0.500	
Benzene	<0.200	mg/L	8260	0.200	0.500	
Trichloroethylene	<0.200	mg/L	8260	0.200	0.500	
Tetrachloroethylene	<0.200	mg/L	8260	0.200	0.700	
Chlorobenzene	<0.200	mg/L	8260	0.200	100	
1,4-Dichlorobenzene	<0.200	mg/L	8260	0.200	7.50	

Project Name: Chor Industries Nickel Water
 Project Requested by: Environmental & Disposal Management LLC
 Sample Identification: Nickel Water
 Sample Matrix: Aqueous
 Date/Time Sampled: 01/12/2021 09:00 AM
 Sampled by: Dave Chor
 Date/Time Sample Received: 01/12/2021 11:45 AM
 Date/Time Data Reported: 02/05/2021 02:08 PM

UL Sample Number: 93602
 UL Project Number: 29152

<u>Parameter</u>	<u>Measured Concentration</u>	<u>Unit</u>	<u>Method of Analysis</u>	<u>Reported Detection Limit</u>	<u>Regulatory Level</u>	<u>Footnote</u>
Analyst: CC Date/Time Prepared: 01/12/2021 04:00 PM Date/Time Analyzed: 01/12/2021 11:46 PM						
<u>TCLP Herbicides</u>						
2,4-D	<10.0	mg/L	8151A	10.0	10.0	
2,4,5-TP Silvex	<1.00	mg/L	8151A	1.00	1.00	
Analyst: CC Date/Time Prepared: 01/26/2021 11:30 AM Date/Time Analyzed: 02/05/2021 02:00 AM						
<u>TCLP Metals</u>						
Arsenic	<0.500	mg/L	6020	0.500	5.00	
Barium	<0.200	mg/L	6020	0.200	100	
Cadmium	<0.200	mg/L	6020	0.200	1.00	
Chromium	0.259	mg/L	6020	0.200	5.00	
Copper	<0.200	mg/L	6020	0.200	100	
Lead	<0.200	mg/L	6020	0.200	5.00	
Selenium	<0.500	mg/L	6020	0.500	1.00	
Silver	<0.200	mg/L	6020	0.200	5.00	
Zinc	1.01	mg/L	6020	0.200	500	
Analyst: BS Date/Time Prepared: 01/15/2021 09:10 AM Date/Time Analyzed: 01/15/2021 10:35 PM						
<u>TCLP (Mercury)</u>						
Mercury	<0.0187	mg/L	7471	0.0187	0.200	
Analyst: BS/RS Date/Time Prepared: 01/18/2021 03:30 PM Date/Time Analyzed: 01/19/2021 03:00 PM						

Project Name: Chor Industries Nickel Water

Project Requested by: Environmental & Disposal Management LLC

Sample Identification: Nickel Water

Sample Matrix: Aqueous

Date/Time Sampled: 01/12/2021 09:00 AM

Sampled by: Dave Chor

Date/Time Sample Received: 01/12/2021 11:45 AM

UL Sample Number: 93602

Date/Time Data Reported: 02/05/2021 02:08 PM

UL Project Number: 29152

<u>Parameter</u>	<u>Measured Concentration</u>	<u>Unit</u>	<u>Method of Analysis</u>	<u>Reported Detection Limit</u>	<u>Regulatory Level</u>	<u>Footnote</u>
TCLP Pesticides						
Chlordane	<0.0300	mg/L	8081	0.0300	0.0300	
Endrin	<0.0200	mg/L	8081	0.0200	0.0200	
Heptachlor	<0.00400	mg/L	8081	0.00400	0.00800	
Heptachlor epoxide	<0.00400	mg/L	8081	0.00400	0.00800	
Lindane	<0.400	mg/L	8081	0.400	0.400	
Methoxychlor	<10.0	mg/L	8081	10.0	10.0	
Toxaphene	<0.500	mg/L	8081	0.500	0.500	

Analyst: CC Date/Time Prepared: 01/26/2021 10:35 AM Date/Time Analyzed: 02/03/2021 07:34 PM

Ignitability (Flash Point)

Flash Point	>200	°F	1010	N/A	140
-------------	------	----	------	-----	-----

Analyst: RS Date/Time Prepared: 01/19/2021 08:10 AM Date/Time Analyzed: 01/19/2021 08:50 AM

PCBs (Aroclors)

PCB 1016	<2.00	mg/Kg	8082	2.00
PCB 1221	<2.00	mg/Kg	8082	2.00
PCB 1232	<2.00	mg/Kg	8082	2.00
PCB 1242	<2.00	mg/Kg	8082	2.00
PCB 1248	<2.00	mg/Kg	8082	2.00
PCB 1254	<2.00	mg/Kg	8082	2.00
PCB 1260	<2.00	mg/Kg	8082	2.00

Analyst: CC Date/Time Prepared: 01/18/2021 09:15 AM Date/Time Analyzed: 01/18/2021 08:35 PM

Project Name: Chor Industries Nickel Water
 Project Requested by: Environmental & Disposal Management LLC
 Sample Identification: Nickel Water
 Sample Matrix: Aqueous
 Date/Time Sampled: 01/12/2021 09:00 AM
 Sampled by: Dave Chor

Date/Time Sample Received: 01/12/2021 11:45 AM
 Date/Time Data Reported: 02/05/2021 02:08 PM

UL Sample Number: 93602
 UL Project Number: 29152

<u>Parameter</u>	<u>Measured Concentration</u>	<u>Unit</u>	<u>Method of Analysis</u>	<u>Reported Detection Limit</u>	<u>Regulatory Level</u>	<u>Footnote</u>
<u>Reactivity (Cyanide & Sulfide)</u>						
Reactive Cyanide	<4.30	mg/Kg	7.3	4.30	250	
Reactive Sulfide	<8.60	mg/Kg	7.3	8.60	500	

Analyst: RS Date/Time Prepared: 01/25/2021 11:50 AM Date/Time Analyzed: 01/25/2021 01:50 PM

Footnotes:

- 1) Percent recovery for Internal Standard below recommended range.



Republic Services

18500 N. Allied Way, Phoenix, AZ 85054

SPECIAL WASTE DEPARTMENT DECISION

	Waste Profile # 64402127101	Expiration Date 5/13/2022	
I. Decision Request:	<input checked="" type="checkbox"/> Initial <input type="checkbox"/> Recertification <input type="checkbox"/> Change		
Disposal Facility: 6440 - Detroit Industrial Well			
Generator Name: YENKIN MAJESTIC PAINT CORPORATION			
Generator Site Address: 1920 LEONARD AVE			
City: COLUMBUS	County:	State: OH	Zip:
Name of Waste: WATER			
Estimated Annual Volume: 230,000 Gallons			

II. Special Waste Department Decision: Approved Rejected

Management Method(s): Landfill Solidification Bioremediation Deep Well Transfer Facility


Problematic Special Waste according to Republic? Yes No

If yes, which one? _____

Approved by Special Waste Review Committee? Yes No Not Applicable

Precautions, Conditions or Limitations on Approval

The site must ensure that all pre-acceptance and verification analytical is performed in accordance with the site's permit requirements prior to acceptance and disposal of the profiled waste.

Special Waste Analyst Signature: 

Date: 5/19/2021

Name (Printed): MARK PHILLIPS

III. Facility Decision: Approved Rejected

Precautions, Conditions or Limitations on Approval

By signing below, the General Manager or Designee agrees that a fully executed Special Waste Service Agreement is on file for this profile and that the special waste file is complete.

General Manager or Designee: 

Date: 5/19/2021

Name (Printed): John Frost



Republic Services

18500 N. Allied Way, Phoenix, AZ 85054

SPECIAL WASTE DEPARTMENT DECISION

Waste Profile #
64402127101

Expiration Date
5/13/2022

I. Decision Request:

Initial Recertification Change

Disposal Facility: 6440 - Detroit Industrial Well

Generator Name: YENKIN MAJESTIC PAINT CORPORATION

Generator Site Address: 1920 LEONARD AVE

City: COLUMBUS

County:

State: OH

Zip:

Name of Waste: WATER

Estimated Annual Volume: 230,000 Gallons

II. Special Waste Department Decision:

Approved Rejected

Management Method(s): Landfill Solidification Bioremediation Deep Well Transfer Facility


Problematic Special Waste according to Republic? Yes No

If yes, which one? _____

Approved by Special Waste Review Committee? Yes No Not Applicable

Precautions, Conditions or Limitations on Approval

The site must ensure that all pre-acceptance and verification analytical is performed in accordance with the site's permit requirements prior to acceptance and disposal of the profiled waste.

Special Waste Analyst Signature: 

Date: 5/19/2021

Name (Printed): MARK PHILLIPS

III. Facility Decision:

Approved Rejected

Precautions, Conditions or Limitations on Approval

By signing below, the General Manager or Designee agrees that a fully executed Special Waste Service Agreement is on file for this profile and that the special waste file is complete.

General Manager or Designee: _____

Name (Printed): _____

Date: 5/19/2021

Republic Industrial and Energy Solutions, LLC

28470 Citrin Dr, Romulus, MI 48174. Telephone 734 946 1000. Fax 734 946 1002

GENERATOR WASTE PROFILE

Profile # 64402127101

GENERATOR INFORMATION

Name: Yenkin Majestic Paint Corporation USEPA ID # OHD004282976
Facility Address: 1920 Leonard Ave SIC/NAICS Code: State Code: 325211
City: Columbus State: Ohio Zip Code: 43219
Contact: Michael Jacobs Title: Env Mgr Phone: (600) 848-1898 Fax: (614) 253-3925

BILLING INFORMATION

SAME AS ABOVE

Company Name: Heritage Environmental Services, LLC
Address: 7901 West Morris St
City: Indianapolis State: Indiana Zip Code: 43621
Attention: Accts Payable- Drew Toombs Title: CSR Phone: (317) 525-4795 Fax: () _____

WASTE INFORMATION

Name of Waste/Common Chemical Name: Water

Process Generating Waste (Please be specific, incomplete information may delay the approval process):

Water run-off from the Yenkin Majestic Paint facility, which was collected from fire fighting response activities and fire suppression of a fire resulting in a resin production process system and its building. Water was collected and placed into temporary frac tanks.

USEPA / STATE WASTE IDENTIFICATION

- 1. This waste is considered to be: Non Hazardous Liquid Industrial Waste Hazardous Waste
- 2. Regulated by TSCA? Yes No (PCBs, etc.)
- 3. List ALL Applicable Waste Codes: U220 U239

PHYSICAL CHARACTERISTICS OF WASTE

Color: <input type="checkbox"/> White/Clear <input type="checkbox"/> Black/Brown <input checked="" type="checkbox"/> Other	Suspended Solids <input type="checkbox"/> 0-1% <input checked="" type="checkbox"/> 3-5% <input checked="" type="checkbox"/> 1-3% <input type="checkbox"/> > 5%	Layers: <input type="checkbox"/> Multi layered <input type="checkbox"/> Bi-Layered <input checked="" type="checkbox"/> Single Phase	Specific Gravity: <input type="checkbox"/> <0.8 <input checked="" type="checkbox"/> 1.0 - 1.2 <input type="checkbox"/> 0.8 - 1.0 <input type="checkbox"/> 1.3 - 1.4 Exact / Other <input type="text"/>
--	---	---	--

pH: NA < 2 2 - 4 4 - 6 6 - 8 8-10 10 - 12.5 >12.5

Liquid Flash Point: <73°F 73-100°F 101-140°F 141-200°F >200°F None Closed Cup Open Cup

VOC CONCENTRATION - 34 ppm to 115 ppm PPM (MUST BE COMPLETED)

TOTAL COMPOSITION OF WASTE - MUST BE EQUAL TO OR GREATER THAN 100% (LIST EACH CONSTITUENT <>1= 0.1%)

CONSTITUENT	MAX	MIN	CONSTITUENT	MAX	MIN
<u>Water</u>	<u>100</u>	<u>99.8</u>	<u>Ethylbenzene (total)</u>	<u>0.00015</u>	<u>0</u>
<u>Xylenes (total)</u>	<u>0.0007</u>	<u>0.00065</u>	<u>1,2,4 - Trimethylbenzene (total)</u>	<u>0.00049</u>	<u>0</u>
<u>Toluene (total)</u>	<u>0.011</u>	<u>0.0002</u>	<u>PFAS constituents and other VOC's - Attached lab analysis</u>	<input type="text"/>	<input type="text"/>

Metals: Indicate if this waste contains any of the following metals

If Generator knowledge-provide backup Lab Analysis Generator Knowledge TCLP TOTAL

	Not Present	Concentration		Not Present	Concentration						
	<input checked="" type="checkbox"/>	ppm	Aromatic Amine	<input checked="" type="checkbox"/>	__ppm	Arsenic (As)	D004	<input checked="" type="checkbox"/>	<5	ppm	ppm
PCB	<input checked="" type="checkbox"/>	ppm	Pesticides	<input checked="" type="checkbox"/>	__ppm	Barium (Ba)	D005	<input checked="" type="checkbox"/>	<100	ppm	ppm
Dioxins	<input checked="" type="checkbox"/>	ppm	Rodenticides	<input checked="" type="checkbox"/>	__ppm	Cadmium (Cd)	D006	<input checked="" type="checkbox"/>	<1	ppm	ppm
Cyanides Reactive	<input checked="" type="checkbox"/>	ppm	Fungicides	<input checked="" type="checkbox"/>	__ppm	Chromium (Cr)	D007	<input checked="" type="checkbox"/>	<5	ppm	ppm
Cyanides Total	<input checked="" type="checkbox"/>	ppm				Lead (Pb)	D008	<input checked="" type="checkbox"/>	<5	ppm	ppm
Sulfides Reactive	<input checked="" type="checkbox"/>	ppm				Mercury (Hg)	D009	<input checked="" type="checkbox"/>	<0.2	ppm	ppm
Sulfides Total	<input checked="" type="checkbox"/>	ppm				Selenium (Se)	D010	<input checked="" type="checkbox"/>	<1	ppm	ppm
						Silver (Ag)	D011	<input checked="" type="checkbox"/>	<5	ppm	ppm

TCLP Organics D012 — D043 above regulatory limits: Present Not Present

IS WASTE ANY OF THE FOLLOWING? *At Least One Box Must Be Checked.*

- Radioactive Water Reactive Oxidizer Shock Sensitive Reactive (other) DOT Explosives
 NIOSH Human-Positive Carcinogens NESHAP Wastes (Benzene, etc.) Biological None Apply

SHIPPING INFORMATION

1. Is this a DOT Hazardous Material (49CFR 172.101 & 173 Subpart D)? Yes No
 2. Reportable Quantity (RQ) in pounds 1001
 3. DOT Shipping Name Hazardous Waste, Liquid, n.o.s. Hazard Class 9 UN/NA 3082
 PG III ERG 171 Hazardous Constituents for "n.o.s." Xylene, Toluene
 4. Method of Shipment: Bulk Tanker Vac truck Rail Car Drums Totes
 5. Number of Units to Ship Now 200,000 gal - 230,000gal 6. Anticipated Volume / Units per Year: 230,000 or One Time
 6. Special Handling Requirements including PPE:
Proper chemical protective water resistant coveralls, gloves, boots, safety goggles, splash shield and respiratory protection as warranted.

CERTIFICATION STATEMENT

I hereby represent and warrant that I have personally examined and am familiar with the information contained and submitted in this and all attached documents. Based on my inquiry and personal knowledge of those individuals responsible for supplying or obtaining the information, the information contained herein is true, accurate, and complete to the best of my knowledge and belief. Furthermore, no material fact has been omitted as to make this information misleading. I understand that others may rely on this representation and warranty in the handling and processing of the waste material described herein.

If this box is checked I request Environmental Geo-Technologies not to correct any inconsistencies. Any corrections Environmental Geo-Technologies makes will be consistent with the results of the sample characterization and/or regulatory requirements.

Printed Name: Samuel Minichy Title: VP RBG
 Generator's Signature: [Signature] Date: 1/13/21

GENERATOR'S CHAIN OF CUSTODY RECORD INSTRUCTIONS: PLEASE collect a representative 1-quart sample of the waste described in the above referenced GENERATORS WASTE PROFILE REPORT using an appropriate container. A representative sample is one obtained using any of the applicable sampling methods cited in 40 CFR 261-Appendix 1. Fill in the sampling information in the spaces provided below. If you have problems obtaining a representative sample of your waste, please contact your Environmental Geo-Technologies representative.

1. Sample Jar w/ Colliwasa 2. 13 frac tanks - top manways
 SAMPLING METHOD COLLECTION POINT
 3. Rob Baker, Acct. Representative, Heritage Environmental Services
 SAMPLE COLLECTOR'S NAME, TITLE, EMPLOYER



4. Sample No. _____ Preservation: Yes No
 5. CHAIN OF CUSTODY *Each person who handles the sample must sign below when the sample passes from one to another.*

Relinquished by: (Signature)	Date	Time	Received by: (Signature)	Date	Time

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	5/14/2021
Receiving ID#	Yenkin Majesty Water
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	—
Generator	Yenkin Majesty Paint Corp
Client	—
Transporter	—
Time in	12:00
Time out	
Received by	J.H
Sampled by	Client

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.95
Cyanides? (mg/L)	
Sulfides? (ppm)?	< 200
Specific Gravity	1.00
Physical Description	liquid
Stream Consistency	<input checked="" type="radio"/> Yes <input type="radio"/> No
Oil in Sample?	Yes <input type="radio"/> No <input checked="" type="radio"/>
Temperature (F)	61.9
Conductivity	0.73 mS
% Solids	< 0.1
Turbidity	<input checked="" type="radio"/> Yes <input type="radio"/> No
Color	Colorless-Opaque
TSS (%)	< 0.1
Radiation Screen (as needed)	Neg.
Lab Signature/Initials	J.H

(Contact Lab for additional test results)