



REPUBLIC
SERVICES

28470 Citrin Drive Romulus, MI 48174
o 734.946.1000 republicservices.com

February 1, 2022

Mr. Allan Batka
United States Environmental Protection Agency
Region 5 (WU-16J)
77 West Jackson Blvd.
Chicago, Illinois 60604

Re: RIES (formerly EGT) Annual Report

Dear Mr. Batka:

Republic Industrial and Energy Solutions, LLC ("RIES") [formerly Environmental Geo-Technologies, LLC ("EGT")] hereby timely submits its 2021 Annual Report in conformance with the requirements of its two EPA UIC permits [#s MI-163-1W-0010 & MI-163-1W-0011), Section II.D.2].

RIES is providing all the attached information in the same sequence as required by section II.D.2 of the aforementioned permits.

- A. Results of the injection fluid analyses specified in Part III(A) and (E) of the permits, and the approved Waste Analysis Plan ("WAP") as recorded in the file for the permits have already been submitted to EPA as part of each RIES (formerly EGT) Monthly Report [monthly reports dated 12.20.13, 01.31.14, 02.24.14, 03.31.14, 04.30.14, 05.30.14, 06.30.14, 07.31.14, 08.29.14, 09.30.14, 10.31.14, 11.26.14, 12.26.14, 01.30.15, 02.27.15, 03.31.15, 04.30.15, 05.29.15, 06.30.15, 07.30.15, 08.31.15, 08.30.15, 10.30.15, 11.30.15, 12.31.15, 01.29.16, 02.19.16, 03.31.16, 04.29.16, 05.31.16, 06.30.16, 07.29.16, 08.31.16, 09.30.16, 10.31.16, 11.30.16, 12.30.16, 01.31.17, 02.28.17, 03.31.17, 04.28.17, 05.31.17, 06.30.17, 07.31.17, 08.31.17, 09.28.17, 10.31.17, 11.30.17, 12.29.17, 01.31.18, 02.28.18, 03.23.18, 04.30.18, 05.31.18, 06.29.18, 07.31.18, 08.29.18, 09.30.18, 10.31.18, 11.30.18, 12.30.18, 01.31.19, 02.28.19, 03.29.19, 04.30.19, 05.31.19, 06.27.19, 07.31.19, 09.13.19, 09.30.19, 10.31.19, 11.27.19, 12.27.19, 01.30.20, 02.28.20, 03.30.20, 01.30.20, 06.22.20, 06.26.20, 07.30.20, 10.08.20, 10.09.20, 11.20.20, 01.25.21, 01.26.21, 02.05.21, 02.25.21, 03.30.21, 04.30.21, 05.28.21, 06.29.21, 07.29.21, 08.30.21, 08.30.21, 10.25.21, 11.22.21, and 12.30.21] In reporting fluid analyses, the permittee (i.e. RIES) shall identify the waste components of the waste stream by their common name, chemical name, structure, and concentration, or as approved by the Director. RIES recognized the voluminous nature of this WAP documentation submission even prior to commencing injection and chose to provide such detail on an on-going monthly basis, in part, to be as currently transparent as possible. Rather than "killing trees" by providing redundant information, RIES has referenced this already publicly available information here. RIES hereby affirms that it has met the requirements of Part I(E)(10) ['samples and measurements taken for the purpose of monitoring shall be representative of the monitored activity'], Part II(B)(2) ['no substances other than those identified in Part III(E) of this permit shall be injected'],


and Part II(C)(3) [‘the permittee (i.e. EGT) shall comply with the approved Waste Analysis Plan...’].

- B. The most recent Mechanical Integrity Testing & Reservoir Testing report dated July 26-August 5, 2021 was submitted to EPA on September 22, 2021.
- C. Results of the calibration of measuring equipment as required in Part II(C) (7) of the permits are provided in Attachment A.
- D. Records documenting the annual continuing operator training required in Part II (B) (5) of the permits for 2021 are provided in Attachment B.
- E. RIES has already complied with the Compliance audit report submission requirement in Part II (C) (8) of the permits by performing the independent third-party (Nth Consultants, Ltd.) Compliance Audit (dated 10.29.21) was submitted on January 28, 2022.

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

We trust that you find this report satisfactory. However, if you have any questions or comments, please feel free to contact us.

Sincerely,

A handwritten signature in black ink, appearing to read 'John Frost', with a large, stylized initial 'J' and a horizontal line extending to the right.

John K. Frost

cc: Rick Sauve (Republic Services)

ATTACHMENT A



June 23, 2021

Mr. Jason Rubin
Republic Industrial and Energy Solutions
10613 W. Sam Houston Parkway N.
Suite 300
Houston, TX 77064

Re: Calibration Performed at 28470 Citrin Drive
Job No. REPI218538

Dear Mr. Rubin:

Please find enclosed (15) fifteen calibration forms for the Republic Industrial and Energy Solutions location dated June 11, 15, & 21, 2021. If you have any questions, please feel free to call our office at 734-424-1200.

Sincerely,

Brian Davis
Project Manager

BD/gb

UIS Group of Companies

2290 Bishop Circle East
Dexter, MI 48130
Phone: (734) 424-1200 - Fax: (734) 424-0031
uiscorp.com

UIS Group of Companies
Utilities Instrumentation Service
UIS SCADA
UIS Renewable Power
UIS - Ohio
CTC Engineering



Table of Contents
Job #REPI218538



Customer Republic Services
 User Republic Services
 Plant 28470 Citrin Drive

Substation	Position	Equipment	Page
SST1	Filter Pots Outlet Pressure	ISO-81235D1-ISO CERT 2015 (7)	1
WELL 1	AIT001 Density Meter	ISO-81235D1-ISO CERT 2015	2
Well 1	Annulus Pressure Logger	ISO-81235D1-ISO CERT 2015	3
Well 1	Annulus Pressure Primary	ISO-81235D1-ISO CERT 2015	4
Well 1	Well Flow	ISO-81235D1-ISO CERT 2015	5
Well 1	Well Flow Logger	ISO-81235D1-ISO CERT 2015 (8)	6
Well 1	Well Pressure Logger	ISO-81235D1-ISO CERT 2015	7
Well 1	Well Pressure Primary	ISO-81235D1-ISO CERT 2015	8
WELL 2	AIT002 Density Meter	ISO-81235D1-ISO CERT 2015 (2)	9
Well 2	Annulus Pressure Logger	ISO-81235D1-ISO CERT 2015 (5)	10
Well 2	Annulus Pressure Primary	ISO-81235D1-ISO CERT 2015 (4)	11
Well 2	Well Flow	ISO-81235D1-ISO CERT 2015 (2)	12
Well 2	Well Flow Logger	ISO-81235D1-ISO CERT 2015 (7)	13
Well 2	Well Pressure Logger	ISO-81235D1-ISO CERT 2015 (6)	14
Well 2	Well Pressure Primary	ISO-81235D1-ISO CERT 2015 (5)	15



CALIBRATION CERTIFICATE

UIS SCADA
 2290 Bishop Circle E.
 Dexter, MI 48130
 734-424-1200

CUSTOMER Republic Services CERTIFICATE # REPI218538, 1
 ADDRESS 28470 Citrin Drive; Romulus MI US 48174 JOB # REPI218538
 USER Republic Services; 28470 Citrin Drive; Romulus MI US 48174 PAGE 1
 OWNER REPRESENTATIVE John Frost TELEPHONE 734-946-1000
 Date: 6/21/2021 Temp: 84 °F Humidity: 40 %RH Equip Location: 28470 Citrin Drive
 Sub/Parent: SST1 Position/Child: Filter Pots Outlet Pressure

NAMEPLATE

Item Tested Transmitter, Pressure
 Manufacturer Yokogawa Model Number EJA530E-JDS7N-012EL/FU1/D1/JH05
 Serial Number 91V927602 Tag Number PIT-SST1FPO
 Operating Range 0-750 psig Procedure/Method Fluke 75x_umeng0000 rev Jul 2011

Line	%	INPUT	OUTPUT			
		psig	As Found	OOT	As Left	OOT
1		0.0	4.40	<input checked="" type="checkbox"/>	4.00	<input type="checkbox"/>
2		187.5	8.39	<input checked="" type="checkbox"/>	7.99	<input type="checkbox"/>
3		375.0	12.38	<input checked="" type="checkbox"/>	12.00	<input type="checkbox"/>
4		562.5	16.39	<input checked="" type="checkbox"/>	16.00	<input type="checkbox"/>
5		750.0	20.36	<input checked="" type="checkbox"/>	20.00	<input type="checkbox"/>
6				<input type="checkbox"/>		<input type="checkbox"/>

Communicator:	Hart-OEM Specific	Totalizer As Found	NA	Totalizer As Left	NA	NA
#	Manufacturer	Model	Serial / ID Number	Calibration Date	Calibration Due	
1	Fluke	750PD5 (0-1000 psig)	SHOP-1054	5/18/2020	6/30/2021	
2	Fluke	754	GCM-752	3/25/2021	3/31/2022	
3	Exttech	RH300(ambient)	GCM-687	3/23/2021	3/31/2026	

Comments:
Transmitter sensor URV 7200 psig; min scaled value 750 psig
zero offset out of spec, adjusted and calibrated

Deficiencies:

Traceability at UIS, Inc. is achieved through an unbroken chain of measurements with known uncertainties, to the International Systems of Units (SI) thru NIST or another Metrology Institute. The results contained within relate only to the item(s) calibrated. Pass/Fail or In/Out of tolerance statements are the opinions of UIS, Inc., decisions are based on data from measurements made, procedure utilized, professional experience. The uncertainty associated with this calibration has been included with any determination. It is the responsibility of the user of this equipment to determine if the results identified meet specific requirements for accuracy and its intended use. Due dates appearing on the certificate of calibration and label are determined by client for administrative purposes without the written approval of UIS, Inc., and do not imply continued conformance to specifications. The Confidence Factor is K=2 approx. 95% Confidence Level. All Certificates are page 1 of 1 unless otherwise specified. Page numbers at the top refer to the overall Job. This certificate shall not be reproduced except in full, without the written approval of UIS, Inc. Decision Rule 1: Measurement Uncertainty IS NOT taken into account for determining PASS or FAIL.



CALIBRATION CERTIFICATE

UIS SCADA
 2290 Bishop Circle E.
 Dexter, MI 48130
 734-424-1200

CUSTOMER Republic Services CERTIFICATE # REPI218538, 2
 ADDRESS 28470 Citrin Drive; Romulus MI US 48174 JOB # REPI218538
 USER Republic Services; 28470 Citrin Drive; Romulus MI US 48174 PAGE 2
 OWNER REPRESENTATIVE John Frost TELEPHONE 734-946-1000
 Date: 6/11/2021 Temp: 76 °F Humidity: 50 %RH Equip Location: 28470 Citrin Drive
 Sub/Parent: WELL 1 Position/Child: AIT001 Density Meter

NAMEPLATE

Item Tested Densitt Meter, Forked
 Manufacturer Rosemount Model Number FDM11A720BAC2200EZZZ
 Serial Number 14991433 Tag Number AIT001
 Operating Range 0-20 lbs/gal Procedure/Method MMI-20020959, Rev AC April 2016

INPUT		OUTPUT				
Line	%	Applied	As Found	OOT	As Left	OOT
1		k0	-2097.543999	<input type="checkbox"/>	-2097.543999	<input type="checkbox"/>
2		k1	-0.120544	<input type="checkbox"/>	-0.120544	<input type="checkbox"/>
3		k2	0.001718	<input type="checkbox"/>	0.001718	<input type="checkbox"/>
4		k18	-0.000457	<input type="checkbox"/>	-0.000457	<input type="checkbox"/>
5		k19	-0.935788	<input type="checkbox"/>	-0.935788	<input type="checkbox"/>
6	mA	4	4.00	<input type="checkbox"/>	4.00	<input type="checkbox"/>
7		20	20.00	<input type="checkbox"/>	20.00	<input type="checkbox"/>
8	Density	water(8.345)	8.34	<input type="checkbox"/>	8.34	<input type="checkbox"/>
9				<input type="checkbox"/>		<input type="checkbox"/>

Communicator:	Hart-OEM Specific	Totalizer As Found	NA	Totalizer As Left	NA	NA
#	Manufacturer	Model	Serial / ID Number	Calibration Date	Calibration Due	
1	Fluke	754	GCM-752	3/25/2021	3/31/2022	
2	Exttech	RH300(ambient)	GCM-687	3/23/2021	3/31/2026	

Comments:
 verified density using water from faucet at ambient temp; unit checks good. adjuste output scaling to match PLC input (was 0-12 now 0-20 lbs/gal)

Deficiencies:

Traceability at UIS, Inc. is achieved through an unbroken chain of measurements with known uncertainties, to the International Systems of Units (SI) thru NIST or another Metrology Institute. The results contained within relate only to the item(s) calibrated. Pass/Fail or In/Out of tolerance statements are the opinions of UIS, Inc., decisions are based on data from measurements made, procedure utilized, professional experience. The uncertainty associated with this calibration has been included with any determination. It is the responsibility of the user of this equipment to determine if the results identified meet specific requirements for accuracy and its intended use. Due dates appearing on the certificate of calibration and label are determined by client for administrative purposes without the written approval of UIS, Inc., and do not imply continued conformance to specifications. The Confidence Factor is K=2 approx. 95% Confidence Level. All Certificates are page 1 of 1 unless otherwise specified. Page numbers at the top refer to the overall Job. This certificate shall not be reproduced except in full, without the written approval of UIS, Inc. Decision Rule 1: Measurement Uncertainty IS NOT taken into account for determining PASS or FAIL.



CALIBRATION CERTIFICATE

UIS SCADA
 2290 Bishop Circle E.
 Dexter, MI 48130
 734-424-1200

CUSTOMER Republic Services CERTIFICATE # REPI218538, 3
 ADDRESS 28470 Citrin Drive; Romulus MI US 48174 JOB # REPI218538
 USER Republic Services; 28470 Citrin Drive; Romulus MI US 48174 PAGE 3
 OWNER REPRESENTATIVE John Frost TELEPHONE 734-946-1000
 Date: 6/11/2021 Temp: 89 °F Humidity: 45 %RH Equip Location: Plant
 Sub/Parent: Well 1 Position/Child: Annulus Pressure Logger

NAMEPLATE

Item Tested Pressure Transmitter
 Manufacturer Yokogawa Model Number EJA53
 Serial Number 5741566 Tag Number PIT3838
 Operating Range cal 0-1000 psig Procedure/Method Fluke 754:75x_umeng0000 rev Jul 2011

Line	%	INPUT psig		OUTPUT psig				
		Applied	As Found	OOT	As Left	OOT	Lo Spec	Hi Spec
1		0	-1.0	<input type="checkbox"/>	-1.0	<input type="checkbox"/>	-2	2
2		250	250	<input type="checkbox"/>	250	<input type="checkbox"/>	248	252
3		500	500	<input type="checkbox"/>	500	<input type="checkbox"/>	498	502
4		750	750	<input type="checkbox"/>	750	<input type="checkbox"/>	748	752
5		1000	999	<input type="checkbox"/>	999	<input type="checkbox"/>	998	1002
6		Hart Address	4	<input type="checkbox"/>	4	<input type="checkbox"/>		
7				<input type="checkbox"/>		<input type="checkbox"/>		

Communicator:	Hart-OEM Specific	Totalizer As Found	NA	Totalizer As Left	NA	Gal
#	Manufacturer	Model	Serial / ID Number	Calibration Date	Calibration Due	
1	Fluke	750PD5 (0-1000 psig)	SHOP-1054	5/18/2020	6/30/2021	
2	Fluke	754	GCM-752	3/25/2021	3/31/2022	
3	Extech	RH300(ambient)	GCM-687	3/23/2021	3/31/2026	

Comments:
 Hart address 4 for comms; switched with primary annulus to see if drop out follows unit.
 mA not used

Deficiencies:

Traceability at UIS, Inc. is achieved through an unbroken chain of measurements with known uncertainties, to the International Systems of Units (SI) thru NIST or another Metrology Institute. The results contained within relate only to the item(s) calibrated. Pass/Fail or In/Out of tolerance statements are the opinions of UIS, Inc., decisions are based on data from measurements made, procedure utilized, professional experience. The uncertainty associated with this calibration has been included with any determination. It is the responsibility of the user of this equipment to determine if the results identified meet specific requirements for accuracy and its intended use. Due dates appearing on the certificate of calibration and label are determined by client for administrative purposes without the written approval of UIS, Inc., and do not imply continued conformance to specifications. The Confidence Factor is K=2 approx. 95% Confidence Level. All Certificates are page 1 of 1 unless otherwise specified. Page numbers at the top refer to the overall Job. This certificate shall not be reproduced except in full, without the written approval of UIS, Inc. Decision Rule 1: Measurement Uncertainty IS NOT taken into account for determining PASS or FAIL.

Revision: corrected due date on pressure module used 6/29/2021 GCM

Date of Issue: 6/29/2021

Tech 1: G. Moot Tech 2: na ISO-81523D-ISO Cert 2015; Rev Sep 2019



CALIBRATION CERTIFICATE

UIS SCADA
 2290 Bishop Circle E.
 Dexter, MI 48130
 734-424-1200

CUSTOMER Republic Services CERTIFICATE # REPI218538, 4
 ADDRESS 28470 Citrin Drive; Romulus MI US 48174 JOB # REPI218538
 USER Republic Services; 28470 Citrin Drive; Romulus MI US 48174 PAGE 4
 OWNER REPRESENTATIVE John Frost TELEPHONE 734-946-1000
 Date: 6/11/2021 Temp: 89 °F Humidity: 45 %RH Equip Location: Plant
 Sub/Parent: Well 1 Position/Child: Annulus Pressure Primary

NAMEPLATE

Item Tested Pressure Transmitter
 Manufacturer Yokogawa Model Number EJA53
 Serial Number 5613698 Tag Number PIT3838
 Operating Range cal 0-1000 psig Procedure/Method Fluke 754:75x_umeng0000 rev Jul 2011

Line	%	INPUT psig		OUTPUT psig		Lo Spec	Hi Spec
		Applied	As Found	OOT	As Left		
1		0	0	<input type="checkbox"/>	0	-2	2
2		250	250	<input type="checkbox"/>	250	248	252
3		500	500	<input type="checkbox"/>	500	498	502
4		750	750	<input type="checkbox"/>	750	748	752
5		1000	1000	<input type="checkbox"/>	1000	998	1002
6		Hart Address	1	<input type="checkbox"/>	1		
7				<input type="checkbox"/>			

Communicator:	Hart-OEM Specific	Totalizer As Found	NA	Totalizer As Left	NA	Gal
#	Manufacturer	Model	Serial / ID Number	Calibration Date	Calibration Due	
1	Fluke	750PD5 (0-1000 psig)	SHOP-1054	5/18/2020	6/30/2021	
2	Fluke	754	GCM-752	3/25/2021	3/31/2022	
3	Extech	RH300(ambient)	GCM-687	3/23/2021	3/31/2026	

Comments:
 Hart Address 1
 switched with datalogger due to transmitter dropping out during operation serial 5613698

Deficiencies:

Traceability at UIS, Inc. is achieved through an unbroken chain of measurements with known uncertainties, to the International Systems of Units (SI) thru NIST or another Metrology Institute. The results contained within relate only to the item(s) calibrated. Pass/Fail or In/Out of tolerance statements are the opinions of UIS, Inc., decisions are based on data from measurements made, procedure utilized, professional experience. The uncertainty associated with this calibration has been included with any determination. It is the responsibility of the user of this equipment to determine if the results identified meet specific requirements for accuracy and its intended use. Due dates appearing on the certificate of calibration and label are determined by client for administrative purposes without the written approval of UIS, Inc., and do not imply continued conformance to specifications. The Confidence Factor is K=2 approx. 95% Confidence Level. All Certificates are page 1 of 1 unless otherwise specified. Page numbers at the top refer to the overall Job. This certificate shall not be reproduced except in full, without the written approval of UIS, Inc. Decision Rule 1: Measurement Uncertainty IS NOT taken into account for determining PASS or FAIL.

Revision: corrected due date on pressure module used 6/29/2021 GCM

Date of Issue: 6/29/2021

Tech 1: G. Moot Tech 2: na ISO-81523D-ISO Cert 2015; Rev Sep 2019



CALIBRATION CERTIFICATE

UIS SCADA
 2290 Bishop Circle E.
 Dexter, MI 48130
 734-424-1200

CUSTOMER Republic Services CERTIFICATE # REPI218538, 5
 ADDRESS 28470 Citrin Drive; Romulus MI US 48174 JOB # REPI218538
 USER Republic Services; 28470 Citrin Drive; Romulus MI US 48174 PAGE 5
 OWNER REPRESENTATIVE John Frost TELEPHONE 734-946-1000
 Date: 6/11/2021 Temp: 80 °F Humidity: 55 %RH Equip Location: Plant
 Sub/Parent: Well 1 Position/Child: Well Flow

NAMEPLATE

Item Tested Magnetic Flow Transmitter, Integral
 Manufacturer Yokogawa Model Number ADMAG AXFA14
 Serial Number 11324319 Tag Number FIT3832
 Operating Range 0-659 GPM Procedure/Method Fluke 754:75x_umeng0000 rev Jul 2011

Line	INPUT		OUTPUT		Diag	
	%	Applied	As Found	OOT	As Left	OOT
1		Diagnostics	Pass	<input type="checkbox"/>	Pass	<input type="checkbox"/>
2		Coil	Pass	<input type="checkbox"/>	Pass	<input type="checkbox"/>
3		Electrodes	Pass	<input type="checkbox"/>	Pass	<input type="checkbox"/>
4		Electronics	Pass	<input type="checkbox"/>	Pass	<input type="checkbox"/>
5		Hart Comms	Pass	<input type="checkbox"/>	Pass	<input type="checkbox"/>
6		4.00 mA	4.00	<input type="checkbox"/>	4.00	<input type="checkbox"/>
7		Hart Address	3	<input type="checkbox"/>	3	<input type="checkbox"/>
8				<input type="checkbox"/>		<input type="checkbox"/>

Communicator:	Hart-OEM Specific	Totalizer As Found	NA	Totalizer As Left	NA	Gal
#	Manufacturer	Model	Serial / ID Number	Calibration Date	Calibration Due	
1	Fluke	754	GCM-752	3/25/2021	3/31/2022	
2	Extech	RH300(ambient)	GCM-687	3/23/2021	3/31/2026	

Comments:
 Hart set at 4 mA and uses comms with PLC

Deficiencies:

Traceability at UIS, Inc. is achieved through an unbroken chain of measurements with known uncertainties, to the International Systems of Units (SI) thru NIST or another Metrology Institute. The results contained within relate only to the item(s) calibrated. Pass/Fail or In/Out of tolerance statements are the opinions of UIS, Inc., decisions are based on data from measurements made, procedure utilized, professional experience. The uncertainty associated with this calibration has been included with any determination. It is the responsibility of the user of this equipment to determine if the results identified meet specific requirements for accuracy and its intended use. Due dates appearing on the certificate of calibration and label are determined by client for administrative purposes without the written approval of UIS, Inc., and do not imply continued conformance to specifications. The Confidence Factor is K=2 approx. 95% Confidence Level. All Certificates are page 1 of 1 unless otherwise specified. Page numbers at the top refer to the overall Job. This certificate shall not be reproduced except in full, without the written approval of UIS, Inc. Decision Rule 1: Measurement Uncertainty IS NOT taken into account for determining PASS or FAIL.



CALIBRATION CERTIFICATE

UIS SCADA
 2290 Bishop Circle E.
 Dexter, MI 48130
 734-424-1200

CUSTOMER Republic Services CERTIFICATE # REPI218538, 6
 ADDRESS 28470 Citrin Drive; Romulus MI US 48174 JOB # REPI218538
 USER Republic Services; 28470 Citrin Drive; Romulus MI US 48174 PAGE 6
 OWNER REPRESENTATIVE John Frost TELEPHONE 734-946-1000
 Date: 6/15/2021 Temp: 75 °F Humidity: 55 %RH Equip Location: Plant
 Sub/Parent: Well 1 Position/Child: Well Flow Logger

NAMEPLATE

Item Tested Transit Time Clampon Flow Metet
 Manufacturer Grey Line Model Number TTFM 6.1
 Serial Number 78338 Tag Number FIT
 Operating Range 0-2000 gpm Procedure/Method Fluke 754:75x_umeng0000 rev Jul 2011

INPUT		OUTPUT				
Line	%	Applied	As Found	OOT	As Left	OOT
1		Comms	Modbus	<input type="checkbox"/>	Modbus	<input type="checkbox"/>
2		Address	6	<input type="checkbox"/>	6	<input type="checkbox"/>
3		Baud	9600	<input type="checkbox"/>	9600	<input type="checkbox"/>
4		Parity	N	<input type="checkbox"/>	N	<input type="checkbox"/>
5		stop bits	1	<input type="checkbox"/>	1	<input type="checkbox"/>
6		OD(in)	3.91	<input type="checkbox"/>	3.91	<input type="checkbox"/>
7		wall(in)	0.263	<input type="checkbox"/>	0.263	<input type="checkbox"/>
8		crossing	2	<input type="checkbox"/>	2	<input type="checkbox"/>
9		spacing(in)	1.85	<input type="checkbox"/>	1.85	<input type="checkbox"/>
10				<input type="checkbox"/>		<input type="checkbox"/>

Communicator:	PC-Custom	Totalizer As Found	NA	Totalizer As Left	NA	Gal
#	Manufacturer	Model	Serial / ID Number	Calibration Date	Calibration Due	
1	Fluke	750PD5 (0-1000 psig)	SHOP-1054	5/18/2020	6/30/2021	
2	Fluke	754	GCM-752	3/25/2021	3/31/2022	
3	Extech	RH300(ambient)	GCM-687	3/23/2021	3/31/2026	

Comments:
 modbus out only to logger
 vibration causes internal boards to come out of their slots. OEM working on solution;
 recommend keeping transmitter isolated and mounted away from source of vibration(well piping)

Deficiencies:

Traceability at UIS, Inc. is achieved through an unbroken chain of measurements with known uncertainties, to the International Systems of Units (SI) thru NIST or another Metrology Institute. The results contained within relate only to the item(s) calibrated. Pass/Fail or In/Out of tolerance statements are the opinions of UIS, Inc., decisions are based on data from measurements made, procedure utilized, professional experience. The uncertainty associated with this calibration has been included with any determination. It is the responsibility of the user of this equipment to determine if the results identified meet specific requirements for accuracy and its intended use. Due dates appearing on the certificate of calibration and label are determined by client for administrative purposes without the written approval of UIS, Inc., and do not imply continued conformance to specifications. The Confidence Factor is K=2 approx. 95% Confidence Level. All Certificates are page 1 of 1 unless otherwise specified. Page numbers at the top refer to the overall Job. This certificate shall not be reproduced except in full, without the written approval of UIS, Inc. Decision Rule 1: Measurement Uncertainty IS NOT taken into account for determining PASS or FAIL.



CALIBRATION CERTIFICATE

UIS SCADA
 2290 Bishop Circle E.
 Dexter, MI 48130
 734-424-1200

CUSTOMER Republic Services CERTIFICATE # REPI218538, 7
 ADDRESS 28470 Citrin Drive; Romulus MI US 48174 JOB # REPI218538
 USER Republic Services; 28470 Citrin Drive; Romulus MI US 48174 PAGE 7
 OWNER REPRESENTATIVE John Frost TELEPHONE 734-946-1000
 Date: 6/15/2021 Temp: 81 °F Humidity: 45 %RH Equip Location: Plant
 Sub/Parent: Well 1 Position/Child: Well Pressure Logger

NAMEPLATE

Item Tested Pressure Transmitter
 Manufacturer Yokogawa Model Number EJA53
 Serial Number 91V631757-926 Tag Number PIT3938
 Operating Range cal 0-1000 psig Procedure/Method Fluke 754:75x_umeng0000 rev Jul 2011

Line	%	INPUT psig		OUTPUT psig				
		Applied	As Found	OOT	As Left	OOT	Lo Spec	Hi Spec
1		0	-1	<input type="checkbox"/>	-1	<input type="checkbox"/>	-2	2
2		250	250	<input type="checkbox"/>	250	<input type="checkbox"/>	248	252
3		500	500	<input type="checkbox"/>	500	<input type="checkbox"/>	498	502
4		750	750	<input type="checkbox"/>	750	<input type="checkbox"/>	748	752
5		1000	1000	<input type="checkbox"/>	1000	<input type="checkbox"/>	998	1002
6				<input type="checkbox"/>		<input type="checkbox"/>		

Communicator:	HART	Totalizer As Found	NA	Totalizer As Left	NA	Gal
#	Manufacturer	Model	Serial / ID Number	Calibration Date	Calibration Due	
1	Fluke	750PD5 (0-1000 psig)	SHOP-1054	5/18/2020	6/30/2021	
2	Fluke	754	GCM-752	3/25/2021	3/31/2022	
3	Exttech	RH300(ambient)	GCM-687	3/23/2021	3/31/2026	

Comments:

Deficiencies:

Traceability at UIS, Inc. is achieved through an unbroken chain of measurements with known uncertainties, to the International Systems of Units (SI) thru NIST or another Metrology Institute. The results contained within relate only to the item(s) calibrated. Pass/Fail or In/Out of tolerance statements are the opinions of UIS, Inc., decisions are based on data from measurements made, procedure utilized, professional experience. The uncertainty associated with this calibration has been included with any determination. It is the responsibility of the user of this equipment to determine if the results identified meet specific requirements for accuracy and its intended use. Due dates appearing on the certificate of calibration and label are determined by client for administrative purposes without the written approval of UIS, Inc., and do not imply continued conformance to specifications. The Confidence Factor is K=2 approx. 95% Confidence Level. All Certificates are page 1 of 1 unless otherwise specified. Page numbers at the top refer to the overall Job. This certificate shall not be reproduced except in full, without the written approval of UIS, Inc. Decision Rule 1: Measurement Uncertainty IS NOT taken into account for determining PASS or FAIL.

Date of Issue: 6/29/2021

Tech 1: G. Moot Tech 2: na ISO-81523D-ISO Cert 2015; Rev Sep 2019



CALIBRATION CERTIFICATE

UIS SCADA
 2290 Bishop Circle E.
 Dexter, MI 48130
 734-424-1200

CUSTOMER Republic Services CERTIFICATE # REPI218538, 8
 ADDRESS 28470 Citrin Drive; Romulus MI US 48174 JOB # REPI218538
 USER Republic Services; 28470 Citrin Drive; Romulus MI US 48174 PAGE 8
 OWNER REPRESENTATIVE John Frost TELEPHONE 734-946-1000
 Date: 6/15/2021 Temp: 81 °F Humidity: 45 %RH Equip Location: Plant
 Sub/Parent: Well 1 Position/Child: Well Pressure Primary

NAMEPLATE

Item Tested Pressure Transmitter
 Manufacturer Yokogawa Model Number EJA53
 Serial Number 91V926590-938 Tag Number PIT3938
 Operating Range cal 0-1000 psig Procedure/Method Fluke 754:75x_umeng0000 rev Jul 2011

Line	%	INPUT psig		OUTPUT psig				
		Applied	As Found	OOT	As Left	OOT	Lo Spec	Hi Spec
1		0	0.0	<input type="checkbox"/>	0.0	<input type="checkbox"/>	-2	2
2		250	250	<input type="checkbox"/>	250	<input type="checkbox"/>	248	252
3		500	500	<input type="checkbox"/>	500	<input type="checkbox"/>	498	502
4		750	750	<input type="checkbox"/>	750	<input type="checkbox"/>	748	752
5		1000	1000	<input type="checkbox"/>	1000	<input type="checkbox"/>	998	1002
6				<input type="checkbox"/>		<input type="checkbox"/>		

Communicator:	HART	Totalizer As Found	NA	Totalizer As Left	NA	Gal
#	Manufacturer	Model	Serial / ID Number	Calibration Date	Calibration Due	
1	Fluke	750PD5 (0-1000 psig)	SHOP-1054	5/18/2020	6/30/2021	
2	Fluke	754	GCM-752	3/25/2021	3/31/2022	
3	Extech	RH300(ambient)	GCM-687	3/23/2021	3/31/2026	

Comments:
Hart comms, no mA output

Deficiencies:

Traceability at UIS, Inc. is achieved through an unbroken chain of measurements with known uncertainties, to the International Systems of Units (SI) thru NIST or another Metrology Institute. The results contained within relate only to the item(s) calibrated. Pass/Fail or In/Out of tolerance statements are the opinions of UIS, Inc., decisions are based on data from measurements made, procedure utilized, professional experience. The uncertainty associated with this calibration has been included with any determination. It is the responsibility of the user of this equipment to determine if the results identified meet specific requirements for accuracy and its intended use. Due dates appearing on the certificate of calibration and label are determined by client for administrative purposes without the written approval of UIS, Inc., and do not imply continued conformance to specifications. The Confidence Factor is K=2 approx. 95% Confidence Level. All Certificates are page 1 of 1 unless otherwise specified. Page numbers at the top refer to the overall Job. This certificate shall not be reproduced except in full, without the written approval of UIS, Inc. Decision Rule 1: Measurement Uncertainty IS NOT taken into account for determining PASS or FAIL.



CALIBRATION CERTIFICATE

UIS SCADA
2290 Bishop Circle E.
Dexter, MI 48130
734-424-1200

CUSTOMER Republic Services CERTIFICATE # REPI218538, 9
 ADDRESS 28470 Citrin Drive; Romulus MI US 48174 JOB # REPI218538
 USER Republic Services; 28470 Citrin Drive; Romulus MI US 48174 PAGE 9
 OWNER REPRESENTATIVE John Frost TELEPHONE 734-946-1000
 Date: 6/11/2021 Temp: 76 °F Humidity: 50 %RH Equip Location: 28470 Citrin Drive
 Sub/Parent: WELL 2 Position/Child: AIT002 Density Meter

NAMEPLATE

Item Tested Densitt Meter, Forked
 Manufacturer Rosemount Model Number FDM11E720AAC2200EZZZ
 Serial Number 4252049 Tag Number AIT001
 Operating Range 0-12 lbs/gal Procedure/Method MMI-20020959, Rev AC April 2016

Line	%	INPUT	Applied	As Found	OOT	As Left	OOT
1			k0	-2515.174000	<input type="checkbox"/>	-2515.174000	<input type="checkbox"/>
2			k1	0.120256	<input type="checkbox"/>	0.120256	<input type="checkbox"/>
3			k2	0.001749	<input type="checkbox"/>	0.001749	<input type="checkbox"/>
4			k18	-0.000287	<input type="checkbox"/>	-0.000287	<input type="checkbox"/>
5			k19	-0.665047	<input type="checkbox"/>	-0.665047	<input type="checkbox"/>
6	mA		4	4.00	<input type="checkbox"/>	4.00	<input type="checkbox"/>
7			20	20.00	<input type="checkbox"/>	20.00	<input type="checkbox"/>
8	Density		water(8.345)	8.34	<input type="checkbox"/>	8.34	<input type="checkbox"/>
9					<input type="checkbox"/>		<input type="checkbox"/>

Communicator:	Hart-OEM Specific	Totalizer As Found	NA	Totalizer As Left	NA	NA
#	Manufacturer	Model	Serial / ID Number	Calibration Date	Calibration Due	
1	Fluke	754	GCM-752	3/25/2021	3/31/2022	
2	Extech	RH300(ambient)	GCM-687	3/23/2021	3/31/2026	

Comments:
verified density using water from faucet at ambient temp; unit checks good.

Deficiencies:

Traceability at UIS, Inc. is achieved through an unbroken chain of measurements with known uncertainties, to the International Systems of Units (SI) thru NIST or another Metrology Institute. The results contained within relate only to the item(s) calibrated. Pass/Fail or In/Out of tolerance statements are the opinions of UIS, Inc., decisions are based on data from measurements made, procedure utilized, professional experience. The uncertainty associated with this calibration has been included with any determination. It is the responsibility of the user of this equipment to determine if the results identified meet specific requirements for accuracy and its intended use. Due dates appearing on the certificate of calibration and label are determined by client for administrative purposes without the written approval of UIS, Inc., and do not imply continued conformance to specifications. The Confidence Factor is K=2 approx. 95% Confidence Level. All Certificates are page 1 of 1 unless otherwise specified. Page numbers at the top refer to the overall Job. This certificate shall not be reproduced except in full, without the written approval of UIS, Inc. Decision Rule 1: Measurement Uncertainty IS NOT taken into account for determining PASS or FAIL.



CALIBRATION CERTIFICATE

UIS SCADA
 2290 Bishop Circle E.
 Dexter, MI 48130
 734-424-1200

CUSTOMER Republic Services CERTIFICATE # REPI218538, 10
 ADDRESS 28470 Citrin Drive; Romulus MI US 48174 JOB # REPI218538
 USER Republic Services; 28470 Citrin Drive; Romulus MI US 48174 PAGE 10
 OWNER REPRESENTATIVE John Frost TELEPHONE 734-946-1000
 Date: 6/15/2021 Temp: 75 °F Humidity: 55 %RH Equip Location: Plant
 Sub/Parent: Well 2 Position/Child: Annulus Pressure Logger

NAMEPLATE

Item Tested Pressure Transmitter
 Manufacturer Yokogawa Model Number EJA530E-JDS7N-012EL/FU1/D1/JH05
 Serial Number 91V926611 Tag Number PIT
 Operating Range cal 0-1000 psig Procedure/Method Fluke 754:75x_umeng0000 rev Jul 2011

Line	%	INPUT psig		OUTPUT psig				
		Applied	As Found	OOT	As Left	OOT	Lo Spec	Hi Spec
1		0	0	<input type="checkbox"/>	0	<input type="checkbox"/>	-2	+2
2		250	250	<input type="checkbox"/>	250	<input type="checkbox"/>	248	252
3		500	500	<input type="checkbox"/>	500	<input type="checkbox"/>	498	502
4		750	750	<input type="checkbox"/>	750	<input type="checkbox"/>	748	752
5		1000	1000	<input type="checkbox"/>	1000	<input type="checkbox"/>	998	1002
6		Hart Address	2	<input type="checkbox"/>	2	<input type="checkbox"/>		
7				<input type="checkbox"/>		<input type="checkbox"/>		

Communicator:	Hart-OEM Specific	Totalizer As Found	NA	Totalizer As Left	NA	Gal
#	Manufacturer	Model	Serial / ID Number	Calibration Date	Calibration Due	
1	Fluke	750PD5 (0-1000 psig)	SHOP-1054	5/18/2020	6/30/2021	
2	Fluke	754	GCM-752	3/25/2021	3/31/2022	
3	Extech	RH300(ambient)	GCM-687	3/23/2021	3/31/2026	

Comments:
 no mA output; unit comm with Hart

Deficiencies:

Traceability at UIS, Inc. is achieved through an unbroken chain of measurements with known uncertainties, to the International Systems of Units (SI) thru NIST or another Metrology Institute. The results contained within relate only to the item(s) calibrated. Pass/Fail or In/Out of tolerance statements are the opinions of UIS, Inc., decisions are based on data from measurements made, procedure utilized, professional experience. The uncertainty associated with this calibration has been included with any determination. It is the responsibility of the user of this equipment to determine if the results identified meet specific requirements for accuracy and its intended use. Due dates appearing on the certificate of calibration and label are determined by client for administrative purposes without the written approval of UIS, Inc., and do not imply continued conformance to specifications. The Confidence Factor is K=2 approx. 95% Confidence Level. All Certificates are page 1 of 1 unless otherwise specified. Page numbers at the top refer to the overall Job. This certificate shall not be reproduced except in full, without the written approval of UIS, Inc. Decision Rule 1: Measurement Uncertainty IS NOT taken into account for determining PASS or FAIL.



CALIBRATION CERTIFICATE

UIS SCADA
 2290 Bishop Circle E.
 Dexter, MI 48130
 734-424-1200

CUSTOMER Republic Services CERTIFICATE # REPI218538, 11
 ADDRESS 28470 Citrin Drive; Romulus MI US 48174 JOB # REPI218538
 USER Republic Services; 28470 Citrin Drive; Romulus MI US 48174 PAGE 11
 OWNER REPRESENTATIVE John Frost TELEPHONE 734-946-1000
 Date: 6/15/2021 Temp: 75 °F Humidity: 55 %RH Equip Location: Plant
 Sub/Parent: Well 2 Position/Child: Annulus Pressure Primary

NAMEPLATE

Item Tested Pressure Transmitter
 Manufacturer Yokogaw Model Number EJA530E-JDS7N-012EL/FU1/D1/JH05
 Serial Number 91V927606 Tag Number PIT3938
 Operating Range cal 0-1000 psig Procedure/Method Fluke 754:75x_umeng0000 rev Jul 2011

Line	%	INPUT psig		OUTPUT psig				
		Applied	As Found	OOT	As Left	OOT	Lo Spec	Hi Spec
1		0	0	<input type="checkbox"/>	0	<input type="checkbox"/>	-2	+2
2		250	250	<input type="checkbox"/>	250	<input type="checkbox"/>	248	252
3		500	500	<input type="checkbox"/>	500	<input type="checkbox"/>	498	502
4		750	750	<input type="checkbox"/>	750	<input type="checkbox"/>	748	752
5		1000	1000	<input type="checkbox"/>	1000	<input type="checkbox"/>	998	1002
6		Hart Address	4	<input type="checkbox"/>	4	<input type="checkbox"/>		
7				<input type="checkbox"/>		<input type="checkbox"/>		

Communicator:	Hart-OEM Specific	Totalizer As Found	NA	Totalizer As Left	NA	Gal
#	Manufacturer	Model	Serial / ID Number	Calibration Date	Calibration Due	
1	Fluke	750PD5 (0-1000 psig)	SHOP-1054	5/18/2020	6/30/2021	
2	Fluke	754	GCM-752	3/25/2021	3/31/2022	
3	Exttech	RH300(ambient)	GCM-687	3/23/2021	3/31/2026	

Comments:
 no mA output; unit comm with Hart to PLC

Deficiencies:

Traceability at UIS, Inc. is achieved through an unbroken chain of measurements with known uncertainties, to the International Systems of Units (SI) thru NIST or another Metrology Institute. The results contained within relate only to the item(s) calibrated. Pass/Fail or In/Out of tolerance statements are the opinions of UIS, Inc., decisions are based on data from measurements made, procedure utilized, professional experience. The uncertainty associated with this calibration has been included with any determination. It is the responsibility of the user of this equipment to determine if the results identified meet specific requirements for accuracy and its intended use. Due dates appearing on the certificate of calibration and label are determined by client for administrative purposes without the written approval of UIS, Inc., and do not imply continued conformance to specifications. The Confidence Factor is K=2 approx. 95% Confidence Level. All Certificates are page 1 of 1 unless otherwise specified. Page numbers at the top refer to the overall Job. This certificate shall not be reproduced except in full, without the written approval of UIS, Inc. Decision Rule 1: Measurement Uncertainty IS NOT taken into account for determining PASS or FAIL.



CALIBRATION CERTIFICATE

UIS SCADA
 2290 Bishop Circle E.
 Dexter, MI 48130
 734-424-1200

CUSTOMER Republic Services CERTIFICATE # REPI218538, 12
 ADDRESS 28470 Citrin Drive; Romulus MI US 48174 JOB # REPI218538
 USER Republic Services; 28470 Citrin Drive; Romulus MI US 48174 PAGE 12
 OWNER REPRESENTATIVE John Frost TELEPHONE 734-946-1000
 Date: 6/11/2021 Temp: 80 °F Humidity: 55 %RH Equip Location: Plant
 Sub/Parent: Well 2 Position/Child: Well Flow

NAMEPLATE

Item Tested Magnetic Flow Transmitter, Integral
 Manufacturer Yokogawa Model Number ADMAG AXFA14
 Serial Number 11324319 Tag Number FIT3832
 Operating Range 0-659 GPM Procedure/Method Fluke 754:75x_umeng0000 rev Jul 2011

Line	%	INPUT	OUTPUT		Diag	
		Diag	As Found	OOT	As Left	OOT
1		Diagnostics	Pass	<input type="checkbox"/>	Pass	<input type="checkbox"/>
2		Coil	Pass	<input type="checkbox"/>	Pass	<input type="checkbox"/>
3		Electrodes	Pass	<input type="checkbox"/>	Pass	<input type="checkbox"/>
4		Electronics	Pass	<input type="checkbox"/>	Pass	<input type="checkbox"/>
5		Hart Comms	Pass	<input type="checkbox"/>	Pass	<input type="checkbox"/>
6		4.00 mA	4.00	<input type="checkbox"/>	4.00	<input type="checkbox"/>
7		Hart Address	6	<input type="checkbox"/>	6	<input type="checkbox"/>
8				<input type="checkbox"/>		<input type="checkbox"/>

Communicator:	Hart-OEM Specific	Totalizer As Found	NA	Totalizer As Left	NA	Gal
#	Manufacturer	Model	Serial / ID Number	Calibration Date	Calibration Due	
1	Fluke	754	GCM-752	3/25/2021	3/31/2022	
2	Exttech	RH300(ambient)	GCM-687	3/23/2021	3/31/2026	

Comments:
 Hart set at 4 mA and uses comms with PLC

Deficiencies:

Traceability at UIS, Inc. is achieved through an unbroken chain of measurements with known uncertainties, to the International Systems of Units (SI) thru NIST or another Metrology Institute. The results contained within relate only to the item(s) calibrated. Pass/Fail or In/Out of tolerance statements are the opinions of UIS, Inc., decisions are based on data from measurements made, procedure utilized, professional experience. The uncertainty associated with this calibration has been included with any determination. It is the responsibility of the user of this equipment to determine if the results identified meet specific requirements for accuracy and its intended use. Due dates appearing on the certificate of calibration and label are determined by client for administrative purposes without the written approval of UIS, Inc., and do not imply continued conformance to specifications. The Confidence Factor is K=2 approx. 95% Confidence Level. All Certificates are page 1 of 1 unless otherwise specified. Page numbers at the top refer to the overall Job. This certificate shall not be reproduced except in full, without the written approval of UIS, Inc. Decision Rule 1: Measurement Uncertainty IS NOT taken into account for determining PASS or FAIL.



CALIBRATION CERTIFICATE

UIS SCADA
 2290 Bishop Circle E.
 Dexter, MI 48130
 734-424-1200

CUSTOMER Republic Services CERTIFICATE # REPI218538, 13
 ADDRESS 28470 Citrin Drive; Romulus MI US 48174 JOB # REPI218538
 USER Republic Services; 28470 Citrin Drive; Romulus MI US 48174 PAGE 13
 OWNER REPRESENTATIVE John Frost TELEPHONE 734-946-1000
 Date: 6/15/2021 Temp: 75 °F Humidity: 55 %RH Equip Location: Plant
 Sub/Parent: Well 2 Position/Child: Well Flow Logger

NAMEPLATE

Item Tested Transit Time Clampon Flow Metet
 Manufacturer Grey Line Model Number TTFM 6.1
 Serial Number 78339 Tag Number FIT
 Operating Range 0-2000 gpm Procedure/Method Fluke 754:75x_umeng0000 rev Jul 2011

INPUT		OUTPUT				
Line	%	Applied	As Found	OOT	As Left	OOT
1		Comms	Modbus	<input type="checkbox"/>	Modbus	<input type="checkbox"/>
2		Address	6	<input type="checkbox"/>	6	<input type="checkbox"/>
3		Baud	9600	<input type="checkbox"/>	9600	<input type="checkbox"/>
4		Parity	N	<input type="checkbox"/>	N	<input type="checkbox"/>
5		stop bits	1	<input type="checkbox"/>	1	<input type="checkbox"/>
6		OD(in)	3.91	<input type="checkbox"/>	3.91	<input type="checkbox"/>
7		wall(in)	0.263	<input type="checkbox"/>	0.263	<input type="checkbox"/>
8		crossing	2	<input type="checkbox"/>	2	<input type="checkbox"/>
9		spacing(in)	1.85	<input type="checkbox"/>	1.85	<input type="checkbox"/>
10				<input type="checkbox"/>		<input type="checkbox"/>

Communicator:	PC-Custom	Totalizer As Found	NA	Totalizer As Left	NA	Gal
#	Manufacturer	Model	Serial / ID Number	Calibration Date	Calibration Due	
1	Fluke	750PD5 (0-1000 psig)	SHOP-1054	5/18/2020	6/30/2021	
2	Fluke	754	GCM-752	3/25/2021	3/31/2022	
3	Extech	RH300(ambient)	GCM-687	3/23/2021	3/31/2026	

Comments:
 modbus out only to logger
 vibration causes internal boards to come out of their slots. OEM working on solution;
 recommend keeping transmitter isolated and mounted away from source of vibration(well piping)

Deficiencies:

Traceability at UIS, Inc. is achieved through an unbroken chain of measurements with known uncertainties, to the International Systems of Units (SI) thru NIST or another Metrology Institute. The results contained within relate only to the item(s) calibrated. Pass/Fail or In/Out of tolerance statements are the opinions of UIS, Inc., decisions are based on data from measurements made, procedure utilized, professional experience. The uncertainty associated with this calibration has been included with any determination. It is the responsibility of the user of this equipment to determine if the results identified meet specific requirements for accuracy and its intended use. Due dates appearing on the certificate of calibration and label are determined by client for administrative purposes without the written approval of UIS, Inc., and do not imply continued conformance to specifications. The Confidence Factor is K=2 approx. 95% Confidence Level. All Certificates are page 1 of 1 unless otherwise specified. Page numbers at the top refer to the overall Job. This certificate shall not be reproduced except in full, without the written approval of UIS, Inc. Decision Rule 1: Measurement Uncertainty IS NOT taken into account for determining PASS or FAIL.



CALIBRATION CERTIFICATE

UIS SCADA
 2290 Bishop Circle E.
 Dexter, MI 48130
 734-424-1200

CUSTOMER Republic Services CERTIFICATE # REPI218538, 14
 ADDRESS 28470 Citrin Drive; Romulus MI US 48174 JOB # REPI218538
 USER Republic Services; 28470 Citrin Drive; Romulus MI US 48174 PAGE 14
 OWNER REPRESENTATIVE John Frost TELEPHONE 734-946-1000
 Date: 6/15/2021 Temp: 75 °F Humidity: 55 %RH Equip Location: Plant
 Sub/Parent: Well 2 Position/Child: Well Pressure Logger

NAMEPLATE

Item Tested Pressure Transmitter
 Manufacturer Yokogawa Model Number EJA530E-JDS7N-012EL/FU1/D1/JH05
 Serial Number 91W405865 Tag Number PIT
 Operating Range cal 0-1000 psig Procedure/Method Fluke 754:75x_umeng0000 rev Jul 2011

Line	%	INPUT psig		OUTPUT psig				
		Applied	As Found	OOT	As Left	OOT	Lo Spec	Hi Spec
1		0	0	<input type="checkbox"/>	0	<input type="checkbox"/>	-2	+2
2		250	250	<input type="checkbox"/>	250	<input type="checkbox"/>	248	252
3		500	500	<input type="checkbox"/>	500	<input type="checkbox"/>	498	502
4		750	750	<input type="checkbox"/>	750	<input type="checkbox"/>	748	752
5		1000	1000	<input type="checkbox"/>	1000	<input type="checkbox"/>	998	1002
6		Hart Address	1	<input type="checkbox"/>	1	<input type="checkbox"/>		
7				<input type="checkbox"/>		<input type="checkbox"/>		

Communicator:	Hart-OEM Specific	Totalizer As Found	NA	Totalizer As Left	NA	Gal
#	Manufacturer	Model	Serial / ID Number	Calibration Date	Calibration Due	
1	Fluke	750PD5 (0-1000 psig)	SHOP-1054	5/18/2020	6/30/2021	
2	Fluke	754	GCM-752	3/25/2021	3/31/2022	
3	Extech	RH300(ambient)	GCM-687	3/23/2021	3/31/2026	

Comments:
 no mA output; unit comm with Hart to PLC

Deficiencies:

Traceability at UIS, Inc. is achieved through an unbroken chain of measurements with known uncertainties, to the International Systems of Units (SI) thru NIST or another Metrology Institute. The results contained within relate only to the Item(s) calibrated. Pass/Fail or In/Out of tolerance statements are the opinions of UIS, Inc., decisions are based on data from measurements made, procedure utilized, professional experience. The uncertainty associated with this calibration has been included with any determination. It is the responsibility of the user of this equipment to determine if the results identified meet specific requirements for accuracy and its intended use. Due dates appearing on the certificate of calibration and label are determined by client for administrative purposes without the written approval of UIS, Inc., and do not imply continued conformance to specifications. The Confidence Factor is K=2 approx. 95% Confidence Level. All Certificates are page 1 of 1 unless otherwise specified. Page numbers at the top refer to the overall Job. This certificate shall not be reproduced except in full, without the written approval of UIS, Inc. Decision Rule 1: Measurement Uncertainty IS NOT taken into account for determining PASS or FAIL.



CALIBRATION CERTIFICATE

UIS SCADA
 2290 Bishop Circle E.
 Dexter, MI 48130
 734-424-1200

CUSTOMER Republic Services CERTIFICATE # REPI218538, 15
 ADDRESS 28470 Citrin Drive; Romulus MI US 48174 JOB # REPI218538
 USER Republic Services; 28470 Citrin Drive; Romulus MI US 48174 PAGE 15
 OWNER REPRESENTATIVE John Frost TELEPHONE 734-946-1000
 Date: 6/15/2021 Temp: 75 °F Humidity: 55 %RH Equip Location: _____ Plant _____
 Sub/Parent: Well 2 Position/Child: Well Pressure Primary

NAMEPLATE

Item Tested Pressure Transmitter
 Manufacturer Yokogaw Model Number EJA530E-JDS7N-012EL/FU1/D1/JH05
 Serial Number 91W312670 Tag Number PIT3935
 Operating Range cal 0-1000 psig Procedure/Method Fluke 754:75x_umeng0000 rev Jul 2011

Line	%	INPUT psig		OUTPUT psig				
		Applied	As Found	OOT	As Left	OOT	Lo Spec	Hi Spec
1		0	0	<input type="checkbox"/>	0	<input type="checkbox"/>	-2	+2
2		250	250	<input type="checkbox"/>	250	<input type="checkbox"/>	248	252
3		500	500	<input type="checkbox"/>	500	<input type="checkbox"/>	498	502
4		750	750	<input type="checkbox"/>	750	<input type="checkbox"/>	748	752
5		1000	1000	<input type="checkbox"/>	1000	<input type="checkbox"/>	998	1002
6		Hart Address	5	<input type="checkbox"/>	5	<input type="checkbox"/>		
7				<input type="checkbox"/>		<input type="checkbox"/>		

Communicator:	Hart-OEM Specific	Totalizer As Found	NA	Totalizer As Left	NA	Gal
#	Manufacturer	Model	Serial / ID Number	Calibration Date	Calibration Due	
1	Fluke	750PD5 (0-1000 psig)	SHOP-1054	5/18/2020	6/30/2021	
2	Fluke	754	GCM-752	3/25/2021	3/31/2022	
3	Extech	RH300(ambient)	GCM-687	3/23/2021	3/31/2026	

Comments:
 no mA output; unit comm with Hart to PLC

Deficiencies:

Traceability at UIS, Inc. is achieved through an unbroken chain of measurements with known uncertainties, to the International Systems of Units (SI) thru NIST or another Metrology Institute. The results contained within relate only to the item(s) calibrated. Pass/Fail or In/Out of tolerance statements are the opinions of UIS, Inc. decisions are based on data from measurements made, procedure utilized, professional experience. The uncertainty associated with this calibration has been included with any determination. It is the responsibility of the user of this equipment to determine if the results identified meet specific requirements for accuracy and its intended use. Due dates appearing on the certificate of calibration and label are determined by client for administrative purposes without the written approval of UIS, Inc., and do not imply continued conformance to specifications. The Confidence Factor is K=2 approx. 95% Confidence Level. All Certificates are page 1 of 1 unless otherwise specified. Page numbers at the top refer to the overall Job. This certificate shall not be reproduced except in full, without the written approval of UIS, Inc. Decision Rule 1: Measurement Uncertainty IS NOT taken into account for determining PASS or FAIL.



Comment Summary
Job #REPI218538



PAGE 1

Customer Republic Services
User Republic Services

Plant: 28470 Citrin Drive Page: 1
Substation: SST1 Date: 6/21/2021
Position: Filter Pots Outlet Pressure
Equipment: ISO-81235D1-ISO CERT 2015 (7)

Comments: Transmitter sensor URV 7200 psig; min scaled value 750 psig
zero offset out of spec, adjusted and calibrated

Plant: 28470 Citrin Drive Page: 2
Substation: WELL 1 Date: 6/11/2021
Position: AIT001 Density Meter
Equipment: ISO-81235D1-ISO CERT 2015

Comments: verified density using water from faucet at ambient temp; unit checks good. adjuste output scaling to match PLC input (was 0-12 now 0-20 lbs/gal)

Plant: 28470 Citrin Drive Page: 3
Substation: Well 1 Date: 6/11/2021
Position: Annulus Pressure Logger
Equipment: ISO-81235D1-ISO CERT 2015

Comments: Hart address 4 for comms; switched with primary annulus to see if drop out follows unit.
mA not used

Plant: 28470 Citrin Drive Page: 4
Substation: Well 1 Date: 6/11/2021
Position: Annulus Pressure Primary
Equipment: ISO-81235D1-ISO CERT 2015

Comments: Hart Address 1
switched with datalogger due to transmitter dropping out during operation serial 5613698



Comment Summary
Job #REPI218538



Plant: 28470 Citrin Drive Page: 5
Substation: Well 1 Date: 6/11/2021
Position: Well Flow
Equipment: ISO-81235D1-ISO CERT 2015

Comments: Hart set at 4 mA and uses comms with PLC

Plant: 28470 Citrin Drive Page: 6
Substation: Well 1 Date: 6/15/2021
Position: Well Flow Logger
Equipment: ISO-81235D1-ISO CERT 2015 (8)

Comments: modbus out only to logger
vibration causes internal boards to come out of their slots. OEM working on solution;
recommend keeping transmitter isolated and mounted away from source of vibration(well piping)

Plant: 28470 Citrin Drive Page: 8
Substation: Well 1 Date: 6/15/2021
Position: Well Pressure Primary
Equipment: ISO-81235D1-ISO CERT 2015

Comments: Hart comms, no mA output

Plant: 28470 Citrin Drive Page: 9
Substation: WELL 2 Date: 6/11/2021
Position: AIT002 Density Meter
Equipment: ISO-81235D1-ISO CERT 2015 (2)

Comments: verified density using water from faucet at ambient temp; unit checks good.

Plant: 28470 Citrin Drive Page: 10
Substation: Well 2 Date: 6/15/2021
Position: Annulus Pressure Logger
Equipment: ISO-81235D1-ISO CERT 2015 (5)

Comments: no mA output; unit comm with Hart



Comment Summary
Job #REPI218538



Plant: <u>28470 Citrin Drive</u>	Page: <u>11</u>
Substation: <u>Well 2</u>	Date: <u>6/15/2021</u>
Position: <u>Annulus Pressure Primary</u>	
Equipment: <u>ISO-81235D1-ISO CERT 2015 (4)</u>	
Comments: <u>no mA output; unit comm with Hart to PLC</u>	

Plant: <u>28470 Citrin Drive</u>	Page: <u>12</u>
Substation: <u>Well 2</u>	Date: <u>6/11/2021</u>
Position: <u>Well Flow</u>	
Equipment: <u>ISO-81235D1-ISO CERT 2015 (2)</u>	
Comments: <u>Hart set at 4 mA and uses comms with PLC</u>	

Plant: <u>28470 Citrin Drive</u>	Page: <u>13</u>
Substation: <u>Well 2</u>	Date: <u>6/15/2021</u>
Position: <u>Well Flow Logger</u>	
Equipment: <u>ISO-81235D1-ISO CERT 2015 (7)</u>	
Comments: <u>modbus out only to logger vibration causes internal boards to come out of their slots. OEM working on solution; recommend keeping transmitter isolated and mounted away from source of vibration(well piping)</u>	

Plant: <u>28470 Citrin Drive</u>	Page: <u>14</u>
Substation: <u>Well 2</u>	Date: <u>6/15/2021</u>
Position: <u>Well Pressure Logger</u>	
Equipment: <u>ISO-81235D1-ISO CERT 2015 (6)</u>	
Comments: <u>no mA output; unit comm with Hart to PLC</u>	

Plant: <u>28470 Citrin Drive</u>	Page: <u>15</u>
Substation: <u>Well 2</u>	Date: <u>6/15/2021</u>
Position: <u>Well Pressure Primary</u>	
Equipment: <u>ISO-81235D1-ISO CERT 2015 (5)</u>	
Comments: <u>no mA output; unit comm with Hart to PLC</u>	

ATTACHMENT B



Site Safety Training Roster

Location #: 6440

Date: Dec-21

Trainers Name: Rick Sauve

Training Topic (s) Hand Tool Safety

Acknowledgement: I have received safety training on the above topics on this date. I have had the opportunity to ask questions and receive answers on the content of the training presented by the Company. I understand the training and agree to abide by the standards presented therein.

	Print Name	Make Up Date	H2S /SN	Pass/Failed	Signature
1	Alderman, Michael	12-6-21	12/06/21		<i>[Signature]</i>
2	Baker, Diondre	12-6-21		✓	<i>Diondre Baker</i>
3	Beier, Marvin		12/06-2021 (21)	✓	<i>[Signature]</i>
4	Forman, James	12-9-21	12-9	✓	<i>[Signature]</i>
5	Frost, John	12-21-21	18		<i>[Signature]</i>
6	Garrett, Todd	12-6-21	7 months		<i>[Signature]</i>
7	Hawkins, James		21/12-11-21	Pass	<i>[Signature]</i>
8	Lester, Tracy	12/14/21	14 mos		<i>[Signature]</i>
9	Mullins, Dalton	12-6-21	7 months		<i>Dalton Mullins</i>
10	Odrowski, Brendan	12-8-21	16 months		<i>[Signature]</i>
11	Sauve, Edwin				<i>Rick Sauve</i>
12	Warlix, Anthony	12-7-21			<i>[Signature]</i>
13	Williams, Gary	12-3	14		<i>[Signature]</i>

Documentation provided

Please return a copy of signed sheet to Maria E Carter, original to be placed in Site Safety Training Manual



Site Safety Training Roster

Location #: 6440 Date: Dec-21

Trainers Name: Rick Sauve

Training Topic (s) Drug Awareness

Acknowledgement: I have received safety training on the above topics on this date. I have had the opportunity to ask questions and receive answers on the content of the training presented by the Company. I understand the training and agree to abide by the standards presented therein.

	Print Name	Make Up Date	H2S /SN	Pass/Failed	Signature
1	Alderman, Michael				<i>[Signature]</i>
2	Baker, Diondre	12/14/21			<i>[Signature]</i>
3	Beier, Marvin				<i>[Signature]</i>
4	Forman, James				<i>[Signature]</i>
5	Frost, John	12-21-21			<i>[Signature]</i>
6	Garrett, Todd				<i>[Signature]</i>
7	Hawkins, James				<i>[Signature]</i>
8	Lester, Tracy	12/14/21			<i>[Signature]</i>
9	Mullins, Dalton				<i>[Signature]</i>
10	Odrowski, Brendan	12/14/21			<i>[Signature]</i>
11	Sauve, Edwin				<i>[Signature]</i>
12	Warlix, Anthony				<i>[Signature]</i>
13	Williams, Gary				<i>[Signature]</i>

Documentation provided

Please return a copy of signed sheet to Maria E Carter, original to be placed in Site Safety Training Manual



Site Safety Training Video Roster

Location # : 6440

Date: December 2021

Trainers Name: Rick Sauve

Training Topic (s) You Matter video

Acknowledgement: I have received safety training on the above topics on this date. I have had the opportunity to ask questions and receive answers on the content of the training presented by the Company. I understand the training and agree to abide by the standards presented therein.

	Print Name	Make Up Date	H2S /SN	Pass/Failed	Signature
1	Forman, James				<i>James Forman</i>
2	Frost, John				<i>John Frost</i>
3	Baker, Diondre				<i>Diondre Baker</i>
4	Beier, Marvin				<i>Marvin Beier</i>
5	Hawkins, James				<i>James Hawkins</i>
6	Lester, Tracy				<i>Tracy Lester</i>
7	Mullins, Dalton				<i>Dalton Mullins</i>
8	Sauve, Edwin				<i>Edwin Sauve</i>
9	Warlix, Anthony		12-8 (7)		<i>Anthony Warlix</i>
10	Williams, Gary		12-9		<i>Gary Williams</i>
11	Brendan Odrowski		12/10 (14)	✓	<i>Brendan Odrowski</i>
12	Michael Alderman				<i>Michael Alderman</i>
13	Todd Garrett				<i>Todd Garrett</i>

Documentation provided

Please return a copy of signed sheet to Maria E Carter, original to be placed in Site Safety Training Manual



Site Safety Training Roster

Location # : 6440

Date: 11/3/2021

Trainers Name: Rick Sauve

Training Topic (s) Inclement weather

Acknowledgement: I have received safety training on the above topics on this date. I have had the opportunity to ask questions and receive answers on the content of the training presented by the Company. I understand the training and agree to abide by the standards presented therein.

	Print Name	Make Up Date	H2S /SN	Pass/Failed	Signature
1	Forman, James				<i>[Signature]</i>
2	Frost, John				<i>[Signature]</i>
3	Baker, Diondre				<i>[Signature]</i>
4	Beier, Marvin				<i>[Signature]</i>
5	Hawkins, James				<i>[Signature]</i>
6	Lester, Tracy				<i>[Signature]</i>
7	Mullins, Dalton				<i>[Signature]</i>
8	Sauve, Edwin				<i>[Signature]</i>
9	Warlix, Anthony				<i>[Signature]</i>
10	Williams, Gary				<i>[Signature]</i>
11	Brendan Odrowski				<i>[Signature]</i>
12	Michael Alderman				<i>[Signature]</i>
13	Todd Garrett				<i>[Signature]</i>

Documentation provided

Please return a copy of signed sheet to Maria E Carter, original to be placed in Site Safety Training Manual



Site Safety Training Roster

Location #: 6440

Date: NOVEMBER 2021

Trainers Name: Rick Sauve

Training Topic (s) Respiratory Protection

Acknowledgement: I have received safety training on the above topics on this date. I have had the opportunity to ask questions and receive answers on the content of the training presented by the Company. I understand the training and agree to abide by the standards presented therein.

	Print Name	Make Up Date	H2S /SN	Pass/Failed	Signature
	Alderman, Michael				<i>[Signature]</i>
1	Baker, Diondre				<i>[Signature]</i>
2	Beier, Marvin				<i>[Signature]</i>
3	Forman, James				<i>[Signature]</i>
4	Frost, John				<i>[Signature]</i>
5	Garrett, Todd				<i>[Signature]</i>
6	Hawkins, James				<i>[Signature]</i>
7	Lester, Tracy				<i>[Signature]</i>
8	Mullins, Dalton				<i>[Signature]</i>
	Odrowski, Brendan				<i>[Signature]</i>
9	Sauve, Edwin				<i>[Signature]</i>
10	Warlix, Anthony				<i>[Signature]</i>
11	Williams, Gary				<i>[Signature]</i>
12	Zach, Tracy Admin				
13					

Documentation provided

Please return a copy of signed sheet to Maria E Carter, original to be placed in Site Safety Training Manual



Site Safety Training Roster

Location # : 6440

Date: NOVEMBER 2021

Trainers Name: Rick Sauve

Training Topic (s) Asbestos Awareness

Acknowledgement: I have received safety training on the above topics on this date. I have had the opportunity to ask questions and receive answers on the content of the training presented by the Company. I understand the training and agree to abide by the standards presented therein.

	Print Name	Make Up Date	H2S /SN	Pass/Failed	Signature
	Alderman, Michael		11-12-21		<i>[Signature]</i>
1	Baker, Diondre		11-16-21		<i>[Signature]</i>
2	Beier, Marvin		11-03-2021		<i>[Signature]</i>
3	Forman, James		11-12-20		<i>[Signature]</i>
4	Frost, John				<i>[Signature]</i>
5	Garrett, Todd		11-8-21		<i>[Signature]</i> 11-8-21
6	Hawkins, James				<i>[Signature]</i>
7	Lester, Tracy		11-10-21		<i>[Signature]</i>
8	Mullins, Dalton		11-11-21		<i>[Signature]</i>
	Odrowski, Brendan		11/16/21		<i>[Signature]</i>
9	Sauve, Edwin				<i>[Signature]</i>
10	Warlix, Anthony		11-11-21		<i>[Signature]</i>
11	Williams, Gary		11-11-21		<i>[Signature]</i>
12	Zych, Tracy <i>ADMIN</i>				
13					

Documentation provided

Please return a copy of signed sheet to Maria E Carter, original to be placed in Site Safety Training Manual



Site Safety Training Roster

Location # : 6440

Date: 11-8-2021

Trainers Name: Rick Sauve

Training Topic (s) H2S

Acknowledgement: I have received safety training on the above topics on this date. I have had the opportunity to ask questions and receive answers on the content of the training presented by the Company. I understand the training and agree to abide by the standards presented therein.

	Print Name	Make Up Date	H2S /SN	Pass/Failed	Signature
	Alderman, Michael				<i>[Signature]</i>
1	Baker, Diondre				<i>[Signature]</i>
2	Beier, Marvin				<i>[Signature]</i>
3	Forman, James				<i>[Signature]</i>
4	Frost, John				<i>[Signature]</i>
5	Garrett, Todd				<i>[Signature]</i>
6	Hawkins, James				<i>[Signature]</i>
7	Lester, Tracy				<i>[Signature]</i>
8	Mullins, Dalton				<i>[Signature]</i>
	Odrowski, Brendan				<i>[Signature]</i>
9	Sauve, Edwin				<i>[Signature]</i>
10	Warlix, Anthony				<i>[Signature]</i>
11	Williams, Gary				<i>[Signature]</i>
12	Zych, Tracy				
13					

Documentation provided

Please return a copy of signed sheet to Maria E Carter, original to be placed in Site Safety Training Manual



Site Safety Training Roster

Location # : 6440

Date: 10-21-2022

Trainers Name: Rick Sauve

Training Topic (s) CSH H₂S

Acknowledgement: I have received safety training on the above topics on this date. I have had the opportunity to ask questions and receive answers on the content of the training presented by the Company. I understand the training and agree to abide by the standards presented therein.

	Print Name	Make Up Date	H2S /SN	Pass/Failed	Signature
	Alderman, Michael				
1	Baker, Diondre				
2	Beier, Marvin				
3	Forman, James				
4	Frost, John				
5	Garrett, Todd				
6	Hawkins, James				
7	Lester, Tracy				
8	Mullins, Dalton				
	Odrowski, Brendan				
9	Sauve, Edwin				
10	Warlix, Anthony				
11	Williams, Gary				
12	Zych, Tracy				Tracy Zych (TLZ)
13					

Documentation provided

Please return a copy of signed sheet to Maria E Carter, original to be placed in Site Safety Training Manual



Site Safety Training Roster

Location # : 6440

Date: 10/4/2021

Trainers Name: Rick Sauve

Training Topic (s) Intersections

Acknowledgement: I have received safety training on the above topics on this date. I have had the opportunity to ask questions and receive answers on the content of the training presented by the Company. I understand the training and agree to abide by the standards presented therein.

	Print Name	Make Up Date	H2S /SN	Pass/Failed	Signature
2	Forman, James		✓ 10-5		<i>James Forman</i>
3	Frost, John				<i>John Frost</i>
4	Baker, Diondre		10-6		<i>Diondre Baker</i>
5	Hawkins, James		✓ 10/13/21		<i>James Hawkins</i>
6	Lester, Tracy		✓ 10/6/21		<i>Tracy Lester</i>
7	Mullins, Dalton		✓ 10-11		<i>Dalton Mullins</i>
8	Sauve, Edwin				<i>Edwin Sauve</i>
9	Warlix, Anthony		✓ 10-11		<i>Anthony Warlix</i>
10	Williams, Gary		✓ 10-7		<i>Gary Williams</i>
11	Brendan Odrowski		✓ 10-11-21		<i>Brendan Odrowski</i>
12	Michael Alderman		✓ 10-7-21		<i>Michael Alderman</i>
13	Todd Garrett		10-7-21		<i>Todd Garrett</i>

Documentation provided

Please return a copy of signed sheet to Maria E Carter, original to be placed in Site Safety Training Manual



Site Safety Training Roster

Location # : 6440

Date: 9/1/2021

Trainers Name: Rick Sauve

Training Topic (s) Rollover prevention

Acknowledgement: I have received safety training on the above topics on this date. I have had the opportunity to ask questions and receive answers on the content of the training presented by the Company. I understand the training and agree to abide by the standards presented therein.

	Print Name	Make Up Date	H2S /SN	Pass/Failed	Signature
1	Beier, Marvin	<i>NOT AVAILABLE</i>			
2	Forman, James				<i>James Forman</i>
3	Frost, John				<i>John Frost</i>
4	Baker, Diondre				<i>Diondre Baker</i>
5	Hawkins, James				<i>James Hawkins</i>
6	Lester, Tracy				<i>Tracy Lester</i>
7	Mullins, Dalton				<i>Dalton Mullins</i>
8	Sauve, Edwin				<i>Edwin Sauve</i>
9	Warlix, Anthony				<i>Anthony Warlix</i>
10	Williams, Gary				
11	Brendan Odrowski				<i>Brendan Odrowski</i>
12	Michael Alderman				<i>Michael Alderman</i>
13	Todd Garrett				<i>Todd Garrett</i>
14	Tracy Zych				<i>Tracy Zych</i>

Documentation provided

Please return a copy of signed sheet to Maria E Carter, original to be placed in Site Safety Training Manual



Site Safety Training Roster

Location # : 6440

Date: 8/11/2021

Trainers Name: Rick Sauve

Training Topic (s) Injury Prevention video

Acknowledgement: I have received safety training on the above topics on this date. I have had the opportunity to ask questions and receive answers on the content of the training presented by the Company. I understand the training and agree to abide by the standards presented therein.

	Print Name	Make Up Date	H2S/SN	Pass/Failed	Signature
1	Beier, Marvin				
2	Forman, James		8-24-21	P	<i>James Forman</i>
3	Frost, John				
4	Baker, Diondre		8-25-21	P	<i>Diondre Baker</i>
5	Hawkins, James				
6	Lester, Tracy		8-31-21	P	<i>Tracy Lester</i>
7	Mullins, Dalton		8-24-21	P	<i>Dalton Mullins</i>
8	Sauve, Edwin				<i>Edwin Sauve</i>
9	Warlix, Anthony		8-31-21	P	<i>Anthony Warlix</i>
10	Williams, Gary		8-23-21	P	<i>Gary Williams</i>
11	Brendan Odrowski		8-24-21	P	<i>Brendan Odrowski</i>
12	Michael Alderman		8-26-21	P	<i>Michael Alderman</i>
13	Todd Garrett		8-24-21	P	<i>Todd Garrett</i>

Documentation provided

Please return a copy of signed sheet to Maria E Carter, original to be placed in Site Safety Training Manual

139.3



Site Safety Training Roster

Location # : 6440

Date: 8/11/2021

Trainers Name: Rick Sauve

Training Topic (s) Injury Prevention

Acknowledgement: I have received safety training on the above topics on this date. I have had the opportunity to ask questions and receive answers on the content of the training presented by the Company. I understand the training and agree to abide by the standards presented therein.

	Print Name	Make Up Date	H2S /SN	Pass/Failed	Signature
1	Zych, Tracy				<i>Tracy Zych</i>
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					

Documentation provided

Please return a copy of signed sheet to Maria E Carter, original to be placed in Site Safety Training Manual

REPUBLIC SERVICES













Training Attendance Roster

Division: 6440 Date: 8-13-2021 Time: 8:00AM

Instructor: Rick Sauve

Training Topic: Hearing Conservation

Acknowledgement: I have received instructions on Hearing Conservation on this date. I have had the opportunity to ask questions and receive answers on the content of the training presented by the Company. I understand the training and agree to abide by the standards presented therein.

Employees Name	Employees Signature
James Forman	
Marvin Beier	
Gary Williams	
Dalton Mullins	
James Hawkins	
John Frost	
Rick Sauve	
Tracy Lester	
Anthony Warlix	
Diondre Baker	
Brendan Odrowski	
Michael Alderman	



Site Safety Training Roster

Location # : 6440

Date: 7/21/2021

Trainers Name: Rick Sauve

Training Topic (s) Distracted Driving

Acknowledgement: I have received safety training on the above topics on this date. I have had the opportunity to ask questions and receive answers on the content of the training presented by the Company. I understand the training and agree to abide by the standards presented therein.

	Print Name	Make Up Date	H2S /SN	Pass/Failed	Signature
1	Beier, Marvin		<i>MB</i>		<i>Marvin Beier</i>
2	Forman, James		<i>JF</i>		<i>James Forman</i>
3	Frost, John				<i>John Frost</i>
4	Baker, Djondre		<i>DB</i>		<i>Djondre Baker</i>
5	Hawkins, James				<i>James Hawkins</i>
6	Lester, Tracy		<i>TL</i>		<i>Tracy Lester</i>
7	Mullins, Dalton		<i>DM</i>		<i>Dalton Mullins</i>
8	Sauve, Edwin				<i>Edwin Sauve</i>
10	Warlix, Anthony		<i>AW</i>		<i>Anthony Warlix</i>
11	Williams, Gary		<i>GW</i>		<i>Gary Williams</i>
12	Brendan Odrowski		<i>BO</i>		<i>Brendan Odrowski</i>
	Michael Alderman		<i>MA</i>		<i>Michael Alderman</i>

Documentation provided

Please return a copy of signed sheet to Maria E Carter, original to be placed in Site Safety Training Manual

Republic Services












Training Attendance Roster

Division: 6440 Date: 06-17-2021 Time: 8:00AM

Trainer/Instructor: Rick Sauve

Training Topic: **Bloodborne Pathogens**

Acknowledgement: I have received instructions on the Bloodborne Pathogens Training on this date. I have had the opportunity to ask questions and receive answers on the content of the training presented by the company. I understand the training and agree to abide by the standards presented therein.

Employees Name	Employees Signature
<u>James Forman</u>	
<u>Marvin Beier</u>	
<u>Gary Williams</u>	
<u>Dalton Mullins</u>	
<u>James Hawkins</u>	
<u>John Frost</u>	
<u>Rick Sauve</u>	
<u>Tracy Lester</u>	
<u>Anthony Warlix</u>	
<u>Diondre Backer</u>	
<u>Tracy Zych</u>	
<u>Brendon Odrowski</u>	
<u>Michael Alderman</u>	



Site Safety Training Roster

Location # : 6440

Date: 6/7/2021

Trainers Name: Rick Sauve

Training Topic (s) : June 2021 Heat injury video

Acknowledgement: I have received safety training on the above topics on this date. I have had the opportunity to ask questions and receive answers on the content of the training presented by the Company. I understand the training and agree to abide by the standards presented therein.

	Print Name	Make Up Date	H2S /SN	Pass/Failed	Signature
1	Beier, Marvin				<i>Marvin Beier</i>
2	Forman, James				<i>James Forman</i>
3	Frost, John				<i>John Frost</i>
4	Green, Tracy				
5	Lester, Tracy				<i>Tracy Lester</i>
6	Hawkins, James				<i>James Hawkins</i>
7	Mullins, Dalton				<i>Dalton Mullins</i>
8	Sauve, Edwin				<i>Edwin Sauve</i>
9	Warlix, Anthony				<i>Anthony Warlix</i>
10	Williams, Gary				<i>Gary Williams</i>
11	Zych, Tracy				<i>Tracy Zych</i>
	Brendon Odrowski				<i>Brendon Odrowski</i>
	Michael Alderman				<i>Michael Alderman</i>
	Diondre Backer				<i>Diondre Backer</i>

Documentation provided

Please return a copy of signed sheet to Maria E Carter, original to be placed in Site Safety Training Manual



Site Safety Training Roster

Location # : 6440

Date: 5/11/2021

Trainers Name: Rick Sauve

Training Topic (s) Not on My Watch video

Acknowledgement: I have received safety training on the above topics on this date. I have had the opportunity to ask questions and receive answers on the content of the training presented by the Company. I understand the training and agree to abide by the standards presented therein.

	Print Name	Make Up Date	H2S /SN	Pass/Failed	Signature
1	Beier, Marvin		Y		<i>Marvin Beier</i>
2	Forman, James		Y		<i>James Forman</i>
3	Frost, John				<i>John Frost</i>
4	Greggo, David		Y	PASS	<i>David Greggo</i>
5	Hawkins, James				<i>James Hawkins</i>
	Lester, Tracy		X		<i>Tracy Lester</i>
6	Mullins, Dalton		Y		<i>Dalton Mullins</i>
7	Sauve, Edwin				<i>Edwin Sauve</i>
8	Warlix, Anthony		Y		<i>Anthony Warlix</i>
	Williams, Gary		Y		<i>Gary Williams</i>
9	Zych, Tracy		Y		<i>Tracy Zych</i>
10					<i>[Signature]</i>

Documentation provided

Please return a copy of signed sheet to Maria E Carter, original to be placed in Site Safety Training Manual

SAFETY CLASS ROSTER EXHIBIT

CUSTOMER INFORMATION

Customer Name: Republic Services Customer #: _____
 Billing Address: 28470 Citrus Dr Romulus

COURSE INFORMATION

Course: First Aid + CPR + AED + BBP & Forklift Safety Date / Time of Class: 4-21-21
 Training Site: _____ Status Renewal Date: _____
 Lead Instructor: Bart Freitag Training Center / ID#: OH 20246
 Lead Instructor Signature*: B Freitag Lead Instructor ID#: 7180699977

PARTICIPANT AGREEMENT

By participating in this course I agree and acknowledge to the Participant Agreement terms on page 2 of the Safety Training Class Roster document.

NAME	SIGNATURE	EMAIL ADDRESS	PASS / WIN#
21 James Hawkins	<i>[Signature]</i>		
22 Tracy Loster	<i>[Signature]</i>		
23 Damon Mullas	<i>[Signature]</i>		
24 JAMES FORMAN	<i>[Signature]</i>		
25 Gary Williams	<i>[Signature]</i>		
26 Tracy Zych	<i>[Signature]</i>		
27 MARVIN DEIER	<i>[Signature]</i>		
28 Anthony Ward	<i>[Signature]</i>		
29 David Grogg	<i>[Signature]</i>		
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			

**Powered Industrial Truck Safety Training
Certificate of Completion**

Operator Name: Tracy Lester

Date of Issue: 04/28/21 (Exp. 3 yrs from date)


The person named above has been trained and is authorized to operate the equipment listed on the back of this card.

**Signature of
Trainer:** Bart Freitag *B Freitag*

Equipment Authorized To Operate:

Forklift	Rated
Model: Nissan 50 LPG	Capacity: 4250
Forklift	Rated
Model:	Capacity:

Training in accordance with OSHA standard 29 CFR 1910.178



**Powered Industrial Truck Safety Training
Certificate of Completion**

Operator Name: Dalton Mullins

Date of Issue: 04/28/21 (Exp. 3 yrs from date)


The person named above has been trained and is authorized to operate the equipment listed on the back of this card.

**Signature of
Trainer:** Bart Freitag *B Freitag*

Equipment Authorized To Operate:

Forklift	Rated
Model: Nissan 50 LPG	Capacity: 4250
Forklift	Rated
Model:	Capacity:

Training in accordance with OSHA standard 29 CFR 1910.178



**Powered Industrial Truck Safety Training
Certificate of Completion**

Operator Name: James Forman

Date of Issue: 04/28/21 (Exp. 3 yrs from date)


The person named above has been trained and is authorized to operate the equipment listed on the back of this card.

**Signature of
Trainer:** Bart Freitag *B Freitag*

Equipment Authorized To Operate:

Forklift	Rated
Model: Nissan 50 LPG	Capacity: 4250
Forklift	Rated
Model:	Capacity:

Training in accordance with OSHA standard 29 CFR 1910.178



**Powered Industrial Truck Safety Training
Certificate of Completion**

Operator Name: Gary Williams

Date of Issue: 04/28/21 (Exp. 3 yrs from date)


The person named above has been trained and is authorized to operate the equipment listed on the back of this card.

**Signature of
Trainer:** Bart Freitag *B Freitag*

Equipment Authorized To Operate:

Forklift	Rated
Model: Nissan 50 LPG	Capacity: 4250
Forklift	Rated
Model:	Capacity:

Training in accordance with OSHA standard 29 CFR 1910.178



**Powered Industrial Truck Safety Training
Certificate of Completion**

Operator Name: Marvin Beier

Date of Issue: 04/28/21 (Exp. 3 yrs from date)

The person named above has been trained and is authorized to operate the equipment listed on the back of this card.


Signature of
Trainer: Bart Freitag *B. Freitag*

Equipment Authorized To Operate:

Forklift	Rated
Model: Nissan 50 LPG	Capacity: 4250

Forklift	Rated
Model:	Capacity:

Training in accordance with OSHA standard 29 CFR 1910.178



**Powered Industrial Truck Safety Training
Certificate of Completion**

Operator Name: Anthony Warlily

Date of Issue: 04/28/21 (Exp. 3 yrs from date)

The person named above has been trained and is authorized to operate the equipment listed on the back of this card.


Signature of
Trainer: Bart Freitag *B. Freitag*

Equipment Authorized To Operate:

Forklift	Rated
Model: Nissan 50 LPG	Capacity: 4250

Forklift	Rated
Model:	Capacity:

Training in accordance with OSHA standard 29 CFR 1910.178



**Powered Industrial Truck Safety Training
Certificate of Completion**

Operator Name: David Greggo

Date of Issue: 04/28/21 (Exp. 3 yrs from date)

The person named above has been trained and is authorized to operate the equipment listed on the back of this card.


Signature of
Trainer: Bart Freitag *B. Freitag*

Equipment Authorized To Operate:

Forklift	Rated
Model: Nissan 50 LPG	Capacity: 4250

Forklift	Rated
Model:	Capacity:

Training in accordance with OSHA standard 29 CFR 1910.178





Site Safety Training Roster

Location # : 6440

Date: 04-13-2021

Trainers Name: Rick Sauve

Training Topic (s) Pedestrian safety

Acknowledgement: I have received safety training on the above topics on this date. I have had the opportunity to ask questions and receive answers on the content of the training presented by the Company. I understand the training and agree to abide by the standards presented therein.

	Print Name	Make Up Date	H2S /SN	Pass/Failed	Signature
1	Beier, Marvin		04/13-2021	P	<i>Marvin Beier</i>
2	Forman, James		4/13/21	P	<i>James Forman</i>
3	Frost, John		4-14-21	P	<i>John Frost</i>
4	Greggo, David		4-14-21	P	<i>David Greggo</i>
5	Hawkins, James				<i>James Hawkins</i>
6	Lester, Tracy		4-14-21	P	<i>Tracy Lester</i>
7	Mullins, Dalton		4-14-21	P	<i>Dalton Mullins</i>
8	Sauve, Edwin				<i>Edwin Sauve</i>
10	Warlix, Anthony		4-13-21	P	<i>Anthony Warlix</i>
11	Williams, Gary		4-13-21	P	<i>Gary Williams</i>
12	Zych, Tracy		4-13-21 <i>RS</i>		<i>Tracy Zych</i>

Documentation provided

Please return a copy of signed sheet to Maria E Carter, original to be placed in Site Safety Training Manual



**REPUBLIC
SERVICES**

Site Safety Training Roster

Location # : 6440

Date: 03-15-2021

Trainers Name: Rick Sauve

Training Topic (s) March 2021 Safe driving video

Acknowledgement: I have received safety training on the above topics on this date. I have had the opportunity to ask questions and receive answers on the content of the training presented by the Company. I understand the training and agree to abide by the standards presented therein.

	Print Name	Make Up Date	H2S /SN	Pass/Failed	Signature
1	Beier, Marvin				<i>Marvin Beier</i>
2	Forman, James				<i>James Forman</i>
3	Frost, John				<i>John Frost</i>
4	Greggo, David	3-16-21			<i>David Greggo</i>
5	Hawkins, James	3/29/21			<i>James Hawkins</i>
6	Lester, Tracy				<i>Tracy Lester</i>
7	Mullins, Dalton				<i>Dalton Mullins</i>
8	Sauve, Edwin				<i>Edwin Sauve</i>
10	Warlix, Anthony				<i>Anthony Warlix</i>
11	Williams, Gary				
12	Zych, Tracy WILLIAMS, GARY				<i>Tracy Zych</i>

Documentation provided

Please return a copy of signed sheet to Maria E Carter, original to be placed in Site Safety Training Manual



Site Safety Training Roster

Location # : 6440

Date: 03-15-2021

Trainers Name: Rick Sauve

Training Topic (s) Safe Backing 0,3,2,1 February 2021

Acknowledgement: I have received safety training on the above topics on this date. I have had the opportunity to ask questions and receive answers on the content of the training presented by the Company. I understand the training and agree to abide by the standards presented therein.

	Print Name	Make Up Date	H2S /SN	Pass/Failed	Signature
1	Beier, Marvin				<i>[Signature]</i>
2	Forman, James				<i>[Signature]</i>
3	Frost, John				<i>[Signature]</i>
4	Greggo, David	3-16-21			<i>[Signature]</i>
5	Hawkins, James	3/29/21			<i>[Signature]</i>
6	Lester, Tracy	3-16-21			<i>[Signature]</i>
7	Mullins, Dalton	3-15-21			<i>[Signature]</i>
8	Sauve, Edwin	03-15-2021			<i>[Signature]</i>
10	Warlix, Anthony	3-15-21			<i>[Signature]</i>
11	Williams, Gary	3-15-21			<i>[Signature]</i>
12	Zyl, Tracy				

Documentation provided

Please return a copy of signed sheet to Maria E Carter, original to be placed in Site Safety Training Manual



Site Safety Training Roster

Location # : 6440

Date: 02-10-2021

Trainers Name: Rick Sauve

Training Topic (s) PPE

Acknowledgement: I have received safety training on the above topics on this date. I have had the opportunity to ask questions and receive answers on the content of the training presented by the Company. I understand the training and agree to abide by the standards presented therein.

	Print Name	Make Up Date	H2S /SN	Pass/Failed	Signature
1	Beier, Marvin				<i>[Signature]</i>
2	Forman, James				<i>[Signature]</i>
3	Frost, John				<i>[Signature]</i>
4	Greggo, David				<i>[Signature]</i>
5	Hawkins, James				<i>[Signature]</i>
6	Lester, Tracy				<i>[Signature]</i>
7	Mullins, Dalton				<i>[Signature]</i>
8	Sauve, Edwin				<i>[Signature]</i>
9	Stein, Karl				<i>[Signature]</i>
10	Warlix, Anthony				<i>[Signature]</i>
11	Williams, Gary				<i>[Signature]</i>
12					

Documentation provided

Please return a copy of signed sheet to Maria E Carter, original to be placed in Site Safety Training Manual



Site Safety Training Roster

Location # : 6440

Date: 02-05-2021

Trainers Name: Rick Sauve

Training Topic (s) Flammable/Combustible Liquids

Acknowledgement: I have received safety training on the above topics on this date. I have had the opportunity to ask questions and receive answers on the content of the training presented by the Company. I understand the training and agree to abide by the standards presented therein.

	Print Name	Make Up Date	H2S /SN	Pass/Failed	Signature
1	Beier, Marvin				<i>[Signature]</i>
2	Forman, James				<i>[Signature]</i>
3	Frost, John				<i>[Signature]</i>
4	Greggo, David				<i>[Signature]</i>
5	Hawkins, James				<i>[Signature]</i>
6	Lester, Tracy				<i>[Signature]</i>
7	Mullins, Dalton				<i>[Signature]</i>
8	Sauve, Edwin				<i>[Signature]</i>
9	Stein, Karl				<i>[Signature]</i>
10	Warlix, Anthony				<i>[Signature]</i>
11	Williams, Gary				<i>[Signature]</i>
12					

Documentation provided

Please return a copy of signed sheet to Maria E Carter, original to be placed in Site Safety Training Manual



Site Safety Training Roster

Location # : 6440

Date: 1/27/2021

Trainers Name: Rick Sauve

Training Topic (s) Hazard Communication

Acknowledgement: I have received safety training on the above topics on this date. I have had the opportunity to ask questions and receive answers on the content of the training presented by the Company. I understand the training and agree to abide by the standards presented therein.

	Print Name	Make Up Date	H2S /SN	Pass/Failed	Signature
1	Beier, Marvin		01/27-2021	PASS	<i>Marvin Beier</i>
2	Forman, James		1-28-21	PASS	<i>James Forman</i>
3	Frost, John		N/A	N/A	<i>John Frost</i>
4	Greggo, David		1-28-21	Pass	<i>David Greggo</i>
5	Hawkins, James		N/A	N/A	<i>James Hawkins</i>
6	Mullins, Dalton		1-27-21	Pass	<i>Dalton Mullins</i>
7	Sauve, Edwin		N/A	N/A	<i>Edwin Sauve</i>
8	Warlix, Anthony		1-29-21	Pass	<i>Anthony Warlix</i>
9	Stein, Karl		1/29/21	PASS	<i>Karl Stein</i>
10	Williams, Gary		1-29-21	Pass	<i>Gary Williams</i>
	Lester, Tracy		1-29-21	Pass	<i>Tracy Lester</i>

Documentation provided

Please return a copy of signed sheet to Maria E Carter, original to be placed in Site Safety Training Manual



**REPUBLIC
SERVICES**

Site Safety Training Roster

Location # : 6440

Date: 2/15/2021

Trainers Name: Rick Sauve

Training Topic (s) Forklift/Powered mobile equipment

Acknowledgement: I have received safety training on the above topics on this date. I have had the opportunity to ask questions and receive answers on the content of the training presented by the Company. I understand the training and agree to abide by the standards presented therein.

	Print Name	Make Up Date	H2S /SN	Pass/Failed	Signature
1	Beier, Marvin				<i>Marvin Beier</i>
2	Forman, James				<i>James Forman</i>
3	Frost, John				<i>John Frost</i>
4	Greggo, David				<i>David Greggo</i>
5	Hawkins, James				<i>James Hawkins</i>
6	Lester, Tracy				<i>Tracy Lester</i>
7	Mullins, Dalton				<i>Dalton Mullins</i>
8	Sauve, Edwin				<i>Edwin Sauve</i>
10	Warlix, Anthony				<i>Anthony Warlix</i>
11	Williams, Gary				<i>Gary Williams</i>
12	Zych, Tracy				

Documentation provided

Please return a copy of signed sheet to Maria E Carter, original to be placed in Site Safety Training Manual



SAFE Book Training Roster

Employee sign-in sheet for in-person 2020 SAFE Book presentation and delivery

Print Name	Signature	Date
Tracy Zych	<i>Tracy Zych</i>	1-13-21
Rick Sauer DIGITAL	<i>Rick Sauer</i>	1-13-2021
Karen Stein	<i>Karen Stein</i>	1/13/21
Dalton Mullins	<i>Dalton Mullins</i>	1/13/21
JAMES FORMAN	<i>James Forman</i>	1/13/21
M Beck	<i>M Beck</i>	01/13-2021
John Frost DIGITAL	<i>John Frost</i>	1-13-21
Gary Williams	<i>Gary Williams</i>	1-13-21
James Hawkins	<i>James Hawkins</i>	1-13-21
Anthony Warlick	<i>Anthony Warlick</i>	1-13-21
David Greggo	<i>David Greggo</i>	1-13-21
Tracy Lester	<i>Tracy Lester</i>	1-13-21

INTEGRATED ENVIRONMENTAL, INC.

Certificate of Achievement

This Is to Certify That:

Marvin Beier

Has Completed the Following Training:

Republic Industrial and Energy Solutions, LLC Training Modules
as Presented in A10.B.2, Attachment 4 of the Environmental Geo-Technologies, LLC
Operating License, Issued September 26, 2011: 1, 2, 3, 5 through 29 and 31 through 51.

Republic Industrial and Energy Solutions, LLC
February 9 and 10, 2021



Rick P. Harding, Ph.D.

February 10, 2021
Date



INTEGRATED ENVIRONMENTAL, INC.

Certificate of Achievement


This Is to Certify That:

James Forman

Has Completed the Following Training:

Republic Industrial and Energy Solutions, LLC Training Modules
as Presented in A10.B.2, Attachment 4 of the Environmental Geo-Technologies, LLC
Operating License, Issued September 26, 2011: 1, 2, 3, 5 through 29 and 31 through 51.

Republic Industrial and Energy Solutions, LLC
February 9 and 10, 2021


Rick P. Harding, Ph.D.

February 10, 2021
Date



INTEGRATED ENVIRONMENTAL, INC.

Certificate of Achievement

This Is to Certify That:

John Frost

Has Completed the Following Training:

Republic Industrial and Energy Solutions, LLC Training Modules
as Presented in A10.B.2, Attachment 4 of the Environmental Geo-Technologies, LLC
Operating License, Issued September 26, 2011: 1, 2, 3, 5 through 29 and 31 through 51.

Republic Industrial and Energy Solutions, LLC
February 9 and 10, 2021


Rick P. Harding, Ph.D.

February 10, 2021
Date



INTEGRATED ENVIRONMENTAL, INC.

Certificate of Achievement


This Is to Certify That:

James Hawkins

Has Completed the Following Training:

Republic Industrial and Energy Solutions, LLC Training Modules
as Presented in A10.B.2, Attachment 4 of the Environmental Geo-Technologies, LLC
Operating License, Issued September 26, 2011: 1, 2, 3, 5 through 29 and 31 through 51.

Republic Industrial and Energy Solutions, LLC
February 9 and 10, 2021



Rick P. Harding, Ph.D.

Date February 10, 2021



INTEGRATED ENVIRONMENTAL, INC.

Certificate of Achievement


This Is to Certify That:

Tracy Lester

Has Completed the Following Training:

Republic Industrial and Energy Solutions, LLC Training Modules
as Presented in A10.B.2, Attachment 4 of the Environmental Geo-Technologies, LLC
Operating License, Issued September 26, 2011: 1, 2, 3, 5 through 29 and 31 through 51.

Republic Industrial and Energy Solutions, LLC
February 9 and 10, 2021


Rick P. Harding, Ph.D.

February 10, 2021
Date



INTEGRATED ENVIRONMENTAL, INC.

Certificate of Achievement


This Is to Certify That:

Dalton Mullins

Has Completed the Following Training:

Republic Industrial and Energy Solutions, LLC Training Modules
as Presented in A10.B.2, Attachment 4 of the Environmental Geo-Technologies, LLC
Operating License, Issued September 26, 2011: 1, 2, 3, 5 through 29 and 31 through 51.

Republic Industrial and Energy Solutions, LLC
February 9 and 10, 2021


Rick P. Harding, Ph.D.

February 10, 2021
Date



INTEGRATED ENVIRONMENTAL, INC.

Certificate of Achievement


This Is to Certify That:

Rick Sauve

Has Completed the Following Training:

Republic Industrial and Energy Solutions, LLC Training Modules
as Presented in A10.B.2, Attachment 4 of the Environmental Geo-Technologies, LLC
Operating License, Issued September 26, 2011: 1, 2, 3, 5 through 29 and 31 through 51.

Republic Industrial and Energy Solutions, LLC
February 9 and 10, 2021


Rick P. Harding, Ph.D.

February 10, 2021
Date



INTEGRATED ENVIRONMENTAL, INC.

Certificate of Achievement

This Is to Certify That:

Anthony Warlix

Has Completed the Following Training:

Republic Industrial and Energy Solutions, LLC Training Modules
as Presented in A10.B.2, Attachment 4 of the Environmental Geo-Technologies, LLC
Operating License, Issued September 26, 2011: 1, 2, 3, 5 through 29 and 31 through 51.

Republic Industrial and Energy Solutions, LLC

February 9 and 10, 2021

February 10, 2021

Date


Rick P. Harding, Ph.D.



INTEGRATED ENVIRONMENTAL, INC.

Certificate of Achievement


This Is to Certify That:

Gary Williams


Has Completed the Following Training:

Republic Industrial and Energy Solutions, LLC Training Modules
as Presented in A10.B.2, Attachment 4 of the Environmental Geo-Technologies, LLC
Operating License, Issued September 26, 2011: 1, 2, 3, 5 through 29 and 31 through 51.

Republic Industrial and Energy Solutions, LLC
February 9 and 10, 2021


Rick P. Harding, Ph.D.

February 10, 2021
Date



INTEGRATED ENVIRONMENTAL, INC.

Certificate of Achievement

This Is to Certify That:

Tracy Zych

Has Completed the Following Training:

Republic Industrial and Energy Solutions, LLC Training Modules
as Presented in A10.B.2, Attachment 4 of the Environmental Geo-Technologies, LLC
Operating License, Issued September 26, 2011: 1, 2, 3, 5 through 29 and 31 through 51.


Republic Industrial and Energy Solutions, LLC

February 9 and 10, 2021

February 10, 2021

Date

Rick P. Harding, Ph.D.



INTEGRATED ENVIRONMENTAL, INC.
Certificate of Achievement

This Is to Certify That:

Marvin Beier

Has Completed the Following Training:


RCRA Compliance Initial Training for
Republic Industrial and Energy Solutions, LLC
February 9, 2021



Rick P. Harding, Ph.D.

February 9, 2021

Date



INTEGRATED ENVIRONMENTAL, INC.
Certificate of Achievement

This Is to Certify That:

James Forman

Has Completed the Following Training:


RCRA Compliance Initial Training for
Republic Industrial and Energy Solutions, LLC
February 9, 2021



Rick P. Harding, Ph.D.

February 9, 2021

Date



INTEGRATED ENVIRONMENTAL, INC.
Certificate of Achievement

This Is to Certify That:

John Frost

Has Completed the Following Training:


RCRA Compliance Initial Training for
Republic Industrial and Energy Solutions, LLC
February 9, 2021



Rick P. Harding, Ph.D.

February 9, 2021

Date




INTEGRATED ENVIRONMENTAL, INC.
Certificate of Achievement

This Is to Certify That:


James Hawkins

Has Completed the Following Training:

RCRA Compliance Initial Training for
Republic Industrial and Energy Solutions, LLC
February 9, 2021


Rick P. Harding, Ph.D.

February 9, 2021
Date



INTEGRATED ENVIRONMENTAL, INC.
Certificate of Achievement

This Is to Certify That:

Tracy Lester

Has Completed the Following Training:


RCRA Compliance Initial Training for
Republic Industrial and Energy Solutions, LLC
February 9, 2021



Rick P. Harding, Ph.D.

February 9, 2021

Date



INTEGRATED ENVIRONMENTAL, INC.
Certificate of Achievement

This Is to Certify That:

Dalton Mullins

Has Completed the Following Training:


RCRA Compliance Initial Training for
Republic Industrial and Energy Solutions, LLC
February 9, 2021



Rick P. Harding, Ph.D.

February 9, 2021

Date



INTEGRATED ENVIRONMENTAL, INC.
Certificate of Achievement

This Is to Certify That:

Rick Sauve

Has Completed the Following Training:


RCRA Compliance Initial Training for
Republic Industrial and Energy Solutions, LLC
February 9, 2021



Rick P. Harding, Ph.D.

February 9, 2021

Date



INTEGRATED ENVIRONMENTAL, INC.
Certificate of Achievement

This Is to Certify That:

Anthony Warlix

Has Completed the Following Training:


RCRA Compliance Initial Training for
Republic Industrial and Energy Solutions, LLC
February 9, 2021



Rick P. Harding, Ph.D.

February 9, 2021

Date



INTEGRATED ENVIRONMENTAL, INC.
Certificate of Achievement

This Is to Certify That:

Gary Williams

Has Completed the Following Training:


RCRA Compliance Initial Training for
Republic Industrial and Energy Solutions, LLC
February 9, 2021



Rick P. Harding, Ph.D.

February 9, 2021

Date



INTEGRATED ENVIRONMENTAL, INC.
Certificate of Achievement

This Is to Certify That:


Tracy Zych

Has Completed the Following Training:

RCRA Compliance Initial Training for
Republic Industrial and Energy Solutions, LLC
February 9, 2021


Rick P. Harding, Ph.D.

February 9, 2021
Date



INTEGRATED ENVIRONMENTAL, INC.

Certificate of Achievement

This Is to Certify That:

Marvin Beier

Has Completed the Following Training:


OSHA 29 CFR Part 1910.120

Hazardous Waste Operations and Emergency Response

8-Hour Refresher Training

Republic Industrial and Energy Solutions, LLC

February 9 and 10, 2021



Rick P. Harding, Ph.D.

February 10, 2021
Date



INTEGRATED ENVIRONMENTAL, INC.

Certificate of Achievement

This Is to Certify That:

John Frost

Has Completed the Following Training:


OSHA 29 CFR Part 1910.120

Hazardous Waste Operations and Emergency Response

8-Hour Refresher Training

Republic Industrial and Energy Solutions, LLC

February 9 and 10, 2021



Rick P. Harding, Ph.D.

February 10, 2021

Date





This is to certify that

BRENDAN ODROWSKI

Has Successfully Completed The Mandatory Subject Matter for

**40 HOUR HAZWOPER TRAINING
OSHA STANDARD 29 CFR 1910.120 (e) (3) (i)**

On This 2nd Day of July, 2021



VICTOR MARQUEZ - Instructor

HASC – HEADQUARTERS | 5213 CENTER STREET | PASADENA, TX 77505
www.hasc.com | 888-955-SAFE

TRAINING | OCCUPATIONAL MEDICAL SERVICES | EMPLOYEE SCREENING

"The mission of the Health and Safety Council is an innovative leader in building safe workplaces by improving the quality and integrity of the workforce"



NSC First Aid, CPR & AED Course

First Aid, Adult CPR & AED

Name: **Brendan Odrowski**
Address: **Oak Lane**
Address:
City, State, Zip: **Belleville, MI 48111**

Security Control No.
753336

Course Completion Date: **July 1, 2021**
Expiration Date: **July 1, 2023**

Training Center: **HASC - Pasadena**
Instructor Name: **Victor Marquez**
Instructor Number: **2124892**

Brendan Odrowski

has successfully completed the NSC First Aid, CPR & AED Course.

The National Safety Council eliminates preventable deaths at work, in homes and communities, and on the road through leadership, research, education and advocacy.

For more life-saving courses from NSC please visit nsc.org/fatraining

THIS DOCUMENT IS VOID IF REPRODUCED



We want your feedback!

Please visit nsc.org/firstaidevaluation to take a brief survey and share your opinions about the NSC course you completed.

NSC-in it for life nsc.org/fatraining



Security Control No.
753336

Brendan Odrowski

has completed the

NSC First Aid, CPR & AED Course

Training Center: **HASC - Pasadena**
Completion Date: **July 1, 2021**
Expires: **July 1, 2023**

Instructional Hours: **5**

Victor Marquez
Instructor Signature

2124892

Instructor No.

Keep this card for your records. Void if reproduced.

INTEGRATED ENVIRONMENTAL, INC.


Certificate of Achievement

This Is to Certify That:

James Forman

Has Completed the Following Training:


OSHA 29 CFR Part 1910.120
Hazardous Waste Operations and Emergency Response
8-Hour Refresher Training
Republic Industrial and Energy Solutions, LLC
February 9 and 10, 2021



Rick P. Harding, Ph.D.

February 10, 2021

Date



INTEGRATED ENVIRONMENTAL, INC.

Certificate of Achievement

This Is to Certify That:

Tracy Lester

Has Completed the Following Training:


OSHA 29 CFR Part 1910.120

Hazardous Waste Operations and Emergency Response

8-Hour Refresher Training

Republic Industrial and Energy Solutions, LLC


February 9 and 10, 2021



Rick P. Harding, Ph.D.

February 10, 2021

Date



INTEGRATED ENVIRONMENTAL, INC.

Certificate of Achievement

This Is to Certify That:

James Hawkins

Has Completed the Following Training:

OSHA 29 CFR Part 1910.120

Hazardous Waste Operations and Emergency Response

8-Hour Refresher Training


Republic Industrial and Energy Solutions, LLC

February 9 and 10, 2021

February 10, 2021

Date


Rick P. Harding, Ph.D.





This is to certify that

MICHAEL ALDERMAN

Has Successfully Completed The Mandatory Subject Matter for

**40 HOUR HAZWOPER TRAINING
OSHA STANDARD 29 CFR 1910.120 (e) (3) (i)**

On This 2nd Day of July, 2021


VICTOR MARQUEZ - Instructor

HASC – HEADQUARTERS | 5213 CENTER STREET | PASADENA, TX 77505
www.hasc.com | 888-955-SAFE

TRAINING | OCCUPATIONAL MEDICAL SERVICES | EMPLOYEE SCREENING

"The mission of the Health and Safety Council as an innovative leader is building safe workplaces by improving the quality and integrity of the workforce"

Keep this card for your records. Void if reproduced.

Instructor No.

2124892

Instructional Hours: 5

July 1, 2023

Expires:

July 1, 2021

Completion Date:

HASC - Pasadena

Training Center:

NSC First Aid, CPR & AED Course

has completed the

Michael Alderman



753340
Security Control No.

NSC - in it for life. nsc.org/training

We want your feedback!
Please visit nsc.org/firstaidevaluation to
take a brief survey and share your opinions
about the NSC course you completed.



THIS DOCUMENT IS VOID IF REPRODUCED

The National Safety Council eliminates preventable deaths at work, in homes and communities,
and on the road through leadership, research, education and advocacy.
For more life-saving courses from NSC please visit nsc.org/training

has successfully completed the NSC First Aid, CPR & AED Course.

Michael Alderman

Training Center: HASC - Pasadena
Instructor Name: Victor Marquez
Instructor Number: 2124892

Course Completion Date: July 1, 2021
Expiration Date: July 1, 2023

Name: Michael Alderman
Address: 8665 Gidget Court
Address: Newport, MI 48166
City, State, Zip:

753340
Security Control No.

NSC First Aid, CPR & AED Course
First Aid, Adult CPR & AED



INTEGRATED ENVIRONMENTAL, INC.

Certificate of Achievement

This Is to Certify That:

Dalton Mullins

Has Completed the Following Training:


OSHA 29 CFR Part 1910.120

Hazardous Waste Operations and Emergency Response

8-Hour Refresher Training

Republic Industrial and Energy Solutions, LLC


February 9 and 10, 2021



Rick P. Harding, Ph.D.

February 10, 2021

Date



INTEGRATED ENVIRONMENTAL, INC.

Certificate of Achievement

This Is to Certify That:

Rick Sauve

Has Completed the Following Training:

OSHA 29 CFR Part 1910.120

Hazardous Waste Operations and Emergency Response

8-Hour Refresher Training

Republic Industrial and Energy Solutions, LLC


February 9 and 10, 2021



Rick P. Harding, Ph.D.

February 10, 2021

Date



INTEGRATED ENVIRONMENTAL, INC.

Certificate of Achievement

This Is to Certify That:

Anthony Warlix

Has Completed the Following Training:


OSHA 29 CFR Part 1910.120

Hazardous Waste Operations and Emergency Response

8-Hour Refresher Training

Republic Industrial and Energy Solutions, LLC


February 9 and 10, 2021



Rick P. Harding, Ph.D.

February 10, 2021

Date



INTEGRATED ENVIRONMENTAL, INC.

Certificate of Achievement

This Is to Certify That:

Gary Williams

Has Completed the Following Training:


OSHA 29 CFR Part 1910.120

Hazardous Waste Operations and Emergency Response

8-Hour Refresher Training

Republic Industrial and Energy Solutions, LLC

February 9 and 10, 2021



Rick P. Harding, Ph.D.

February 10, 2021

Date

