



REPUBLIC
SERVICES

28470 Citrin Drive Romulus, MI 48174
o 734 946.1000 republicservices.com

June 1st, 2023

Mr. Andrew Greenhagen
United States Environmental Protection Agency
Region 5 (WU-16J)
77 West Jackson Blvd.
Chicago, IL 60604

Re: RIES Monthly Report

Dear Mr. Andrew Greenhagen:

Republic Industrial and Energy Solutions, LLC (RIES) hereby submits the one hundred and eleventh Report ("MR") in conformance with the requirements of its two EPA UIC permits (#s MI-163-1W-C010 & MI-163-1W-C011). RIES is providing all of the attached information in the same sequence as required by both subject permits, i.e. Part II. D.1 (a-i), Part III, Attachment A, and Part III, Attachment E.G.2 & E.I.

RIES did accept F039 waste in April of 2023 so analyses as stated on Page A-3 of 3 of RIES's two EPA UIC permits are included in this monthly report.

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my supervision and interaction with the persons who manage and operate the system, and those persons responsible for the collection of the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

We trust that you find this report satisfactory, however, if you have any questions or comments, please feel free to contact us.

Sincerely,


John K. Frost
cc: Rick Sauve (Republic Services)

AVERAGE INJECTION RATE

Calculation of Average Injection Rate

CURRENT REPORTING YEAR 2023

CURRENT REPORTING MONTH April

Date (month, year) of the first injection into either well at the Citrin Road Facility

November 2013

CURRENT MONTH (all volumes in gallons)

	Injected Waste	Injected Non-Waste	Total injected
--	----------------	--------------------	----------------

MI-163-1W-C010, Well #1-12

Current Month	976,645	0	976,645
---------------	---------	---	---------

Since facility first injected

			53,885,701
--	--	--	------------

MI-163-1W-C011, Well #2-12

Current Month	1,302,270	0	1,302,270
---------------	-----------	---	-----------

Since facility first injected

			34,760,069
--	--	--	------------

Lifetime Combined			88,645,770
-------------------	--	--	------------

Conversion factors

365.25 days per year ÷ 12 months per year = 30.4375 days per month

30.4375 days per month × 1440 minutes per day = 43,830 minutes per month

Calculations

Whole number of months of injection 112

112

lifetime number of months of injection × 43,830 minutes/month

= 4,821,300

minutes of injection

88,645,770

Lifetime combined injected volume

4,821,300

minutes of injection

= 18.05

gpm average injection rate

WELL 1 DATA



Injection Well 1, April 2023

	Injection Pressure (psig)		Annulus Tank Level (inch)		Annulus Pressure (psig)		Injection pH		Flow Rate (gpm)		Differential Pressure (psig)	
	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
4/1/2023	147.0	167.7	19.0	19.2	1053.2	1059.4	8.4	8.4	0.0	0.0	886.6	906.8
4/2/2023	138.8	147.2	19.0	19.0	1044.5	1053.7	8.4	8.5	0.0	0.0	905.4	907.2
4/3/2023	136.6	938.0	19.0	19.1	907.3	1,352.5	3.0	8.4	0.0	71.8	348.5	906.5
4/4/2023	131.7	940.1	19.1	19.2	898.8	1,374.3	3.2	10.4	0.0	67.9	256.4	893.8
4/5/2023	142.6	940.1	19.1	19.2	987.4	1,370.7	2.5	8.1	0.0	57.8	260.9	885.4
4/6/2023	150.2	940.0	19.1	19.2	989.4	1,383.7	4.9	8.1	0.0	58.8	362.1	858.3
4/7/2023	149.2	940.2	19.0	19.1	1,000.9	1,365.4	5.7	7.5	0.0	51.8	350.8	870.3
4/8/2023	134.4	937.1	19.0	19.1	1,008.5	1,365.1	6.2	7.4	0.0	57.2	409.1	876.7
4/9/2023	123.4	919.6	19.0	19.1	929.1	1,290.3	1.5	7.8	0.0	76.1	335.2	875.4
4/10/2023	131.3	939.5	19.0	19.2	919.8	1,333.1	1.7	7.3	0.0	76.0	299.3	848.1
4/11/2023	144.1	939.7	19.1	19.3	916.1	1,326.8	1.9	7.6	0.0	74.6	271.6	827.5
4/12/2023	170.4	941.1	19.2	19.3	983.9	1,374.3	1.8	7.5	0.0	62.1	323.6	814.1
4/13/2023	163.1	940.1	19.2	19.3	956.9	1,387.6	1.2	7.0	0.0	77.4	368.0	813.9
4/14/2023	150.2	940.2	19.2	19.3	963.6	1,410.2	1.8	7.7	0.0	82.1	330.6	874.7
4/15/2023	160.2	940.0	19.2	19.3	987.2	1,389.1	2.3	7.2	0.0	70.1	429.6	874.3
4/16/2023	150.1	165.8	19.2	19.3	958.8	987.6	4.1	4.2	0.0	0.0	808.4	822.0
4/17/2023	147.1	939.3	19.1	19.2	872.4	1,261.9	1.3	9.7	0.0	80.3	192.5	809.3
4/18/2023	151.5	940.2	19.0	19.1	878.8	1,267.7	2.0	9.4	0.0	80.3	188.4	746.6
4/19/2023	156.4	939.7	19.0	19.2	879.8	1,301.3	1.6	7.5	0.0	65.6	208.7	771.7
4/20/2023	173.4	939.4	19.1	19.2	866.8	1,276.8	3.7	7.9	0.0	56.6	278.6	732.9
4/21/2023	234.0	940.2	19.1	19.2	956.8	1,295.1	5.2	7.5	0.0	46.6	327.7	723.3
4/22/2023	170.4	896.7	19.1	19.2	838.1	1,212.9	0.2	7.2	0.0	72.2	242.9	712.9
4/23/2023	152.9	170.7	19.0	19.1	881.2	885.4	2.4	2.8	0.0	0.0	710.7	731.7
4/24/2023	149.9	940.1	19.0	19.1	882.0	1,291.3	1.9	7.5	0.0	69.1	345.3	781.4
4/25/2023	140.9	940.2	19.0	19.1	851.9	1,285.7	1.9	7.7	0.0	75.6	247.0	781.4
4/26/2023	156.6	940.2	19.0	19.1	861.1	1,234.1	6.5	7.5	0.0	75.5	277.7	726.9
4/27/2023	154.5	940.2	19.0	19.2	734.5	1,211.2	1.7	7.7	0.0	78.8	205.2	735.8
4/28/2023	158.8	940.1	19.1	19.1	868.6	1,213.0	2.7	9.8	0.0	65.8	265.7	724.9
4/29/2023	142.2	940.2	19.0	19.1	858.1	1,197.9	1.6	6.9	0.0	74.7	250.3	718.1
4/30/2023	140.0	142.4	19.0	19.1	850.1	860.1	6.8	6.8	0.0	0.0	708.6	717.8

Circle Chart Index

Chart Recorder #1

Channel #1

Blue Pen - Well 1 Injection Pressure (chart value x 30)

Channel #2

Red Pen — Well 1 Annulus Pressure (chart value x 30)

Channel #3

Green Pen — Well 1 Flow Rate (chart value x 4)

Channel #4

Black Pen — Well 1 Annulus Tank Level (chart value x 0)

Chart Recorder #2

Channel #1

Blue Pen — Well 2 Injection Pressure (chart value x 30)

Channel #2

Red Pen — Well 2 Annulus Pressure (chart value x 30)

Channel #3

Green Pen — Well 2 Flow Rate (chart value x 4)

Channel #4

Black Pen — Well 2 Annulus Tank Level (chart value x 0)

Chart Recorder #3

Channel #1

Blue Pen — Injection pH Well 1 & 2 (chart value 3.3)

Channel #2


Red Pen — Well 1 Monthly Volume (chart value x 100,000)


Channel #3

Green Pen — Well 2 Monthly Volume (chart value x 100,000)

Channel *tm*

Black Pen — Temperature (chart value x 0)





THURSDAY

FRIDAY

SUNDAY

6 P.M. 9 MID NIGHT 3 A.M. 6

6 A.M. 3 MID NIGHT 6

6 P.M. 9 MID NIGHT 3 A.M. 6

6 A.M. 3 MID NIGHT 6

6 P.M. 9 MID NIGHT 3 A.M. 6

6 A.M. 3 MID NIGHT 6

DATE 4.5.2023
TA 500P1225-2

CR-1

Graphic Controls Inc




NOON


NOON

NOON

NOON




DATE 4-12-2023
TA 500P1225-2
CR-1
Graphic Controls Inc.



CR-1
DATE 4-19-2023
TA 500P1225-2

Graphic Controls Inc.



WELL 2 DATA



Injection Well 2, April 2023

	Injection Pressure (psig)		Annulus Tank Level (inch)		Annulus Pressure (psig)		Injection pH		Flow Rate (gpm)		Differential Pressure (psig)	
	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
4/1/2023	180.7	255.9	29.8	29.9	1149.1	1159.4	8.4	8.4	0.0	0.0	903.2	968.7
4/2/2023	159.0	181.2	29.6	29.8	1142.3	1149.4	8.4	8.5	0.0	0.0	968.3	983.7
4/3/2023	153.9	797.1	29.7	29.9	993.5	1,387.8	3.0	8.4	0.0	71.9	513.6	987.0
4/4/2023	173.2	911.3	29.8	29.9	984.5	1,474.6	3.2	10.4	0.0	81.8	397.3	963.4
4/5/2023	204.2	931.9	29.8	30.0	1,133.7	1,472.4	2.5	8.1	0.0	82.6	392.6	950.9
4/6/2023	219.0	939.3	29.8	30.0	1,133.7	1,514.0	4.9	8.1	0.0	77.0	461.4	923.2
4/7/2023	228.8	944.1	29.7	29.9	1,153.7	1,494.1	5.7	7.5	0.0	81.3	463.8	925.1
4/8/2023	194.7	946.2	29.7	29.8	1,162.4	1,499.8	6.2	7.4	0.0	87.3	557.0	968.3
4/9/2023	163.2	862.2	29.7	29.8	1,095.1	1,404.1	1.5	7.8	0.0	85.6	540.7	984.5
4/10/2023	186.0	922.2	29.7	30.0	1,105.9	1,448.3	1.7	7.3	0.0	88.0	461.4	949.0
4/11/2023	207.4	921.6	29.9	30.1	1,053.0	1,465.1	1.9	7.6	0.0	88.3	451.8	929.0
4/12/2023	234.3	943.4	30.0	30.2	1,156.8	1,538.5	1.8	7.5	0.0	87.2	468.6	923.0
4/13/2023	255.1	921.4	30.0	30.2	1,174.1	1,544.7	1.2	7.0	0.0	86.9	535.8	919.4
4/14/2023	251.0	924.0	30.0	30.2	1,169.1	1,584.1	1.8	7.7	0.0	86.1	503.6	936.2
4/15/2023	248.9	938.8	30.0	30.1	1,192.2	1,564.6	2.3	7.2	0.0	88.6	606.3	946.8
4/16/2023	193.7	249.3	29.9	30.1	1,154.4	1,192.5	4.1	4.2	0.0	0.0	942.8	960.9
4/17/2023	184.8	919.5	29.8	29.9	1,078.7	1,447.9	1.3	9.7	0.0	86.3	394.7	964.7
4/18/2023	218.3	947.7	29.8	29.9	1,084.8	1,465.0	2.0	9.4	0.0	86.9	357.6	900.6
4/19/2023	241.4	942.4	29.8	29.9	1,085.1	1,512.9	1.6	7.5	0.0	79.8	387.1	909.3
4/20/2023	271.6	949.6	29.8	30.0	1,089.6	1,489.7	3.7	7.9	0.0	83.6	494.2	886.3
4/21/2023	233.6	945.0	29.8	30.0	1,167.4	1,515.9	5.2	7.5	0.0	75.0	543.7	934.0
4/22/2023	202.8	833.1	29.8	29.9	1,051.3	1,345.2	0.2	7.2	0.0	75.0	490.0	941.4
4/23/2023	160.2	202.9	29.7	29.8	1,133.3	1,138.4	2.4	2.8	0.0	0.0	931.5	973.3
4/24/2023	154.3	940.5	29.7	29.9	1,131.2	1,523.2	1.9	7.5	0.0	79.3	580.9	977.2
4/25/2023	211.3	950.4	29.7	29.9	1,144.3	1,517.6	1.9	7.7	0.0	81.0	466.1	955.8
4/26/2023	245.5	951.3	29.7	29.9	1,143.8	1,466.6	6.5	7.5	0.0	81.5	507.9	902.2
4/27/2023	237.1	948.0	29.7	29.9	1,023.5	1,448.9	1.7	7.7	0.0	85.4	452.8	920.6
4/28/2023	218.3	940.0	29.8	29.9	1,141.4	1,463.4	2.7	9.8	0.0	79.6	512.6	923.2
4/29/2023	186.7	870.3	29.8	29.9	1,130.5	1,419.6	1.6	6.9	0.0	75.2	547.4	952.6
4/30/2023	162.4	193.2	29.8	29.9	1,128.4	1,136.6	6.8	6.8	0.0	0.0	943.1	966.3

Chart Recorder #1

Channel #1

Blue Pen - Well 1 Injection Pressure (chart value x 30)

Channel #2

Red Pen — Well 1 Annulus Pressure (chart value x 30)

Channel #3

Green Pen — Well 1 Flow Rate (chart value x 4)

Channel #4

Black Pen — Well 1 Annulus Tank Level (chart value x 0)

Chart Recorder #2

Channel #1

Blue Pen — Well 2 Injection Pressure (chart value x 30)

Channel #2

Red Pen — Well 2 Annulus Pressure (chart value x 30)

Channel #3

Green Pen — Well 2 Flow Rate (chart value x 4)

Channel #4

Black Pen — Well 2 Annulus Tank Level (chart value x 0)

Chart Recorder #3

Channel #1

Blue Pen — Injection pH Well 1 & 2 (chart value 3.3)

Channel #2


Red Pen — Well 1 Monthly Volume (chart value x 100,000)

Channel #3


Green Pen — Well 2 Monthly Volume (chart value x 100,000)

Channel #4

Black Pen — Temperature (chart value x 0)



Graphic Controls Inc
CE-2
DATE 3-29-2023
TA 500P1225-2



THURSDAY
NOON

6 P.M.

MID NIGHT

3 A.M.

FRIDAY
NOON

6 P.M.

MID NIGHT

3 A.M.

9

3

9

3

9

3

9

30

25

20

15

10

5

0

5

10

15

20

25

30

35

40

45

50

55

60

65

70

75

80

85

90

DATE 4.5.2023
TA 500P1225-2

CR-2

Graphic Controls Inc.



MONDAY
NOON

MID NIGHT

6 P.M.

SUNDAY
NOON

3 A.M.

6

9

3

9

3

9

3

9

6 P.M.

MID NIGHT

3

9

6

3

9

6

3

9

6

3

9

6

3

9

6


3

9

6

3

9



DATE 11.12.2025
TA 500P1225-2

CR-2

Graphic Controls Inc.






Chart Recorder #1

Channel #1

Blue Pen - Well 1 Injection Pressure (chart value x 30)

Channel #2

Red Pen — Well 1 Annulus Pressure (chart value x 30)

Channel #3

Green Pen — Well 1 Flow Rate (chart value x 4)

Channel #4

Black Pen — Well 1 Annulus Tank Level (chart value x 0)

Chart Recorder #2

Channel #1

Blue Pen — Well 2 Injection Pressure (chart value x 30)

Channel #2

Red Pen — Well 2 Annulus Pressure (chart value x 30)

Channel #3

Green Pen — Well 2 Flow Rate (chart value x 4)

Channel #4

Black Pen — Well 2 Annulus Tank Level (chart value x 0)

Chart Recorder #3

Channel #1

Blue Pen — Injection pH Well 1 & 2 (chart value 3.3)

Channel #2


Red Pen — Well 1 Monthly Volume (chart value x 100,000)

Channel #3

Green Pen — Well 2 Monthly Volume (chart value x 100,000)

Channel #4

Black Pen — Temperature (chart value x 0)



DATE 3-29-2023
TA 500P1225-2
CR-3
Graphic Controls Inc

THURSDAY
NOON

FRIDAY
NOON

TUESDAY
NOON

SATURDAY
NOON

9 AM
MID NIGHT
6

6 P.M. 9 MID NIGHT 3 A.M. 6


6 P.M.

9 AM
MID NIGHT
6

9 AM
MID NIGHT
6

6 P.M. 9 MID NIGHT 3 A.M. 6

9 AM
MID NIGHT
6




Graphic Controls Inc
CR-3
DATE 4.5.2023
TA 500P1225-2

THURSDAY
NOON
95
90
85
80
75
70
65
60
55
50
45
40
35
30
25
20
15
10
5
0

FRIDAY
NOON
100
95
90
85
80
75
70
65
60
55
50
45
40
35
30
25
20
15
10
5
0

SUNDAY
NOON
100
95
90
85
80
75
70
65
60
55
50
45
40
35
30
25
20
15
10
5
0

SUNDAY
NOON
100
95
90
85
80
75
70
65
60
55
50
45
40
35
30
25
20
15
10
5
0



THURSDAY

FRIDAY

SUNDAY

SUNDAY

6 P.M. 9 MID NIGHT 3 A.M. 6

6 P.M. 9 MID NIGHT 3 A.M. 6

6 P.M. 9 MID NIGHT 3 A.M. 6

6 P.M. 9 MID NIGHT 3 A.M. 6

6 P.M. 9 MID NIGHT 3 A.M. 6

NOON

NOON

NOON

NOON

3 6 9

3 6 9

3 6 9


3 6 9

100 95 90 85 80 75 70 65 60 55 50 45 40 35 30 25 20 15 10 5 0

100 95 90 85 80 75 70 65 60 55 50 45 40 35 30 25 20 15 10 5 0

100 95 90 85 80 75 70 65 60 55 50 45 40 35 30 25 20 15 10 5 0

100 95 90 85 80 75 70 65 60 55 50 45 40 35 30 25 20 15 10 5 0



THURSDAY
NOON

FRIDAY
NOON

SUNDAY
NOON

Graphic Controls Inc.
DATE 4-14-2023
TA 500P1225-2
CR3

6 P.M. 9 MID NIGHT 3 A.M. 6

6 A.M. 3 MID NIGHT 6

6 P.M. 9 MID NIGHT 6

6 A.M. 3 MID NIGHT 6

6 P.M. 9 MID NIGHT 3 A.M. 6

6 P.M. 9 MID NIGHT 3 A.M. 6

NOON

100
95
90
85
80
75
70
65
60
55
50
45
40
35
30
25
20
15
10
5
0

100
95
90
85
80
75
70
65
60
55
50
45
40
35
30
25
20
15
10
5
0

100
95
90
85
80
75
70
65
60
55
50
45
40
35
30
25
20
15
10
5
0

100
95
90
85
80
75
70
65
60
55
50
45
40
35
30
25
20
15
10
5
0

NOON

9

6

3 A.M.

9

6 P.M.

9

3 A.M.

6

9

6 P.M.

9

3 A.M.

6

6

3 A.M.

9

6 P.M.

9

3 A.M.

6

9

6 P.M.

9

3 A.M.

6

9

6 P.M.

9

3 A.M.

6

9

6 P.M.

9

3 A.M.

6

9

6 P.M.

9

3 A.M.

6

9

6 P.M.

9

3 A.M.

6

CORROSION MONITORING

CORROSION MONITORING COUPONS VISUAL DESCRIPTION

April, 2023

Fiberglass Coupon




The coupon is dark orange (rust) in color with a semi-smooth texture on both sides. Its cut edges appear sanded. The coupon is free of cracks, pitting, swelling, bluish, and corrosion. The coupon is very discolored compared to when it was installed.

Hastelloy Coupon

This coupon is identified as C276 with Serial Number 5. The coupon is silver in color although discolored from years submerged in waste but still has a lightly sandblasted texture. It is clean and free of pits, cracks, and bluish. There is no effect to this coupon.

Stainless Steel Coupon

This coupon is slightly pitted from years of exposure. There has been no significant effect to this coupon since last month. The waste does effect this coupon.



CORROSION MONITORING PLAN
COUPON SUMMARY

Date	Hastelloy (C267)	Stainless Steel (316L)	Fiberglass (Redbox)
12/19/2013	13.330 g	10.848 g	7.309 g
2/12/2014	13.329 g	10.846 g	7.306 g
3/10/2014	13.327 g	10.845 g	7.300 g
4/18/2014	13.324 g	10.841 g	7.272 g
5/30/2014	13.328 g	10.818 g	7.226 g
6/30/2014	13.321 g	10.337 g	7.196 g
7/11/2014	13.323 g	10.304 g	7.196 g
8/12/2014	13.328 g	10.045 g	7.182 g
9/17/2014	13.321 g	9.997 g	7.090 g
10/30/2014	13.321 g	9.387 g	7.075 g
11/21/2014	13.320 g	9.386 g	7.069 g
12/19/2014	13.321 g	9.315 g	7.084 g
1/12/2015	13.321 g	9.289 g	7.063 g
2/23/2015	13.339 g	9.286 g	7.005 g
3/31/2015	13.339 g	9.286 g	7.005 g
4/27/2015	13.335 g	9.130 g	6.852 g
5/21/2015	13.336 g	9.124 g	6.809 g
6/12/2015	13.334 g	9.126 g	6.819 g
7/27/2015	13.337 g	9.127 g	6.818 g
8/26/2015	13.337 g	9.022 g	6.780 g
9/21/2015	13.336 g	8.987 g	6.792 g
10/19/2015	13.335 g	8.985 g	6.797 g
11/16/2015	13.334 g	8.982 g	6.788 g
12/17/2015	13.334 g	8.933 g	6.791 g
1/29/2016	13.334 g	8.931 g	6.788 g
2/16/2016	13.332 g	8.799 g	6.757 g
3/31/2016	13.339 g	9.286 g	7.005 g
4/22/2016	13.333 g	8.590 g	6.744 g
5/31/2015	13.334 g	6.084 g	6.784 g
6/30/2016	13.328 g	10.942 g	6.793 g
8/3/2016	13.326 g	10.529 g	6.743 g
8/29/2016	13.325 g	10.020 g	6.723 g
10/27/2016	13.325 g	8.765 g	6.708 g
11/29/2016	13.327 g	8.571 g	6.740 g
12/12/2016	13.323 g	8.223 g	6.717 g
1/3/2017	13.325 g	8.059 g	6.712 g
2/28/2017	13.324 g	7.634 g	6.727 g
3/24/2017	13.325 g	7.370 g	6.732 g
4/28/2017	13.325 g	6.736 g	6.736 g
5/11/2017	13.323 g	7.352 g	6.689 g
6/12/2017	13.323 g	7.357 g	6.689 g
7/5/2017	13.323 g	7.355 g	6.689 g
8/30/2017	13.324 g	7.353 g	18.105 g
9/28/2017	13.325 g	7.352 g	18.060 g
10/11/2017	13.324 g	7.350 g	18.038 g
11/16/2017	13.325 g	7.363 g	18.047 g
12/12/2017	13.326 g	7.308 g	18.307 g

New Fiberglass coupon

New stainless steel coupon

New hastelloy coupon

Initial Mass @ start up

CORROSION MONITORING PLAN
COUPON SUMMARY

Date	Hastelloy	Stainless Steel	Fiberglass
1/29/2018	13.326 g	10.930 g	18.027 g
2/9/2018	13.325 g	10.932 g	18.044 g
3/19/2018	13.325 g	10.926 g	18.030 g
4/16/2018	13.336 g	10.863 g	18.068 g
5/17/2018	13.325 g	10.858 g	18.037 g
6/20/2018	13.325 g	10.855 g	18.029 g
7/12/2018	13.326 g	10.852 g	18.032 g
8/21/2018	13.326 g	10.854 g	18.031 g
9/14/2018	13.326 g	10.852 g	18.036 g
10/10/2018	13.326 g	10.851 g	18.031 g
11/20/2018	13.326 g	10.853 g	18.032 g
12/11/2018	13.326 g	10.852 g	18.033 g
1/14/2019	13.326 g	10.852 g	18.033 g
2/20/2019	13.326 g	10.850 g	18.033 g
3/15/2019	13.326 g	10.850 g	18.033 g
4/10/2019	13.326 g	10.848 g	18.031 g
5/17/2019	13.326 g	10.849 g	18.036 g
6/5/2019	13.326 g	10.848 g	18.031 g
7/8/2019	13.326 g	10.845 g	18.032 g
8/12/2019	13.326 g	10.845 g	18.032 g
9/8/2019	13.326 g	10.842 g	18.029 g
10/17/2019	13.326 g	10.842 g	18.030 g
11/20/2019	13.326 g	10.842 g	18.030 g
12/11/2019	13.326 g	10.842 g	18.030 g
1/16/2020	13.326 g	10.840 g	18.033 g
2/6/2020	13.326 g	10.836 g	18.034 g
3/3/2020	13.326 g	10.842 g	18.034 g
4/9/2020	13.328 g	10.839 g	18.037 g
5/12/2020	13.322 g	10.830 g	18.035 g
6/16/2020	13.316 g	10.771 g	18.009 g
7/16/2020	13.308 g	10.560 g	17.843 g
8/25/2020	13.310 g	10.214 g	17.773 g
9/24/2020	13.289 g	9.796 g	17.656 g
10/19/2020	13.282g	9.737g	17.621g
11/5/2020	13.280g	9.728g	17.600g
12/3/2020	13.281g	9.730g	17.689g
2/10/2021	13.284g	9.728g	17.683g
3/9/2021	13.290g	9.733g	17.585g
4/13/2021	13.288g	9.730g	17.649g
5/18/2021	13.282g	9.691g	17.543g
6/17/2021	13.279g	9.639g	17.546g
7/19/2021	13.278g	9.480g	17.507g
8/3/2021	13.278g	9.437g	17.467g
9/14/2021	13.277g	9.392g	17.467g
10/11/2021	13.277g	9.359g	17.465g
11/3/2021	13.277g	9.350g	17.273g
12/15/2021	13.276g	9.351g	17.256g
1/17/2022	13.276g	9.351g	17.256g
2/15/2022	13.276g	9.347g	16.965g

Well 1 workover new well

New stainless steel coupon

CORROSION MONITORING PLAN
COUPON SUMMARY

3/18/2022	13.281g	9.368g	17.246g
4/18/2022	13.275	9.339	16.656
5/16/2022	13.298	9.328	16.600
6/15/2022	13.276	9.300	16.219
7/20/2022	13.303	9.324	16.393
8/17/2022	13.277	9.195	15.841
9/9/2022	13.276	9.171	15.757
10/19/2022	13.274	9.157	15.623
11/18/2022	13.274	9.145	15.801
12/19/2022	13.278	9.132	15.588
1/18/2023	13.276	9.131	15.761
2/15/2023	13.274	9.130	15.728
3/17/2023	13.280	9.138	15.779
4/25/2023	13.275	9.130	15.726

CORROSION MONITORING COUPONS BASELINE VISUAL DESCRIPTION

November 4, 2013

Fiberglass

The fiberglass coupon is Red Box 2000 type and is 2-1/2 inches long by 1/2 inch wide and 1/4 inches thick. It is a dark orange (rust) in color with a glossy shine on one side a polished look on the opposite side and the cut edges look sanded.

Hastelloy

The hastelloy coupon is identified as C276 with serial number 1. The dimensions of the coupon are 3 inches long by 1/2 inch wide and 1/4 inch thick. The coupon is silver in color with a lightly sandblasted surface.

Stainless Steel

The stainless steel coupon is identified as 316L with serial number C1562. The dimensions of the coupon are 3 inches long by 1/2 inch wide and 1/4 inch thick. The coupon is silver in color with a lightly sandblasted surface.



Progress Through Innovation, Technology and Customer Satisfaction

October 22, 2015

TEST REPORT

PN 125322

PO 00154

PLASTICS TESTING DEPARTMENT

Prepared For:

John Frost
Environmental Geo-Technologies, LLC
28470 Citrin Drive
Romulus, MI 48174

Prepared By:

(Signature)
Meissa Martin
Sr. Project Technician

Approved By:

(Signature)
Jim Drummond, Sr.
Physical & Plastic Testing, Manager



An AZLA ISO 17025 Accredited Testing Laboratory — Certificate Numbers 255.01 & 255.02
ISO 9001:2008 Registered

ISO 9001:2008
Registered

Letters and reports are for the exclusive use of the clients to whom they are addressed and shall not be reproduced, except in full, without the written permission of Akron Rubber Development Laboratory, Inc. (ARDL). The information contained herein applies to the specific material, product or processes tested or evaluated. No warranty of any kind is herein construed or implied. The liability of ARDL, Inc. shall be limited to the amount of consideration paid for services. ARDL, Inc. is ISO 17025 accredited by AZLA for the test methods listed on the attached scope.

www.ardl.com | 2887 Gilchrist Rd. | Akron, Ohio 44305 | answers@ardl.com | Toll Free (800) 830-ARDL
Fax (330) 794-6610 | Worldwide (330) 794-6600



October 22, 2015

John Frost
Environmental Geo-Technologies, LLC

Page 2 of 2
PN 125322

SUBJECT: Barcol Hardness on one material.

RECEIVED: One small section identified as: Fiberglass Coupon.

BARCOL HARDNESS ASTM D 2583-13a
Instant Reading

Results

Barcol Hardness, Instant

96

Prepared By: _____
Sr. Project Technician

Approved By: _____

Scott W. Yates
Plastics Testing Assistant Manager



AKRON RUBBER DEVELOPMENT LABORATORY, INC.

Progress Through Innovation, Technology and Customer Satisfaction

December 12, 2016

TEST REPORT

PN 132662
PO

PLASTICS TESTING DEPARTMENT

Prepared For:

John Frost
Environmental Geo-Technologies, LLC
28470 Citin Drive
Romulus, MI 48174

Prepared By: Melissa Martin
Senior Project Technician

Approved By: Jim Drummond
Physical Testing Manager

Rev 041916



An A2LA ISO 17025 Accredited Testing Laboratory — Certificate Numbers 255.01 & 255.02
ISO 9001:2008 Registered

Registered
ISO 9001:2008

Letters and reports are for the exclusive use of the clients to whom they are addressed and shall not be reproduced, except in full, without the written permission of Akron Rubber Development Laboratory, Inc. (ARDL). The information contained herein applies to the specific material, products or processes tested or evaluated. No warranty of any kind is herein constituted or implied. The liability of ARDL, Inc. shall be limited to the amount of consideration paid for services. ARDL, Inc. is ISO 17025 accredited by A2LA for the test methods listed on the referenced certificates.

www.ardl.com | 2887 Gilchrist Rd. | Akron, Ohio 44305 | answers@ardl.com | Toll Free (800) 830-ARDL
Fax (330) 794-6610 | Worldwide (330) 794-6600



Progress Through Innovation, Technology and Customer Satisfaction

December 13, 2017

TEST REPORT

PN 139140
PO#

PLASTIC TESTING DEPARTMENT

Prepared For:

John Frost
Environmental Geo-Technologies, LLC
28470 Citrin Drive
Romulus, MI 48174

Prepared By: *Melissa Martin*
 Approved By: *Jim Drummond*
 Rubber & Plastic Testing, Manager

Rev 041916



An A2LA ISO 17025 Accredited Testing Laboratory — Certificate Numbers 255.01 & 255.02
ISO 9001:2008 Registered

Registered
ISO 9001:2008

Letters and reports are for the exclusive use of the clients to whom they are addressed and shall not be reproduced, except in full, without the written permission of Akron Rubber Development Laboratory, Inc. (ARDL). The information contained herein applies to the specific material, products or processes tested or evaluated. No warranty of any kind is herein construed or implied. The liability of ARDL, Inc. shall be limited to the amount of consideration paid for services. ARDL, Inc. is ISO 17025 accredited by A2LA for the test methods listed on the referenced certificates.

www.ardl.com | 2887 Gilchrist Rd. | Akron, Ohio 44305 | answers@ardl.com | Toll Free (800) 830-ARDL
Fax (330) 794-6610 | Worldwide (330) 794-6600



Progress Through Innovation, Technology and Customer Satisfaction

December 13, 2017

John Frost
Environmental Geo-Technologies, LLC

Page 2 of 2
PN 139140

SUBJECT: Barcol Hardness on one material.

RECEIVED: One small section identified as: Fiberglass Coupon.

BARCOL HARDNESS ASTM D 2583-13a
Instant Reading

Results

Barcol Hardness, Instant

96

SC

Prepared By:
Melissa Martin
Sr Project Technician

Approved By:
Scott Yates
Plastics Testing, Assistant Manager

ARDL is ISO 17025 accredited by A2LA for the test methods listed on the certificates referenced on page one. NOTE: Non-ISO 17025 accredited test methods are designated with the ^ symbol to differentiate from ISO 17025 accredited methods in the body of the test report.

www.ardl.com | 2887 Gilchrist Rd. | Akron, Ohio 44305 | answers@ardl.com | Toll Free (800) 830-ARDL
Fax (330) 794-6610 | Worldwide (330) 794-6600

Ghesquiere Plastic Testing, Inc.

20450 HARPER AVENUE
HARPER WOODS, MI 48225
PHONE (313) 885-3535
FAX (313) 885-1771

Report Date: November 15, 2013
Test Date: October 15 - November 14, 2013

Report #1310-77651
Performed for:
Environmental Geo-Technologies
28470 Citrin Drive
Romeus, MI 48174

Attention: Mr. Don Anderson

WORK REQUESTED:

Perform Barcol Hardness test on sample submitted.

DESCRIPTION OF SAMPLE:

Sample submitted was identified as a fiberglass test coupon.

(P. O. #credit card).

WORK PERFORMED:

Test specimen was prepared as necessary and conditioned for a minimum of 24 hours at standard laboratory conditions prior to testing.

Barcol Hardness test was performed in accordance with the procedures of ASTM D2583-13. One specimen was tested.

RESULTS:

The following determination was made based upon the above test:

BARCOL HARDNESS

Hardness

Specimen 1 90

Specimen is being returned with this report for further evaluation.

Ghesquiere Plastic Testing, Inc.

M. W. Ghesquiere
M. W. Ghesquiere
President

MWG/kmj

GHESSQUIERE PLASTIC TESTING, INC.

20450 HARPER AVENUE
HARPER WOODS, MI 48225
PHONE (313) 885-3636
FAX (313) 885-1771

Report Date: February 17, 2014
Test Date: February 14 - 17, 2014

Report #1402-78036
Performed for:
Environmental Geo-Technologies
28470 Clinton Drive
Romulus, MI 48174

Attention: Mr. Don Anderson

WORK REQUESTED:

Perform Barcol Hardness test on sample submitted.

DESCRIPTION OF SAMPLE:

Sample submitted was identified as a fiberglass test coupon.

(P. O. #credit card).

WORK PERFORMED:

Test specimen was prepared as necessary and conditioned for a minimum of 24 hours at standard laboratory conditions prior to testing.

Barcol Hardness test was performed in accordance with the procedures of ASTM D2583-13. One specimen was tested.

RESULTS:

The following determination was made based upon the above test:

BARCOL HARDNESS

Hardness

Specimen 1: 90

Specimen was returned to the client on February 17, 2014.

GHESSQUIERE PLASTIC TESTING, INC.

M. W. Ghesquiere
M. W. Ghesquiere, President

MWG/dm

20450 HARPER AVENUE
HARPER WOODS, MI 48225
PHONE (313) 885-8535
FAX (313) 885-1771

Report Date: June 16, 2014
Test Date: June 13 - 16, 2014

Report #1406-78499

Performed for:

Environmental Geo-Technologies, LLC

28470 Clinton Drive

Romulus, MI 48174

Attention: Mr. Don Anderson

WORK REQUESTED:

Perform Barcol Hardness test on sample submitted.

DESCRIPTION OF SAMPLE:

Sample submitted was identified as a fiberglass test coupon.

(P. O. #Credit Card).

WORK PERFORMED:

Test specimen was prepared as necessary and conditioned for a minimum of 24 hours at standard laboratory conditions prior to testing.

Barcol Hardness test was performed in accordance with the procedures of ASTM D2583-13. One specimen was tested.

RESULTS:

The following determination was made based upon the above test:


BARCOL HARDNESS

Hardness

Specimen 1 85

Specimen was returned to the client June 16, 2014.

Ghesquiere Plastic Testing, Inc.



M. W. Ghesquiere
President

MWG/dm



Testing, Development, Problem Solving.

October 2, 2014

TEST REPORT



PN 118325

PO Attn: John Frost

PLASTICS TESTING DEPARTMENT

Prepared For:

John Frost
Environmental Geo-Technologies, LLC
28470 Citrin Drive
Romulus, MI 48174

Prepared By: 
 Approved By: 
 Sr. Project Technician
 Jim Drummond
 Physical & Plastics Testing, Manager




An A2LA ISO 17025 Accredited Testing Laboratory — Certificate Numbers 255.01 & 255.02
ISO 9001:2008 Registered

ISO 9001:2008 Registered

Letters and reports are for the exclusive use of the clients to whom they are addressed and shall not be reproduced, except in full, without the written permission of Akron Rubber Development Laboratory, Inc. (ARDL). The information contained herein applies to the specific material, products or processes tested or evaluated. No warranty of any kind is herein conferred or implied. The liability of ARDL, Inc. shall be limited to the amount of consideration paid for services. ARDL, Inc. is ISO 17025 accredited by A2LA for the test methods listed on the attached scope.

ARDL, Inc.

2887 Gilchrist Rd. | Akron, Ohio 44305 | answers@ardl.com
Toll Free (800) 830-ARDL | Worldwide (330) 794-6600 | Fax (330) 794-6610



Testing, Development, Problem Solving.

October 2, 2014

John Frost
Environmental Geo-Technologies, LLC

Page 2 of 2
PN118325

SUBJECT:

Barcol Hardness on one material.
PO# Attn: John Frost

RECEIVED:

One small section identified as: Fiberglass Coupon.

BARCOL HARDNESS ASTM D 2583-13a

Results

Barcol Hardness, Instant

97

51

Prepared By:

[Signature]
Melissa Martin
Sr. Project Technician

Approved By:

[Signature]
Scott W. Yates
Plastics Testing Assistant Manager

W W W . A R D L . C O M

2887 Gilchrist Rd. | Akron, Ohio 44305 | answers@ardl.com
Toll Free (800) 830-ARDL | Worldwide (330) 794-6600 | Fax (330) 794-6610

BARCOL HARDNESS REPORT

Customer: Republic Industrial and Energy Solutions, LLC


Component Tested: Test Coupon

PO Number: 9575553 **Job Number:** 3415

Calibration: Disc: 43 - 48 **Actual Reading:** 45

Barcol Readings			
Side One:	1	2	3
62	63	60	58
58	60	57	60
Side Two:	Overall Average:		
61	58		
58	Average		
60	60		

Tested By:



 (signature)

Gary Nicholson _____
 (print or type name)

Date: 01/12/2021

BARCOL HARDNESS REPORT


Customer: Republic Industrial and Energy Solutions, LLC

Component Tested: Test Coupon

PO Number: 10159792 Job Number: 3556

Calibration: Disc: 43 - 48 Actual Reading: 45

Barcol Readings			
Side One:	1	2	3
56	60	60	60
Side Two:	60	62	62
Overall Average:	60		
Average	60		

Tested By:  (signature)

Gary Nicholson (print or type name)
Date: 10/11/2021

BARCOL HARDNESS REPORT

Customer: Republic Industrial and Energy Solutions

Component Tested: Fiberglass Coupon

PO Number: Credit Card


Job Number: 3734

Calibration: Disc: 43 - 48

Actual Reading: 45

Barcol Readings

Side One:	1	2	3	Average
55	50	58		
53	56	59		
Side Two:				Overall Average: 55

Tested By:  (signature)

Gary Nicholson
(print or type name)

Date: 08/23/2022

MAINTENANCE

UIC Monthly Maintenance Log

No Maintenance this month

INJECTION FINGERPRINTS

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	4 / 29 / 23
Receiving ID#	104292302
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	12:15 PM
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>[Signature]</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	514
Flash Point (F)	
pH (S.U.)	7.90 (pH)
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	69.3
Conductivity	33.0
% Solids	0.82
Turbidity	Yes No
Color	
TSS (%)	50.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>



RECEIVING & APPROVAL FORM


RECEIVING INFORMATION	
Date	4/29/23
Receiving ID#	104292301
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	8:45 AM
Time out	5:15 PM
Received by	<i>[Signature]</i>
Sampled by	<i>[Signature]</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.9
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	65.9
Conductivity	41.15
% Solids	1.39
Turbidity	Yes No
Color	
TSS (%)	50.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

Receiving & Departure Approval Form

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	4/28/23
Receiving ID#	Z04282304
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	8:45 pm
Time out	
Received by	
Sampled by	

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only?)	
TOC ppm (CC Waste Only?)	
Flash Point (F)	2190
pH (S.U.)	7.39 pH
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	690
Conductivity	41 mS
% Solids	4.8%
Turbidity	Yes No
Color	
TSS (%)	
Radiation Screen (as needed)	
Lab Signature/Initials	

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	9/28/23
Receiving ID#	54-5045339
Manifest #	Line
Land Ban Cert included	Yes
EGT Approval #	
Generator	
Client	
Transporter	
Time in	12:00
Time out	
Received by	
Sampled by	

I 04282303

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	6.95
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes
Oil in Sample?	No
Temperature (F)	65.2
Conductivity	32.4 uS
% Solids	1.11
Turbidity	Yes
Color	No
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	4/28/23
Receiving ID#	IO4282302
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	9:30 AM
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>[Signature]</i>



LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.12
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.03
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	63.5
Conductivity	12.34 mS
% Solids	0.23
Turbidity	Yes No
Color	
TSS (%)	70.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>


RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	4/28/23
Receiving ID#	104282301
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	7:05
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>[Signature]</i>



LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2100
pH (S.U.)	8.12
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	62.7 ^m
Conductivity	39.8 ^m
% Solids	1.63
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>


RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	4/27/23
Receiving ID#	704272366
Manifest #	Line
Land Ban Cert included	Yes
EGT Approval #	
Generator	
Client	
Transporter	
Time in	8:15
Time out	
Received by	
Sampled by	

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.29
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes
Oil in Sample?	No
Temperature (F)	61
Conductivity	33.9
% Solids	3.0%
Turbidity	Yes
Color	No
TSS (%)	20%
Radiation Screen (as needed)	
Lab Signature/Initials	

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	4/27/23
Receiving ID#	901212505
Manifest #	Line
Land Ban Cert included	Yes
EGT Approval #	
Generator	
Client	
Transporter	
Time in	17:00
Time out	
Received by	
Sampled by	

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	<190
pH (S.U.)	~8.2
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.01
Physical Description	
Stream Consistency	Yes
Oil in Sample?	No
Temperature (F)	66°
Conductivity	23ms
% Solids	2.1%
Turbidity	Yes
Color	
TSS (%)	<0.1%
Radiation Screen (as needed)	
Lab Signature/Initials	

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	11/27/23
Receiving ID#	104272304
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	15:15
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>[Signature]</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	1.87
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	59.5
Conductivity	34.1 us
% Solids	0.93
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	4/27/23
Receiving ID#	IQ4272303
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	11:30
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>[Signature]</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	1.9
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.03
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	58.6
Conductivity	15.55 mS
% Solids	< 0.1
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	4/27/23
Receiving ID#	104772302
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	8:50AM
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>[Signature]</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	5.98
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	61.9
Conductivity	32.8mS
% Solids	1.55
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	4 / 27 / 23
Receiving ID#	104272304
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	06:30
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>[Signature]</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBS (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.87
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	66.0
Conductivity	32.5ms
% Solids	1.72
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	4 12 13
Receiving ID#	20462307
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	8:46
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>[Signature]</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>170
pH (S.U.)	6.47
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	65
Conductivity	392
% Solids	1.70%
Turbidity	Yes No
Color	
TSS (%)	>0.100
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	4/26/23
Receiving ID#	104282300
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	6:00pm
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>[Signature]</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>190°
pH (S.U.)	6.97
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	66°
Conductivity	42.3
% Solids	1.4%
Turbidity	Yes No
Color	
TSS (%)	20.9%
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 26 / 23
Receiving ID#	104262305
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	8:14:40
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>[Signature]</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	6.93
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	60.1
Conductivity	38.7 mS
% Solids	2.41
Turbidity	Yes No
Color	
TSS (%)	2.01
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 26 / 23
Receiving ID#	I 04262304
Manifest #	Line
Land Ban Cert Included	Yes
EGT Approval #	
Generator	
Client	
Transporter	
Time in	12:07
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>[Signature]</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	6.88
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.05
Physical Description	
Stream Consistency	Yes
Oil in Sample?	No
Temperature (F)	56.7
Conductivity	42.7 mS
% Solids	3.01
Turbidity	Yes
Color	No
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 26 / 23
Receiving ID#	I04262303
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	10:06
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>[Signature]</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	6.70
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.05
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	63.4
Conductivity	38.2 mS
% Solids	1.66
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 26 / 23
Receiving ID#	T04262302
Manifest #	Line
Land Ban Cert included	Yes
EGT Approval #	No
Generator	
Client	
Transporter	
Time in	08:00
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>[Signature]</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only?)	
TOC ppm (CC Waste Only?)	
Flash Point (F)	> 140
pH (S.U.)	6.64
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.05
Physical Description	
Stream Consistency	Yes
Oil in Sample?	No
Temperature (F)	64.5
Conductivity	39.7 mS
% Solids	2.27
Turbidity	Yes
Color	No
TSS (%)	7.0
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/26/23
Receiving ID#	IO4262301
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	6:20 AM
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>[Signature]</i>


LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.78
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.05
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	62.7
Conductivity	24.9 μ S
% Solids	0.78
Turbidity	Yes No
Color	
TSS (%)	6.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>


RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 25 / 23
Receiving ID#	104252307
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	10:30 PM
Time out	
Received by	J. K. M.
Sampled by	J. Dalton M.

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>190°
pH (S.U.)	2.28
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.01
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	61.4° F
Conductivity	12.30
% Solids	1.2%
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J. Dalton M.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 26 / 23
Receiving ID#	104252306
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	6:30p
Time out	
Received by	
Sampled by	

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140°
pH (S.U.)	6.61
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.01
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	60.4° F
Conductivity	16.9
% Solids	1.1%
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 125-123
Receiving ID#	1042522305
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	3:30p
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>[Signature]</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140°
pH (S.U.)	7.45
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.01
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	66° F
Conductivity	44.3 μ S
% Solids	3.3%
Turbidity	Yes No
Color	
TSS (%)	<0.5
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 12 5 123
Receiving ID#	104252304
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	12:30 PM
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>[Signature]</i>



LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.58
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	63.3
Conductivity	37.9 mS 2.05
% Solids	
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>


RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 12 5 23
Receiving ID#	104252303
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	10:30 AM
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>[Signature]</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	10.73
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	62.6
Conductivity	30.4 ^{ms}
% Solids	2.89
Turbidity	Yes No
Color	
TSS (%)	4.61
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 25 / 23
Receiving ID#	TC4252302
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	8:30
Time out	
Received by	
Sampled by	



LAB. INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2790
pH (S.U.)	6.77
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	64.1
Conductivity	30.6 mS
% Solids	2.94
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	


RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 25 / 23
Receiving ID#	104252301
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	7:00 AM
Time out	
Received by	<i>J. A. Johnson</i>
Sampled by	<i>J. A. Johnson</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 190
pH (S.U.)	10.74
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	64.4
Conductivity	29.5
% Solids	2.09
Turbidity	Yes No
Color	
TSS (%)	6.0
Radiation Screen (as needed)	
Lab Signature/Initials	<i>J. A. Johnson</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 24 / 23
Receiving ID#	109742508
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	8:50 PM
Time out	
Received by	
Sampled by	

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140°
pH (S.U.)	6.71
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	64°
Conductivity	303.05
% Solids	3.5%
Turbidity	Yes No
Color	
TSS (%)	<0.1%
Radiation Screen (as needed)	
Lab Signature/Initials	

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 24 / 23
Receiving ID#	I09242307
Manifest #	Line
Land Ban Cert included	Yes
EGT Approval #	No
Generator	
Client	
Transporter	
Time in	6:45am
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>[Signature]</i>



LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140°
pH (S.U.)	6.8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes
Oil in Sample?	No
Temperature (F)	66°
Conductivity	29.8
% Solids	1.8%
Turbidity	Yes
Color	No
TSS (%)	< 0.1%
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>


RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 24 / 23
Receiving ID#	F04242306
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	4:45
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>[Signature]</i>


LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	7.00
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	66°
Conductivity	29.705
% Solids	2.3%
Turbidity	Yes No
Color	
TSS (%)	<0.1%
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>


RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 24 / 23
Receiving ID#	IOY2423015
Manifest #	Line
Land Ban Cert Included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	14:25
Time out	
Received by	
Sampled by	

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	6.88
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	59.6
Conductivity	29.2 us
% Solids	2.10
Turbidity	Yes No
Color	
TSS (%)	1.01
Radiation Screen (as needed)	
Lab Signature/Initials	

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 24 / 23
Receiving ID#	E04242304
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	12:07
Time out	
Received by	
Sampled by	



LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	2140
Flash Point (F)	6.67
pH (S.U.)	1.87
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	65.5
Conductivity	3000.5
% Solids	1.22
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as-needed)	
Lab Signature/Initials	


RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 24 / 23
Receiving ID#	IO4242303
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	9:40AM
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>[Signature]</i>


LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2178
pH (S.U.)	3.59
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	59.7
Conductivity	18.53
% Solids	0.64
Turbidity	Yes No
Color	
TSS (%)	76
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>


RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/24/23
Receiving ID#	IO4242302
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	8:45 AM
Time out	
Received by	
Sampled by	

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2240
pH (S.U.)	1.55
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.07
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	64.6
Conductivity	252 mS
% Solids	0.34
Turbidity	Yes No
Color	
TSS (%)	101
Radiation Screen (as needed)	
Lab Signature/Initials	

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 24 / 23
Receiving ID#	TC4242304
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	06:30
Time out	
Received by	
Sampled by	

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	1.78
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.03
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	64.4
Conductivity	17.25 mS
% Solids	0.54
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 22 / 23
Receiving ID#	I04222301
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	9:30 AM
Received by	<i>[Signature]</i>
Sampled by	<i>[Signature]</i>

WELLS FARGO BANK INC

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2148
pH (S.U.)	0.75
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	64.8
Conductivity	> 1500 μ S
% Solids	1.41
Turbidity	Yes No
Color	
TSS (%)	20.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 21 / 23
Receiving ID#	204212306
Manifest #	Line
Land Ban Cert Included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	9:45
Time out	
Received by	A. Wark
Sampled by	A. Wark


LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	21400
Flash Point (F)	5.19
pH (S.U.)	5.19
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	65.40
Conductivity	20.8
% Solids	.191
Turbidity	Yes No
Color	
TSS (%)	
Radiation Screen (as needed)	
Lab Signature/Initials	A. Wark

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/21/23
Receiving ID#	IO4212305
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	18:20
Received by	<i>A. W. N. Y.</i>
Sampled by	<i>[Signature]</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBS (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	71400
pH (S.U.)	6.61
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.20
Conductivity	26.1
% Solids	.293
Turbidity	Yes No
Color	
TSS (%)	70.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>A. W. N. Y.</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 21 / 23
Receiving ID#	I09212309
Manifest #	Line
Land Ban Cert Included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0:15:40
Time out	
Received by	A. Murphy
Sampled by	

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	71400
pH (S.U.)	6.65
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	69.7d
Conductivity	25.0
% Solids	0.338
Turbidity	Yes No
Color	
TSS (%)	60.1
Radiation Screen (as needed)	
Lab Signature/Initials	A. Murphy

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 21 / 23
Receiving ID#	T04212363
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	12:30
Time out	
Received by	A. W. [Signature]
Sampled by	Damon H.

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	< 140°
pH (S.U.)	6.69
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.8°
Conductivity	24.9
% Solids	.879
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	A.W. [Signature]

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 21 / 23
Receiving ID#	104212302
Manifest #	Line
Land Ban Cert Included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time In	09:30
Time out	
Received by	<i>M. Walker</i>
Sampled by	<i>D. Dalton</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBS (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>110°
pH (S.U.)	7.65
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.160
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	65°
Conductivity	254
% Solids	7.67%
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>M. Walker</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 24 / 23
Receiving ID#	T04212301
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	06:30
Time out	
Received by	<i>R. Walker</i>
Sampled by	<i>R. Walker</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140°
pH (S.U.)	6.76
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.000
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	69°
Conductivity	26
% Solids	2.03%
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>R. Walker</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 20 / 23
Receiving ID#	Z042023 06
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	19:43
Time out	
Received by	A. Wally
Sampled by	A. Wally

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only?)	
TOC ppm (CC Waste Only?)	
Flash Point (F)	71400
pH (S.U.)	6.84
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.021
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	65°
Conductivity	25.4
% Solids	338
Turbidity	Yes No
Color	
TSS (%)	70.1
Radiation Screen (as needed)	
Lab Signature/Initials	A. Wally

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 20 / 23
Receiving ID#	704202508
Manifest #	Line
Land Ban Cert Included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time In	16:36
Time out	
Received by	A.Walk
Sampled by	A.Walk

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	7140°
pH (S.U.)	6.71
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	64.50
Conductivity	25.2
% Solids	.368
Turbidity	Yes No
Color	
TSS (%)	70.1
Radiation Screen (as needed)	
Lab Signature/Initials	A.Walk

4.067
1.808
3.264

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

FINGERPRINT FORM

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 20 / 23
Receiving ID#	169262304
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	2:50pm
Time out	
Received by	A. White
Sampled by	Dallen M.

LAB INFORMATION	
Compatible? (RT#)	
PCBS (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	71400
pH (S.U.)	6.77
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	66.30
Conductivity	24.8
% Solids	1.79
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	A. White

Receiving & Departure Approval Form

561
808
556

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 20 / 23
Receiving ID#	I09202303
Manifest #	Line
Land Ban Cert Included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	12:30p
Time out	
Received by	<i>M. Escobar</i>
Sampled by	<i>Dalton H.</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140°
pH (S.U.)	6.92
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.000
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	66°
Conductivity	23.6
% Solids	2.19%
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>M Escobar</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/20/23
Receiving ID#	104202302
Manifest #	Line
Land Ban Cert Included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	10:00
Time out	
Received by	<i>M. Ecker</i>
Sampled by	<i>D. Pelt</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>110°
pH (S.U.)	6.69
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.000
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	60°
Conductivity	21.6
% Solids	0.68%
Turbidity	Yes No
Color	
TSS (%)	<0.4
Radiation Screen (as needed)	
Lab Signature/Initials	<i>M. Ecker</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 26 / 23
Receiving ID#	101302301
Manifest #	Line
Land Ban Cert included	Yes
EGT Approval #	
Generator	
Client	
Transporter	
Time in	06:30
Time out	
Received by	<i>M. Escobar</i>
Sampled by	<i>M. Escobar</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>110°
pH (S.U.)	6.76
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.000
Physical Description	
Stream Consistency	Yes
Oil in Sample?	No
Temperature (F)	58°
Conductivity	15.29
% Solids	0.20%
Turbidity	Yes
Color	No
TSS (%)	<0.4
Radiation Screen (as needed)	
Lab Signature/Initials	<i>M. Escobar</i>

206
4.045
3.24

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 19 123
Receiving ID#	Z04192307
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	20:46
Time out	
Received by	A.W.M/V
Sampled by	A.W.M/V

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	71400
pH (S.U.)	4.58
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	570
Conductivity	20.3
% Solids	1.771
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	A.W.M/V

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 19 / 23
Receiving ID#	104192306
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	18:35
Time out	
Received by	A. W. [Signature]
Sampled by	[Signature]

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	21400
pH (S.U.)	6.73
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	66.10
Conductivity	25.0
% Solids	2.873
Turbidity	Yes No
Color	
TSS (%)	60.1
Radiation Screen (as needed)	
Lab Signature/Initials	A. W. [Signature]

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 19 / 23
Receiving ID#	104292304
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	12:40
Time out	
Received by	<i>n. [signature]</i>
Sampled by	<i>n. [signature]</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (GC Waste Only)?	
Flash Point (F)	
pH (S.U.)	6.56
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.060
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	64°
Conductivity	26.8
% Solids	0.81%
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>n. [signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 19 / 23
Receiving ID#	T04192303
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	11:00
Time out	
Received by	<i>M. Escobar</i>
Sampled by	<i>D. Baker</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140°
pH (S.U.)	6.73
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.000
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	62°
Conductivity	26.7
% Solids	1.43%
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>M. Escobar</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 19 / 23
Receiving ID#	104192302
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	8:30a
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>[Signature]</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>190°
pH (S.U.)	6.84
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.000
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	63°
Conductivity	26.7
% Solids	1.23%
Turbidity	Yes No
Color	
TSS (%)	10.4
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 19 / 23
Receiving ID#	T04192304
Manifest #	Line
Land Ban Cert Included	Yes
EGT Approval #	
Generator	
Client	
Transporter	
Time in	06:30
Time out	
Received by	<i>n. [Signature]</i>
Sampled by	<i>n. [Signature]</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>190°
pH (S.U.)	6.92
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.100
Physical Description	
Stream Consistency	Yes
Oil in Sample?	No
Temperature (F)	62°
Conductivity	264
% Solids	1.36%
Turbidity	Yes
Color	No
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>n. [Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	4/18/2023
Receiving ID#	Z04182307
Manifest #	Line
Land Ban Cert included	Yes
EGT Approval #	No
Generator	
Client	
Transporter	
Time in	20:46
Time out	
Received by	A. Wark
Sampled by	A. Wark

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	71400
pH (S.U.)	6.8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes
Oil in Sample?	No
Temperature (F)	63.30
Conductivity	26.2
% Solids	.399
Turbidity	Yes
Color	No
TSS (%)	2.01
Radiation Screen (as needed)	
Lab Signature/Initials	A. Wark

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 18 / 23
Receiving ID#	ZC4182306
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	18:35
Time out	
Received by	A. W. L. S.
Sampled by	A. W. L. S.

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2100
pH (S.U.)	7.15
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	57.80
Conductivity	18.92
% Solids	.376
Turbidity	Yes No
Color	
TSS (%)	70.1
Radiation Screen (as needed)	
Lab Signature/Initials	A. W. L. S.

2.257
.875
3.221

438
810
352

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 18 123
Receiving ID#	Z04182308
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	16:56
Time out	
Received by	A. Walp
Sampled by	A. Walp

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	21400
pH (S.U.)	3.79
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	55.50
Conductivity	14.77
% Solids	252
Turbidity	Yes No
Color	
TSS (%)	70.1
Radiation Screen (as needed)	
Lab Signature/Initials	A. Walp

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 18 / 23
Receiving ID#	Z04182304
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	14:23
Time out	
Received by	A.W.W. / A.W.W.
Sampled by	A.W.W. / A.W.W.

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	71400
pH (S.U.)	8.63
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	60°
Conductivity	13.18
% Solids	.281
Turbidity	Yes No
Color	
TSS (%)	70.1
Radiation Screen (as needed)	
Lab Signature/Initials	A.W.W.

4.366
797
3.569

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 18 / 23
Receiving ID#	I04182303
Manifest #	Line
Land Ban Cert Included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	12:55 pm
Time out	
Received by	A. Wark
Sampled by	Dalton H.

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	71400
pH (S.U.)	8.28
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	63.60
Conductivity	16.61
% Solids	2.24
Turbidity	Yes No
Color	
TSS (%)	70.1
Radiation Screen (as needed)	
Lab Signature/Initials	A. Wark

Receiving & Departure Approval Form

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 18 / 23
Receiving ID#	104182302
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	11:30
Time out	
Received by	<i>N. Walker</i>
Sampled by	<i>D. Baker</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only?)	
TOC ppm (CC Waste Only?)	
Flash Point (F)	>140°
pH (S.U.)	8.90
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.000
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	53°
Conductivity	22.5
% Solids	0.38%
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>N. Walker</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 18 / 23
Receiving ID#	T04182301
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	10:45 am
Time out	
Received by	M. Escobar
Sampled by	Dalton M.


LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 110°
pH (S.U.)	8.90
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.000
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	59°
Conductivity	26.3
% Solids	0.98%
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	M. Escobar


RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 17 13
Receiving ID#	Z04172308
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	22:00
Time out	
Received by	A. Wicks
Sampled by	A. Wicks

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	7140
pH (S.U.)	6.67
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	58.40
Conductivity	15.19
% Solids	.22%
Turbidity	Yes No
Color	
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	A. Wicks

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 17 / 23
Receiving ID#	IO417 2307
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	00:43
Time out	
Received by	A. Wick
Sampled by	

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	7140
pH (S.U.)	1.87
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	55.1
Conductivity	12.72
% Solids	12.9
Turbidity	Yes No
Color	
TSS (%)	70.1
Radiation Screen (as needed)	
Lab Signature/Initials	

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 17 / 23
Receiving ID#	204172306
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	18:06
Time out	
Received by	<i>R. W. W.</i>
Sampled by	<i>R. W. W.</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	27400
pH (S.U.)	2.63
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	51.6°
Conductivity	3.02
% Solids	.087
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>R. W. W.</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 17 / 23
Receiving ID#	Z04172505
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	16:20
Time out	
Received by	R. W. [Signature]
Sampled by	R. W. [Signature]

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	71400
pH (S.U.)	5.47
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	54.8°
Conductivity	15.47
% Solids	.169
Turbidity	Yes No
Color	
TSS (%)	
Radiation Screen (as needed)	
Lab Signature/Initials	R. W. [Signature]

3.908
806
4.716

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 17 / 23
Receiving ID#	104172304
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	15:45
Time out	
Received by	A.W.V.L.P.
Sampled by	A.W.V.L.P.

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 1400
pH (S.U.)	5.75
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	55.80
Conductivity	16.75
% Solids	.153
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	A.W.V.L.P.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 17 / 23
Receiving ID#	109172303
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	12:05
Time out	
Received by	<i>n. k...</i>
Sampled by	<i>n. k...</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>240°
pH (S.U.)	6.68
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.000
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67°
Conductivity	1788
% Solids	.035%
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>n. k...</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 17 / 23
Receiving ID#	T04122302
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	10:40
Time out	
Received by	<i>N. [Signature]</i>
Sampled by	<i>N. [Signature]</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140°
pH (S.U.)	7.89
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.000
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	60°
Conductivity	3.07
% Solids	0.37%
Turbidity	Yes No
Color	
TSS (%)	< 0.4
Radiation Screen (as needed)	
Lab Signature/Initials	<i>N. [Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 17 / 23
Receiving ID#	101172501
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	7:01
Time out	
Received by	<i>R. Grewer</i>
Sampled by	<i>Don Miller</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	NA
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140°
pH (S.U.)	7.81
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.000
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	59°
Conductivity	2.71
% Solids	0.49%
Turbidity	Yes No
Color	
TSS (%)	<0.4%
Radiation Screen (as needed)	
Lab Signature/Initials	<i>R. Grewer</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 15 / 23
Receiving ID#	Z04152304
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	A. Warr
Sampled by	A. Warr

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	7140
pH (S.U.)	2.01
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	66.90
Conductivity	23.9
% Solids	.288
Turbidity	Yes No
Color	
TSS (%)	LOI
Radiation Screen (as needed)	
Lab Signature/Initials	A. Warr

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 15 / 23
Receiving ID#	Z04152303
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	14:23
Time out	
Received by	A. W. W. W.
Sampled by	A. W. W. W.

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 1400
pH (S.U.)	6.65
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	69.20
Conductivity	26.5
% Solids	.293
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	A. W. W. W.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 15 / 23
Receiving ID#	IC415 2302
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	10:41
Time out	
Received by	A. Warko
Sampled by	A. Warko

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	71400
pH (S.U.)	6.85
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	690
Conductivity	26.5
% Solids	1.329
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	A. Warko

3.834
4.638
804

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 11 123
Receiving ID#	7041573 01
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	A. W. [Signature]
Sampled by	A. W. [Signature]

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only?)	
TOC ppm (CC Waste Only?)	
Flash Point (F)	7 1400
pH (S.U.)	6.94
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	680
Conductivity	27.5
% Solids	599
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	A. W. [Signature]

4.588
5.791

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/14/23
Receiving ID#	Z04142309
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	21:19
Time out	
Received by	A. Wally
Sampled by	A. Wally

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	71400
pH (S.U.)	6.68
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	70.60
Conductivity	27.8
% Solids	52.8
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	A. Wally

4558
806
3.552

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 14 123
Receiving ID#	204142508
Manifest #	Line
Land Ban Cert Included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	19:39
Time out	
Received by	A. W. L. G.
Sampled by	A. W. L. G.

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only?)	
TOC ppm (CC Waste Only?)	
Flash Point (F)	71400
pH (S.U.)	6.48
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	72.10
Conductivity	26.8
% Solids	1.13
Turbidity	Yes No
Color	
TSS (%)	70.1
Radiation Screen (as needed)	
Lab Signature/Initials	A. W. L. G.

806
4.825
4.019

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 14 / 23
Receiving ID#	Z04142507
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	A. Walby
Sampled by	A. Walby

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	7140
pH (S.U.)	6.35
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.60
Conductivity	25.8
% Solids	.099
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	A. Walby

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 14 / 23
Receiving ID#	204042305
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	A. W. [Signature]
Sampled by	A. W. [Signature]

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	71400
pH (S.U.)	5.74
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	69.80
Conductivity	16.74
% Solids	1.501
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	NEG
Lab Signature/Initials	A. W. [Signature]

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 14 / 23
Receiving ID#	104142304
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	12:45 pm
Time out	
Received by	A. W. M. H.
Sampled by	D. L. H. M.

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	7 1400
pH (S.U.)	5.76
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.9°
Conductivity	16.99
% Solids	338
Turbidity	Yes No
Color	
TSS (%)	70.1
Radiation Screen (as needed)	
Lab Signature/Initials	A. W. M. H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 14 / 23
Receiving ID#	204142303
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	10:30
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>[Signature]</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	3.29
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.054
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	63.7
Conductivity	19.4 uS
% Solids	0.47
Turbidity	Yes No
Color	
TSS (%)	2.01
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 14 / 23
Receiving ID#	104142302
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	08:40
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>[Signature]</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.76
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.03
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	66.3
Conductivity	22.9 ^{ms}
% Solids	1.34
Turbidity	Yes No
Color	
TSS (%)	6.01
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 14 / 23
Receiving ID#	T04142501
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	6:40
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>[Signature]</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	5.21
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.4
Conductivity	23.2ms
% Solids	0.88
Turbidity	Yes No
Color	
TSS (%)	2.0
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 13 / 23
Receiving ID#	Z04132308
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	A. W. [Signature]
Sampled by	A. W. [Signature]

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	71400
pH (S.U.)	1.72
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.90
Conductivity	25.4
% Solids	.277
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	A. W. [Signature]

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 13 / 23
Receiving ID#	1041322007
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	18:00
Time out	18:00
Received by	A. Wally
Sampled by	<i>[Signature]</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	7140
pH (S.U.)	6.56
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	77.50
Conductivity	24.1
% Solids	.314
Turbidity	Yes No
Color	
TSS (%)	70.1
Radiation Screen (as needed)	
Lab Signature/Initials	A. Wally

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 13 / 23
Receiving ID#	IG413 2306
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	16:35
Time out	
Received by	A. Work
Sampled by	A. Work

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	71400
pH (S.U.)	6.81
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.01
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	72.40
Conductivity	22.3
% Solids	.344
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	A. Work

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 13 123
Receiving ID#	204123385
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	15:45
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>[Signature]</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	6.24
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.03
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	69.3
Conductivity	22.8 mS
% Solids	1.96
Turbidity	Yes No
Color	
TSS (%)	20.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 13 / 23
Receiving ID#	I04132364
Manifest #	Line
Land Ban Cert Included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	1:40 PM
Time out	
Received by	<i>[Signature]</i>
Sampled by	Dalton M.

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	5.69
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.01
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	66.0
Conductivity	213.5
% Solids	0.99
Turbidity	Yes No
Color	
TSS (%)	6.51
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 13 / 23
Receiving ID#	104132903
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	11:30am
Time out	
Received by	<i>[Signature]</i>
Sampled by	Dutton M.

LAB INFORMATION	
Compatible? (RT#)	
PCBS (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	2.51
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	66.6
Conductivity	257 μ S
% Solids	0.54
Turbidity	Yes No
Color	
TSS (%)	20.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

Receiving & Departure Approval Form

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 13 / 23
Receiving ID#	104132302
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	9:30am
Time out	
Received by	<i>J. Kelly</i>
Sampled by	<i>Dillon M.</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2790
pH (S.U.)	1.96
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.05
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	69.8
Conductivity	28.5
% Solids	1.10
Turbidity	Yes No
Color	
TSS (%)	2.01
Radiation Screen (as needed)	
Lab Signature/Initials	<i>J. Kelly</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 13 / 23
Receiving ID#	1041332301
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	07:00
Time out	
Received by	
Sampled by	<i>n. [unclear]</i>


LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only?)	
TOC ppm (CC Waste Only?)	
Flash Point (F)	2190
pH (S.U.)	6.5
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.03
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	65.7
Conductivity	19.69 mS
% Solids	0.76
Turbidity	Yes No
Color	
TSS (%)	50.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>J. [unclear]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 12 / 23
Receiving ID#	8104122308
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	A. Warky
Sampled by	A. Warky

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	7140°
pH (S.U.)	1.45
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	69.1°
Conductivity	35.8
% Solids	.239
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	A. Warky

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 12 / 23
Receiving ID#	104122307
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	18:10
Time out	
Received by	A. Warkip
Sampled by	

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	7140
pH (S.U.)	5.98
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	71
Conductivity	26.1
% Solids	.317
Turbidity	Yes No
Color	212
TSS (%)	5.01
Radiation Screen (as needed)	
Lab Signature/Initials	A. Warkip

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 12 / 23
Receiving ID#	104122306
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	16:40
Time out	
Received by	A. Warty
Sampled by	<i>[Signature]</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	71400
pH (S.U.)	6.02
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	70.90
Conductivity	20.7
% Solids	0.533
Turbidity	Yes No
Color	
TSS (%)	20.1
Radiation Screen (as needed)	
Lab Signature/Initials	A. Warty

4.774
,806
3.906

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 12 / 23
Receiving ID#	I-04122365
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	2:00
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>[Signature]</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	214
pH (S.U.)	6.65
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	63.3
Conductivity	1849
% Solids	0.97
Turbidity	Yes No
Color	
TSS (%)	4.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 12 / 23
Receiving ID#	I04122304
Manifest #	Line
Land Ban Cert included	Yes
EGT Approval #	
Generator	
Client	
Transporter	
Time in	18:30hrs
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>[Signature]</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	5.31
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes
Oil in Sample?	No
Temperature (F)	62-9
Conductivity	18.54
% Solids	0.95
Turbidity	Yes
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 12 / 23
Receiving ID#	104122303
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>[Signature]</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.74
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	66.4
Conductivity	20.5 μ S
% Solids	0.96
Turbidity	Yes No
Color	
TSS (%)	101
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04 / 12 / 23
Receiving ID#	Z6412302
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	9:15am
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>[Signature]</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.65
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	69.8
Conductivity	225µm
% Solids	1.08
Turbidity	Yes No
Color	
TSS (%)	705
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>