



11/25/2025  
VIA FEDERAL EXPRESS  
Andrew Greenhagen, UIC Supervisor  
US EPA, Region 5  
UIC Section, (WP-16J)  
77 West Jackson Boulevard  
Chicago, Illinois 60604-3590

**SUBJECT:** Well #1-12, UIC PERMIT MI-163-1W-C010 and Well #2-12, UIC Permit MI-163-1W-C011  
Republic Industrial and Energy Solutions, LLC. Class 1 Hazardous  
Wayne County, Michigan  
October Monthly Report

Dear Mr. Greenhagen,

In accordance with the Class 1 Hazardous Underground Injection Well Permits MI-163-1W-C010 and MI-163-1W-C011, Republic Industrial and Energy Solutions, LLC (RIES) located in Wayne County, Michigan is submitting a Monthly Report demonstrating compliance with permit requirements. The attached information is provided in the same sequence as required by both subject permits in Part II D.1. (a-i) and Part III Attachment A, Part III Attachment E(G)(2) and E(I).

I certify under penalty of law that this document and all attachments were prepared under my supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry into the person or persons who manage the system, or those directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Should you have any questions regarding this report, please contact me at [krevels@republicservices.com](mailto:krevels@republicservices.com) or 734-664-6075.

Sincerely,

A handwritten signature in black ink, appearing to read "Kristina Revels".

Kristina Revels  
*Environmental Compliance Manager*

Enclosures

# Table of Contents

Summary .....	3
Average Injection Rate .....	4
Well #1-12, Permit MI-163-1W-C010 Data .....	6
Well #2-12, Permit MI-163-1W-C011 Data .....	10
Annulus System .....	14
Corrosion Monitoring .....	19
Maintenance .....	29
Injection Fingerprints .....	31
Waste Profiles .....	116
F039 Results .....	126



Sustainability in Action

### Summary

Wells #1-12 and #2-12 were operated in accordance with the requirements of MI-163-1W-C010 and MI-163-1W-C011, during the reporting month. A summary table of the total monthly and year-to-date volumes of fluid injected into the wells is provided below. Due to the Thanksgiving holiday, the F039 analytical results will be provided in a separate submission. The September Corrosion Monitoring Coupon Image & Visual Description is included, as the incorrect month was included in the September Monthly Report.

Month	Well #1-12	Well #2-12	Per Month	Cumulative
January	1,237,554	1,300,400	2,537,954	2,537,954
February	928,620	926,212	1,854,832	4,392,786
March	1,114,252	1,135,548	2,249,800	6,642,586
April	1,049,644	1,109,776	2,159,420	8,802,006
May	925,240	904,804	1,830,044	10,632,050
June	470,712	1,097,272	1,567,984	12,200,034
July	-	1,587,120	1,587,120	13,787,154
August	373,528	549,768	923,296	14,710,450
September	951,788	299,208	1,250,996	15,961,446
October	516,307	605,832	1,122,139	17,083,585
November				
December				

**YTD                    7,567,645            9,515,940            17,083,585**



Sustainability in Action

## Average Injection Rate

### Calculation of Average Injection Rate

CURRENT REPORTING YEAR 2025

CURRENT REPORTING MONTH October

Date (month, year) of the first injection into either well at the Citrin Road Facility November 2013

#### CURRENT MONTH (all volumes in gallons)

	Injected Waste	Injected Non-Waste	Total injected
<b>MI-163-1W-C010, Well #1-12</b>			
Current Month	513,007	3,300	516,307
Since facility first injected			77,469,344
<b>MI-163-1W-C011, Well #2-12</b>			
Current Month	603,744	2,088	605,832
Since facility first injected			62,936,176
		Lifetime Combined	140,405,520

#### Conversion factors

365.25 days per year ÷ 12 months per year = 30.4375 days per month

30.4375 days per month × 1440 minutes per day = 43,830 minutes per month

#### Calculations

Whole number of months<sup>1</sup> of injection **143**

**143** lifetime number of months of injection X 43,830 minutes/month  
= 6,267,690 minutes of injection

Lifetime combined injected volume 140,405,520 ÷ 6,267,690 minutes of injection

= 22.40 gpm average injection rate

<sup>1</sup> Calculated from November 30, 2013, to October 31, 2025, for a total of 143 months.



Sustainability in Action

Well #1-12, Permit MI-163-1W-C010 Data




Date	Injection Pressure (psig)		Annulus Tank Level (inches)		Annulus Pressure (psig)		Injection pH		Flow Rate (gpm)		Differential Pressure (psig)	
	Min.	Max.	Min.	Max.	Min.	Max.	Min.	Max.	Min.	Max.	Min.	Max.
10/1/2025	5.8	422.1	5.4	5.4	597.8	762.9	0.0	0.0	19.9	75.7	266.1	668.6
10/2/2025	4.8	423.7	5.4	5.4	577.3	765.7	0.0	5.0	17.2	75.1	325.8	627.6
10/3/2025	78.0	421.7	5.4	5.4	570.1	770.9	0.1	6.8	7.1	72.8	302.4	507.2
10/4/2025	0.0	0.0	0.0	0.0	546.2	609.8	0.0	0.0	0.0	0.0	415.4	466.1
10/5/2025	0.0	0.0	0.0	0.0	534.9	546.6	0.0	0.0	0.0	0.0	407.7	415.9
10/6/2025	2.4	400.8	5.4	5.9	540.3	778.3	0.0	4.1	5.7	75.1	274.2	621.6
10/7/2025	5.2	5.2	5.4	5.4	573.4	604.4	0.0	0.0	8.6	43.7	568.1	599.2
10/8/2025	28.5	414.6	5.4	5.4	553.4	751.6	0.0	0.6	29.5	82.4	252.4	629.8
10/9/2025	1.8	427.4	5.3	5.4	566.7	717.5	0.0	0.5	15.5	75.0	256.2	631.3
10/10/2025	0.4	417.7	5.4	5.4	547.5	705.1	5.1	5.8	15.1	76.3	277.6	589.1
10/11/2025	0.0	0.0	0.0	0.0	518.1	554.0	0.0	0.0	0.0	0.0	392.6	414.1
10/12/2025	0.0	0.0	0.0	0.0	508.6	518.4	0.0	0.0	0.0	0.0	389.9	393.2
10/13/2025	2.0	396.8	5.3	5.4	499.9	676.1	4.3	6.1	18.2	75.4	273.6	543.0
10/14/2025	38.1	332.5	5.3	5.4	532.6	639.8	5.1	5.6	32.9	74.9	283.4	497.9
10/15/2025	2.0	281.9	5.4	5.4	504.1	606.3	2.5	2.6	14.4	74.6	313.8	523.9
10/16/2025	5.6	411.2	5.3	5.4	469.2	632.4	2.2	2.7	5.7	76.3	218.6	481.5
10/17/2025	28.7	411.2	5.3	5.4	508.5	636.2	2.1	2.8	9.8	74.7	197.4	496.4
10/18/2025	0.0	0.0	0.0	0.0	495.5	505.2	0.0	0.0	0.0	0.0	355.4	363.2
10/19/2025	0.0	0.0	0.0	0.0	489.0	496.0	0.0	0.0	0.0	0.0	360.8	363.2
10/20/2025	68.7	311.8	5.3	5.4	491.8	576.6	2.5	2.6	9.2	68.0	260.6	435.4
10/21/2025	4.8	384.8	5.3	5.4	483.7	599.6	2.4	2.8	16.5	73.2	214.8	488.9
10/22/2025	0.5	377.0	5.3	10.5	487.8	642.6	2.2	2.8	12.0	71.0	188.4	587.5
10/23/2025	1.4	389.2	10.5	10.5	474.7	586.4	2.4	2.8	5.7	73.0	172.6	476.8
10/24/2025	0.4	318.4	10.5	10.5	416.8	560.8	2.3	2.5	12.7	71.9	189.1	455.9
10/25/2025	0.0	0.0	0.0	0.0	459.2	464.5	0.0	0.0	0.0	0.0	329.9	346.0
10/26/2025	0.0	0.0	0.0	0.0	459.0	462.7	0.0	0.0	0.0	0.0	345.1	348.2
10/27/2025	0.7	317.3	10.4	10.5	368.6	533.4	2.1	2.5	11.7	94.6	180.1	413.5
10/28/2025	6.5	319.7	10.5	10.5	393.4	540.0	2.4	2.6	8.0	73.9	195.6	409.0
10/29/2025	3.2	348.9	9.3	10.5	372.5	785.1	2.4	2.7	13.8	71.3	167.8	626.1
10/30/2025	4.4	304.7	9.3	9.4	585.6	778.7	2.5	2.6	4.6	70.4	421.3	644.5
10/31/2025	34.6	321.1	9.3	9.4	605.0	737.0	2.2	2.7	5.4	65.6	404.9	622.6

# Well 1 Trends

Date Picker    ▶ Realtime

Flow Totalizer  
**0.00 gal**

Injection Pressure <b>45.77 psi</b>	Annulus Pressure <b>618.01 psi</b>	Annulus Tank Volume <b>41.13 gal</b>	Suction Pressure <b>-2.88 psi</b>	Injection Rate <b>-0.45 gal/min</b>	Density <b>8.883 lb/gal</b>	pH <b>3.04 pH</b>	Hz <b>-15 Hz</b>	Filter Pot Pressure <b>1.32 psi</b>
--	---------------------------------------	---	--------------------------------------	--	--------------------------------	----------------------	---------------------	--



— Injection Pressure — Annulus Pressure — Suction Pressure — Density — Injection Rate — FP Pressure — Hz — AT-1 Volume — pH

# Well 1 Trends

12 Date Picker

▶ Realtime

Flow Totalizer  
**0.00 gal**

Injection Pressure  
**45.91 psi**

Annulus Pressure  
**618.01 psi**

Annulus Tank Volume  
**41.15 gal**

Suction Pressure  
**-2.79 psi**


Injection Rate  
**-0.46 gal/min**

Density  
**8.882 lb/gal**

pH  
**3.04 pH**

Hz  
**-15 Hz**

Filter Pot Pressure  
**1.73 psi**



— Injection Pressure — Annulus Pressure — Suction Pressure — Density — Injection Rate — FP Pressure — Hz — AT-1 Volume — pH



Sustainability in Action

Well #2-12, Permit MI-163-1W-C011 Data



Date	Injection Pressure (psig)		Annulus Tank Level (inches)		Annulus Pressure (psig)		Injection pH		Flow Rate (gpm)		Differential Pressure (psig)	
	Min.	Max.	Min.	Max.	Min.	Max.	Min.	Max.	Min.	Max.	Min.	Max.
10/1/2025	2.9	453.4	26.2	26.3	765.3	957.2	7.2	7.4	8.2	81.2	430.6	842.6
10/2/2025	34.7	445.6	26.2	26.2	766.8	967.2	7.1	7.9	7.5	80.2	521.6	788.8
10/3/2025	75.9	447.1	26.2	26.2	759.1	975.7	7.3	7.9	10.5	80.1	516.8	689.5
10/4/2025	0.0	0.0	0.0	0.0	747.0	802.6	0.0	0.0	0.0	0.0	620.0	656.1
10/5/2025	0.0	0.0	0.0	0.0	739.6	747.2	0.0	0.0	0.0	0.0	616.9	620.4
10/6/2025	2.2	422.7	26.2	26.3	744.1	975.3	7.0	7.5	10.7	81.0	478.0	819.0
10/7/2025	65.0	465.5	26.2	26.2	776.7	1009.5	7.2	7.4	14.7	80.8	485.9	842.7
10/8/2025	23.4	461.8	26.1	26.1	808.2	995.8	7.1	7.3	29.3	81.8	507.9	846.6
10/9/2025	13.7	465.8	26.0	26.1	777.1	942.2	6.7	7.2	5.7	87.2	445.6	811.8
10/10/2025	35.2	447.6	26.1	26.1	749.9	926.1	6.7	6.7	19.1	81.7	468.8	753.3
10/11/2025	0.0	0.0	0.0	0.0	741.8	765.1	0.0	0.0	0.0	0.0	617.8	623.4
10/12/2025	0.0	0.0	0.0	0.0	736.0	742.0	0.0	0.0	0.0	0.0	617.5	618.6
10/13/2025	32.1	421.8	26.0	26.1	745.9	906.2	6.7	6.8	23.3	79.8	484.3	761.6
10/14/2025	33.9	309.6	26.1	26.2	741.7	865.2	6.7	6.8	17.5	79.2	530.8	707.8
10/15/2025	40.0	284.0	26.1	26.1	731.8	835.7	6.5	6.5	18.9	78.9	536.3	717.0
10/16/2025	0.5	456.3	26.0	26.1	701.0	873.0	5.6	6.6	34.5	80.1	414.8	700.4
10/17/2025	25.1	455.9	26.0	26.1	727.5	874.7	3.2	5.6	13.3	81.1	394.7	707.8
10/18/2025	0.0	0.0	0.0	0.0	728.7	733.8	0.0	0.0	0.0	0.0	577.0	602.6
10/19/2025	0.0	0.0	0.0	0.0	728.4	731.8	0.0	0.0	0.0	0.0	602.1	606.2
10/20/2025	108.4	290.1	26.0	26.0	733.3	815.3	3.3	3.3	15.0	72.3	522.8	640.9
10/21/2025	19.5	433.6	26.0	26.1	705.4	854.6	2.7	3.4	56.9	81.1	421.0	713.2
10/22/2025	26.1	436.4	26.0	26.0	720.5	889.5	2.4	3.0	7.2	80.8	389.6	794.8
10/23/2025	8.7	449.5	26.0	26.0	696.3	843.0	2.4	2.7	10.0	80.9	371.8	696.2
10/24/2025	20.3	384.8	25.9	26.0	662.4	808.9	2.5	2.5	20.4	79.3	393.5	686.9
10/25/2025	0.0	0.0	0.0	0.0	698.7	716.4	0.0	0.0	0.0	0.0	559.8	597.0
10/26/2025	0.0	0.0	0.0	0.0	715.1	716.4	0.0	0.0	0.0	0.0	596.7	604.2
10/27/2025	16.1	369.0	25.9	25.9	624.2	792.4	2.5	2.5	6.4	74.7	392.6	642.2
10/28/2025	-8.5	383.7	25.9	26.0	581.4	794.5	2.5	2.5	5.0	86.3	399.3	649.8
10/29/2025	11.8	418.9	25.9	26.0	616.0	797.1	2.5	2.9	19.8	81.1	364.5	671.5
10/30/2025	14.3	336.5	25.9	25.9	578.3	789.0	2.8	2.8	8.1	78.9	363.2	642.6
10/31/2025	25.6	374.4	25.9	25.9	605.7	755.2	2.8	2.8	31.3	71.6	371.7	637.3

# Well 2 Trends

Date Picker

▶ Realtime

Flow Totalizer  
**40,344.00 gal**

Injection Pressure  
**-9.63 psi**

Annulus Pressure  
**615.04 psi**

Annulus Tank Volume  
**113.84 gal**

Suction Pressure  
**-2.74 psi**


Injection Rate  
**14.53 gal/min**

Density  
**8.88 lb/gal**

pH  
**3.05 pH**

Hz  
**-0 Hz**

Filter Pot Pressure  
**1.89 psi**



— Injection Pressure — Annulus Pressure — Suction Pressure — Density — Injection Rate — FP Pressure — Hz — AT-2 Volume — pH

10/1/25 12 AM - 10/15/25 11 PM

Oct 1 Oct 2 Oct 3 Oct 4 Oct 5 Oct 6 Oct 7 Oct 8 Oct 9 Oct 10 Oct 11 Oct 12 Oct 13 Oct 14 Oct 15

# Well 2 Trends

Date Picker

Realtime

Flow Totalizer

40,380.00 gal

Injection Pressure

-9.78 psi

Annulus Pressure

615.19 psi

Annulus Tank Volume

113.84 gal

Suction Pressure

-2.77 psi

Injection Rate

10.43 gal/min

Density

8.88 lb/gal

pH


3.05 pH

Hz

-0 Hz

Filter Pot Pressure

2.01 psi



— Injection Pressure — Annulus Pressure — Suction Pressure — Density — Injection Rate — FP Pressure — Hz — AT-2 Volume — pH

10/16/25 12 AM - 11/1/25 12 PM



Sustainability in Action

## Annulus System



WELL 1-12  
ANNULUS SYSTEM

October 2025

Current Month, Additions and Removals			
DAY	Volume Added (gal)	Volume Removed (gal)	Composition
1	-	-	
2	-	-	
3	-	-	
4	-	-	
5	-	-	
6	-	-	
7	-	-	
8	-	-	
9	-	-	
10	-	-	
11	-	-	
12	-	-	
13	-	-	
14	-	-	
15	-	-	
16	-	-	
17	-	-	
18	-	-	
19	-	-	
20	-	-	
21	-	-	
22	-	-	
23	-	-	
24	-	-	
25	-	-	
26	-	-	
27	-	-	
28	-	-	
29	4.97	-	Diesel
30	-	-	
31	-	-	

Cumulative Additions and Subtractions:

4.97



WELL 1-12  
ANNULUS SYSTEM

October 2025

Last 12 months, Additions and Removals			
MONTH YEAR	Volume Added (gal)	Volume Removed (gal)	Comments
Oct-25	4.97	-	
Sep-25	-	-	
Aug-25	-	-	
Jul-25	-	-	
Jun-25	-	-	
May-25	-	-	
Apr-25	-	-	
Mar-25	-	-	
Feb-25	-	-	
Jan-25	-	-	
Dec-24	-	-	
Nov-24	-	-	

**Cumulative Additions and Subtractions:** **4.97**



WELL 2-12  
ANNULUS SYSTEM

October 2025

Current Month, Additions and Removals			
DAY	Volume Added (gal)	Volume Removed (gal)	Composition
1	-	-	
2	-	-	
3	-	-	
4	-	-	
5	-	-	
6	-	-	
7	-	-	
8	-	-	
9	-	-	
10	-	-	
11	-	-	
12	-	-	
13	-	-	
14	-	-	
15	-	-	
16	-	-	
17	-	-	
18	-	-	
19	-	-	
20	-	-	
21	-	-	
22	-	-	
23	-	-	
24	-	-	
25	-	-	
26	-	-	
27	-	-	
28	-	-	
29	-	-	
30	-	-	
31	-	-	

Cumulative Additions and Subtractions:

0



WELL 2-12  
ANNULUS SYSTEM

October 2025

Last 12 months, Additions and Removals			
MONTH YEAR	Volume Added (gal)	Volume Removed (gal)	Comments
Oct-25	-	-	
Sep-25	-	-	
Aug-25	-	-	
Jul-25	-	-	
Jun-25	-	-	
May-25	-	-	
Apr-25	-	-	
Mar-25	-	-	
Feb-25	-	-	
Jan-25	-	-	
Dec-24	-	-	
Nov-24	-	-	

**Cumulative Additions and Subtractions:** **0**



Sustainability in Action

## Corrosion Monitoring

**CORROSION MONITORING PLAN**  
**COUPON SUMMARY**

<b>Date</b>	<b>Hastelloy (C267)</b>	<b>Stainless Steel (316L)</b>	<b>Fiberglass (Fiberglass)</b>	<b>Comments</b>
12/19/2013	13.330 g	10.848 g	7.309 g	Initial Mass @ start up
2/21/2014	13.329 g	10.846 g	7.306 g	
3/10/2014	13.327 g	10.845 g	7.300 g	
4/18/2014	13.324 g	10.841 g	7.272 g	
5/30/2014	13.328 g	10.818 g	7.226 g	
6/30/2014	13.321 g	10.337 g	7.196 g	
7/11/2014	13.323 g	10.304 g	7.196 g	
8/12/2014	13.328 g	10.045 g	7.182 g	
9/17/2014	13.321 g	9.997 g	7.090 g	
10/30/2014	13.321 g	9.387 g	7.075 g	
11/21/2014	13.320 g	9.386 g	7.069 g	
12/19/2014	13.321 g	9.315 g	7.084 g	
1/12/2015	13.321 g	9.289 g	7.063 g	
2/23/2015	13.339 g	9.286 g	7.005 g	
3/31/2015	13.339 g	9.286 g	7.005 g	
4/27/2015	13.335 g	9.130 g	6.852 g	
5/21/2015	13.336 g	9.124 g	6.809 g	
6/12/2015	13.334 g	9.126 g	6.819 g	
7/27/2015	13.337 g	9.127 g	6.818 g	
8/26/2015	13.337 g	9.022 g	6.780 g	
9/21/2015	13.336 g	8.987 g	6.792 g	
10/19/2015	13.335 g	8.985 g	6.797 g	
11/16/2015	13.334 g	8.982 g	6.788 g	
12/17/2015	13.334 g	8.933 g	6.791 g	
1/29/2016	13.334 g	8.931 g	6.788 g	New stainless steel coupon
2/16/2016	13.332 g	8.799 g	6.757 g	
3/31/2016	13.339 g	9.286 g	7.005 g	
4/22/2016	13.333 g	8.590 g	6.744 g	
5/31/2015	13.334 g	6.084 g	6.784 g	
6/30/2016	13.328 g	10.942 g	6.793 g	
8/3/2016	13.326 g	10.529 g	6.743 g	
8/29/2016	13.325 g	10.020 g	6.723 g	
10/27/2016	13.325 g	8.765 g	6.708 g	
11/29/2016	13.327 g	8.571 g	6.740 g	
12/12/2016	13.323 g	8.223 g	6.717 g	
1/3/2017	13.325 g	8.059 g	6.712 g	
2/28/2017	13.324 g	7.634 g	6.727 g	
3/24/2017	13.325 g	7.370 g	6.732 g	
4/28/2017	13.325 g	6.736 g	6.736 g	
5/11/2017	13.323 g	7.352 g	6.689 g	
6/12/2017	13.323 g	7.357 g	6.689 g	
7/5/2017	13.323 g	7.355 g	6.689 g	
8/30/2017	13.324 g	7.353 g	18.105 g	New Fiberglass coupon
9/28/2017	13.325 g	7.352 g	18.060 g	
10/11/2017	13.324 g	7.350 g	18.038 g	
11/16/2017	13.325 g	7.363 g	18.047 g	New stainless steel coupon
12/12/2017	13.326 g	7.308 g	18.307 g	
1/29/2018	13.326 g	10.930 g	18.027 g	
2/9/2018	13.325 g	10.932 g	18.044 g	
3/19/2018	13.325 g	10.926 g	18.030 g	
4/16/2018	13.336 g	10.863 g	18.068 g	
5/17/2018	13.325 g	10.858 g	18.037 g	
6/20/2018	13.325 g	10.855 g	18.029 g	
7/12/2018	13.326 g	10.852 g	18.032 g	
8/21/2018	13.326 g	10.854 g	18.031 g	
9/14/2018	13.326 g	10.852 g	18.036 g	
10/10/2018	13.326 g	10.851 g	18.031 g	
11/20/2018	13.326 g	10.853 g	18.032 g	

**CORROSION MONITORING PLAN  
COUPON SUMMARY**

<b>Date</b>	<b>Hastelloy (C267)</b>	<b>Stainless Steel (316L)</b>	<b>Fiberglass (Fiberglass)</b>	<b>Comments</b>
12/11/2018	13.326 g	10.852 g	18.033 g	
1/14/2019	13.326 g	10.852 g	18.033 g	
2/20/2019	13.326 g	10.850 g	18.033 g	
3/15/2019	13.326 g	10.850 g	18.033 g	
4/10/2019	13.326 g	10.848 g	18.031 g	
5/17/2019	13.326 g	10.849 g	18.036 g	
6/5/2019	13.326 g	10.848 g	18.031 g	
7/8/2019	13.326 g	10.845 g	18.032 g	
8/12/2019	13.326 g	10.845 g	18.032 g	
9/8/2019	13.326 g	10.842 g	18.029 g	
10/17/2019	13.326 g	10.842 g	18.030 g	
11/20/2019	13.326 g	10.842 g	18.030 g	
12/11/2019	13.326 g	10.842 g	18.030 g	
1/16/2020	13.326 g	10.840 g	18.033 g	
2/6/2020	13.326 g	10.836 g	18.034 g	
3/3/2020	13.326 g	10.842 g	18.034 g	Well 1 workover new well
4/9/2020	13.328 g	10.839 g	18.037 g	
5/12/2020	13.322 g	10.830 g	18.035 g	
6/16/2020	13.316 g	10.771 g	18.009 g	
7/16/2020	13.308 g	10.560 g	17.843 g	
8/25/2020	13.310 g	10.214 g	17.773 g	
9/24/2020	13.289 g	9.796 g	17.656 g	
10/19/2020	13.282g	9.737g	17.621g	
11/5/2020	13.280g	9.728g	17.600g	
12/3/2020	13.281g	9.730g	17.689g	
2/10/2021	13.284g	9.728g	17.683g	
3/9/2021	13.290g	9.733g	17.585g	
4/13/2021	13.288g	9.730g	17.649g	
5/18/2021	13.282g	9.691g	17.543g	
6/17/2021	13.279g	9.639g	17.546g	
7/19/2021	13.278g	9.480g	17.507g	
8/3/2021	13.278g	9.437g	17.467g	
9/14/2021	13.277g	9.392g	17.467g	
10/11/2021	13.277g	9.359g	17.465g	
11/3/2021	13.277g	9.350g	17.273g	
12/15/2021	13.276g	9.351g	17.256g	
1/17/2022	13.276g	9.351g	17.256g	
2/15/2022	13.276g	9.347g	16.965g	
3/18/2022	13.281g	9.368g	17.246g	
4/18/2022	13.275	9.339	16.656	
5/16/2022	13.298	9.328	16.600	
6/15/2022	13.276	9.300	16.219	
7/20/2022	13.303	9.324	16.393	
8/17/2022	13.277	9.195	15.841	
9/9/2022	13.276	9.171	15.757	
10/19/2022	13.274	9.157	15.623	
11/18/2022	13.274	9.145	15.801	
12/19/2022	13.278	9.132	15.588	
1/18/2023	13.276	9.131	15.761	
2/15/2023	13.274	9.130	15.728	
3/17/2023	13.280	9.138	15.779	
4/25/2023	13.275	9.130	15.726	
5/23/2023	13.276	9.131	15.700	
6/19/2023	13.275	9.088	15.647	
7/20/2023	13.275	9.009	15.607	
8/18/2023	13.274	8.999	15.495	
9/25/2023	13.273	8.983	15.480	
10/12/2023	13.275	8.984	15.425	

**CORROSION MONITORING PLAN  
COUPON SUMMARY**

<b>Date</b>	<b>Hastelloy (C267)</b>	<b>Stainless Steel (316L)</b>	<b>Fiberglass (Fiberglass)</b>	<b>Comments</b>
11/15/2023	13.271	8.981	15.349	
12/11/2023	13.274	8.984	15.331	
1/17/2024	13.274	8.988	15.371	
2/19/2024	13.274	8.894	15.340	
3/19/2024	13.273	8.972	15.350	
4/18/2024	13.273	8.972	15.408	
5/20/2024	13.284	8.930	15.372	
6/20/2024	13.274	8.823	15.364	
7/19/2024	13.274	7.904	15.233	10.4 % loss Stainless Steel Coupon
7/23/2024	13.272	3.684	15.228	-53.4 % loss Stainless Steel Coupon
7/24/2024		10.812		Replaced SS coupon
8/23/2024	13.272	10.415	15.228	
8/23/2024			14.603	Redrilled hole in Fiberglass coupon on opposite end of coupon
9/20/2024	13.266	9.930	14.908	4.9 % loss Stainless Steel Coupon
10/18/2024	13.266	9.572	14.897	3.6 % loss Stainless Steel Coupon
11/20/2024	13.265	9.288	14.871	3.0 % loss Stainless Steel Coupon
12/19/2024	13.265	8.335	14.740	10.3 % loss Stainless Steel Coupon
1/21/2025	13.265	8.257	14.746	0.9 % loss Stainless Steel Coupon
2/20/2025	13.267	8.132	14.900	1.5 % loss Stainless Steel Coupon
3/21/2025	13.263	7.429	14.725	8.6 % loss Stainless Steel Coupon
4/22/2025	13.210	6.790	14.660	8.6 % loss Stainless Steel Coupon
	<b>C267-6</b>	<b>316L C1566</b>	<b>Fiberglass</b>	
5/20/2025	13.25	10.83	24.37	Coupons replaced - lost due to corrosion of fastening hardware
6/20/2025	13.27	10.24	16.33	
7/22/2025	13.27	7.54	16.25	26.4 % loss Stainless Steel Coupon
8/21/2025	13.27	6.45	16.27	14.5 % loss Stainless Steel Coupon
8/21/2025		11.10		New SS Coupon
9/25/2025	13.27	10.60	16.18	New Fiberglass coupon - previous lost due to fastening hardware corrosion
10/25/2025	13.27	10.15 *	16.18	* ID: S2046

## CORROSION MONITORING COUPON IMAGE & VISUAL DESCRIPTION

Inspection/Evaluation Date: September 25, 2025

### Fiberglass Coupon



New Coupon – Image Date: 09/25/25

The previous coupon was lost through the piping due to failure of fastening hardware. Attached image is the current coupon which replaced the lost fiberglass coupon.

*The September coupon image & visual description is included, as the incorrect month was provided in the September report.*

## Hastelloy Coupon



**Image date: 09/25/25**

**This coupon is identified as C276 with Serial Number 6. It has several small pits on its surface. There are no apparent new indications of corrosion. The coupon has been discolored black. On the previous 8/22/25 coupon inspection, the coupon was a silvery-grey color.**

*The September coupon image & visual description is included, as the incorrect month was provided in the September report.*

## Stainless Steel Coupon



**Image Date: 09/25/25**

**This coupon is identified as S2046. Several small pits have developed on its surface. This is a new coupon that was inserted on 8/21/25 due to extensive corrosion of the previous Stainless Steel coupon. The coupon has been discolored black as compared to its original “silvery-grey color”.**

*The September coupon image & visual description is included, as the incorrect month was provided in the September report.*

# CORROSION MONITORING COUPON IMAGE & VISUAL DESCRIPTION

Inspection/Evaluation Date: October 20, 2025

## Fiberglass Coupon




Image Date: 10/20/25

## Fiberglass Coupon

This coupon is red in color with a semi-smooth texture on both sides. Its cut edges appear sanded. The coupon is free of cracks, pitting, swelling, blemishes, and corrosion. There has been no obvious effect on this coupon since last month.

## Hastelloy Coupon



**Image date: 10/20/25**

**This coupon is identified as C276 with Serial Number 6. It has several small pits on its surface. There are no apparent new indications of corrosion. The coupon has been discolored black.**

## Stainless Steel Coupon



**Image Date: 10/20/25**

**This coupon is identified as S2046. There is no visible pitting on its surface. This is a new coupon that was inserted on 8/21/25 due to extensive corrosion of the previous Stainless Steel coupon. The coupon has been discolored black as compared to its original “silvery-grey color”.**



Sustainability in Action

Maintenance

Date Identified	Description	Reason for Repair/ Maintenance	Component Fail/ Potential to Fail	Outcome	Life Expectancy of repaired Injection/Annulus components	Date of Completion
10/7/2025	Electrical work being done on IW1 on annulus and pressure gauges at approximately 10:19 AM	Install new conduit on gauges	Potential to fail	New conduit for gauages	25-40 years	10/7/2025
10/16/2025	Power outage (at approximately 3:26pm)	-	-	-	-	-
10/23/2025	Power outage (at approximately 2pm)	-	-	-	-	-



Sustainability in Action

## Injection Fingerprints

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/31/25
Receiving ID#	110312502
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	08:24
Time out	
Received by	<i>JAL</i>
Sampled by	Jacob Line

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	0.46
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.16
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	63.6
Conductivity	292.7 mS
% Solids	19.70
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>JAL</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/31/25
Receiving ID#	F10312501
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0513
Time out	
Received by	Alexis Scalf
Sampled by	USW Acorn

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	0.54
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.16
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes (No)
Temperature (F)	107.5
Conductivity	311.4
% Solids	16.92
Turbidity	Yes (No)
Color	Green
TSS (%)	20.1
Radiation Screen (as needed)	
Lab Signature/Initials	AS

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/30/25
Receiving ID#	710302502
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	09:41
Time out	
Received by	<i>JAO</i>
Sampled by	<i>Jacobline</i>

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	214
pH (S.U.)	0.68
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.13
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	64.7
Conductivity	436.3 $\mu$ S
% Solids	13.38
Turbidity	Yes No
Color	
TSS (%)	20.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>JAO</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/30/25
Receiving ID#	I10302501
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0736
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>Justin Colucelo</i>

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5740
pH (S.U.)	0.80
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.09
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	65.9
Conductivity	273.9 mS
% Solids	7.64
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/29/25
Receiving ID#	I 10292505
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	21.29
Time out	
Received by	Alexis Scalf
Sampled by	Colin Henn

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	0.90
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.09
Physical Description	liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	67.6
Conductivity	201.5
% Solids	0.01
Turbidity	Yes (No)
Color	Brown
TSS (%)	0.25
Radiation Screen (as needed)	
Lab Signature/Initials	AS

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/29/25
Receiving ID#	I10292504
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	18:15
Time out	
Received by	Alexis Scalf
Sampled by	Dalton M.

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	0.71
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.09
Physical Description	liquid
Stream Consistency	<input checked="" type="radio"/> Yes No
Oil in Sample?	Yes <input checked="" type="radio"/> No
Temperature (F)	75.1
Conductivity	215.4
% Solids	6.36
Turbidity	Yes <input checked="" type="radio"/> No
Color	Brown
TSS (%)	0.25
Radiation Screen (as needed)	
Lab Signature/Initials	<i>Ally SF</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/29/25
Receiving ID#	T10292503
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	1251
Time out	
Received by	<i>[Signature]</i>
Sampled by	Justin Colangelo

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	7140
pH (S.U.)	2.07
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.6
Conductivity	647
% Solids	0.39
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/29/25
Receiving ID#	I10292502
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0802
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>Mustis Calasele</i>

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2248
pH (S.U.)	0.51
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.13
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	64.0
Conductivity	209.9
% Solids	16.02
Turbidity	Yes No
Color	
TSS (%)	20.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/29/25
Receiving ID#	I10292501
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	5:32 Am
Time out	
Received by	<i>J. A. J.</i>
Sampled by	<i>John H. ...</i>

LAB INFORMATION	
Compatible? (RT# )	✓
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	0.94
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.10
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.5
Conductivity	145.7mf
% Solids	9.66
Turbidity	Yes No
Color	
TSS (%)	50.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>J. A. J.</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/28/25
Receiving ID#	I 10202502
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	20:59
Time out	
Received by	Alexis Scott
Sampled by	Colin Hines

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	0.76
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.10
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes (No)
Temperature (F)	68.8
Conductivity	377.2
% Solids	7.97
Turbidity	Yes (No)
Color	Brown
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AY PJ

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/28/25
Receiving ID#	I10282502
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	17:35
Time out	
Received by	Alexis Scalf
Sampled by	D. Sullivan M.

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	0.39
Cyanides? (mg/L)	
Sulfides? (ppm)?	6.7
Specific Gravity	1.13
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes (No)
Temperature (F)	67.3
Conductivity	>10,000
% Solids	10.21
Turbidity	Yes (No)
Color	Green
TSS (%)	20.1
Radiation Screen (as needed)	
Lab Signature/Initials	AS

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/28/25
Receiving ID#	T 10282501
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	11:31
Time out	
Received by	<i>[Signature]</i>
Sampled by	Alexis Scalf

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	0.28
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.70
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	62.5
Conductivity	296.4 nS
% Solids	22.32
Turbidity	Yes No
Color	
TSS (%)	50.10
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/27/125
Receiving ID#	I10272503
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	2:10
Time out	
Received by	Alexis Scott
Sampled by	Coleman

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	0.25
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.18
Physical Description	liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	67.9
Conductivity	322.9
% Solids	<0.1
Turbidity	Yes (No)
Color	Green
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AS

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10 / 125
Receiving ID#	51027502
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	14:24
Time out	
Received by	Alexis Scalf
Sampled by	S. HARRELL

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	0.49
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.16
Physical Description	liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	64.3
Conductivity	345.6
% Solids	16.29
Turbidity	Yes (No)
Color	Yellow
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AS

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/27/25
Receiving ID#	210272561
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0920
Time out	
Received by	<i>[Signature]</i>
Sampled by	Justin Colangelo

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	0.69
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.03
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	61.9
Conductivity	281.2 mS
% Solids	12.5
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10 / 125
Receiving ID#	I 10292583
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	20.54
Time out	
Received by	Alexis Scalf
Sampled by	Colin Forre

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	0.47
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.12
Physical Description	liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	72.3
Conductivity	295.9
% Solids	13.57
Turbidity	Yes (No)
Color	Green
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AYF

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/24/25
Receiving ID#	Z10242502
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	12:16
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>[Signature]</i> N. Wetly

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	0.08
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.07
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	65.3
Conductivity	284.8 $\mu$ S
% Solids	18.97
Turbidity	Yes No
Color	
TSS (%)	20.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/24/25
Receiving ID#	FI0242501
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	10:24
Time out	
Received by	<i>J. Ash</i>
Sampled by	<i>David L. H.</i>

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>148
pH (S.U.)	6.76
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.12
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	62.4
Conductivity	213.8 $\mu$ S
% Solids	12.80
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>J. Ash</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/23/125
Receiving ID#	E10232504
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	20:59
Time out	
Received by	Alexis Scott
Sampled by	Colin Hume

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	0.48
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.12
Physical Description	liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	69.0
Conductivity	233.3
% Solids	11.27
Turbidity	Yes (No)
Color	Orange
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AH

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/23/25
Receiving ID#	710232502
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	19:09
Time out	
Received by	Alexis Scott
Sampled by	Coleman

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	0.29
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.19
Physical Description	liquid
Stream Consistency	<input checked="" type="radio"/> Yes <input type="radio"/> No
Oil in Sample?	<input checked="" type="radio"/> Yes <input checked="" type="radio"/> No
Temperature (F)	73.4
Conductivity	282.4
% Solids	18
Turbidity	<input checked="" type="radio"/> Yes <input checked="" type="radio"/> No
Color	Orange
TSS (%)	20.1
Radiation Screen (as needed)	
Lab Signature/Initials	ALY SJ

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/23/25
Receiving ID#	SI0232502
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	15:34
Time out	
Received by	J. Harpell
Sampled by	J. Harpell

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	0.69
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.14
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.0
Conductivity	329.3
% Solids	14.05
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J. Harpell

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/23/25
Receiving ID#	210232501
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	10:10
Time out	
Received by	<i>J. A. H.</i>
Sampled by	<i>A. W. H.</i>

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	1.05
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.09
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	66.1
Conductivity	186.1
% Solids	8.80
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>J. A. H.</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/22/25
Receiving ID#	T10222504
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	21:50
Time out	
Received by	Alexis S.
Sampled by	Dalton M.

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	2.49
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	67.5
Conductivity	8.191
% Solids	<0.1
Turbidity	Yes (No)
Color	tan
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AM

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/22/25
Receiving ID#	I10222503
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	18:20
Time out	
Received by	Alexis Scalf
Sampled by	John H.

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	7.78
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	63.4
Conductivity	51.67
% Solids	0.67
Turbidity	Yes (No)
Color	Brown
TSS (%)	0.25
Radiation Screen (as needed)	
Lab Signature/Initials	JH

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/22/25
Receiving ID#	510222502
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	14:58
Time out	
Received by	Alexis Scalf
Sampled by	J. Harrell

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	0.80
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.15
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes (No)
Temperature (F)	67.3
Conductivity	210.2
% Solids	110.16
Turbidity	Yes (No)
Color	Black
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AMJ sf

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/22/25
Receiving ID#	I10222501
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0645
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>[Signature]</i>

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	2.42
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	63.0
Conductivity	2180 us
% Solids	<0.1
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/21/25
Receiving ID#	210212506
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	22:27
Time out	
Received by	Colin Hamer
Sampled by	Colin Hamer

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	3.20
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.7
Conductivity	8.16
% Solids	<0.1
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	Colin H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/24 / 25
Receiving ID#	26212505
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	20:28
Time out	
Received by	Alexis Scalf
Sampled by	J. Morrell

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	3140
pH (S.U.)	0.69
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.15
Physical Description	liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	67.4
Conductivity	272.9
% Solids	13.72
Turbidity	Yes (No)
Color	RED
TSS (%)	<0.1
Radiation Screen (as needed)	Neg.
Lab Signature/Initials	ALY SY

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/21/25
Receiving ID#	E 10212504
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	16:10
Time out	
Received by	Alexis Scalf
Sampled by	J. Murphy II

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	0.71
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.12
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes (No)
Temperature (F)	67.4
Conductivity	238.6
% Solids	10.19
Turbidity	Yes (No)
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	Neg.
Lab Signature/Initials	AM

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/21 /25
Receiving ID#	I10212503
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	14:17
Time out	
Received by	Alexis Scalf
Sampled by	John H.

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	0.37
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.20
Physical Description	liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	66.1
Conductivity	356.7
% Solids	19.84
Turbidity	Yes (No)
Color	Green
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AM 57

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10 / 21 / 25
Receiving ID#	110217502
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	11:35
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>[Signature]</i>

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	21.70
pH (S.U.)	0.29
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.08
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.6
Conductivity	369.4 us
% Solids	20.36
Turbidity	Yes No
Color	
TSS (%)	20.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/21/25
Receiving ID#	T10212501
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	5:12
Time out	
Received by	<i>J. A. [Signature]</i>
Sampled by	<i>A. Werlip</i>

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	0.20
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.19
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	66.3
Conductivity	335.4 $\mu$ S
% Solids	22.49
Turbidity	Yes No
Color	
TSS (%)	10.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>J. A. [Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/20/25
Receiving ID#	E10202501
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	19:48
Time out	
Received by	Alexis Scalf
Sampled by	T. Koster

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5/40
pH (S.U.)	3.82
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.20
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	74.9
Conductivity	332.3
% Solids	19.54
Turbidity	Yes No
Color	Green
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AKJ SJ

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/17/25
Receiving ID#	I10172505
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	20:22
Time out	
Received by	Alexis Scalf
Sampled by	Dalton M.

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	<0.1
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.20
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.6
Conductivity	308.1
% Solids	20
Turbidity	Yes No
Color	Green
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	Aly SJ

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10 / 17 / 25
Receiving ID#	I10172504
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	Alexis Scalf
Sampled by	Dalton M.

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	0.42
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.12
Physical Description	liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	68.4
Conductivity	243.4
% Solids	13.14
Turbidity	Yes (No)
Color	Yellow
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	ALY SJ

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/17/25
Receiving ID#	I10172503
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	13:09
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>[Signature]</i>

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	0.45
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.1
Conductivity	226.4 <i>ms</i>
% Solids	12.04
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/17/25
Receiving ID#	F10172507
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	1106
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>Dustin Colangelo</i>

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	0.38
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.15
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.2
Conductivity	74.99
% Solids	15.97
Turbidity	Yes No
Color	
TSS (%)	20.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10 / 17 / 25
Receiving ID#	210172501
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	9:00
Time out	
Received by	<i>J. Al</i>
Sampled by	<i>A. Worley</i>

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 200
pH (S.U.)	0.50
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.05
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.6
Conductivity	272.7 us
% Solids	18.53
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>J. Al</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/16/25
Receiving ID#	10162504
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	21:19
Time out	
Received by	Alexis Scalf
Sampled by	Alexis Scalf

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.37
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.0
Physical Description	liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	68.8
Conductivity	12.83
% Solids	0
Turbidity	Yes (No)
Color	Black
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AS

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/16/125
Receiving ID#	21068503
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	19:32
Time out	
Received by	Colin Henry
Sampled by	Colin Henry

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	7140
pH (S.U.)	0.22
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.16
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes <input checked="" type="checkbox"/> No
Temperature (F)	69.4
Conductivity	291.0
% Solids	15.62
Turbidity	Yes <input checked="" type="checkbox"/> No
Color	black
TSS (%)	0.5
Radiation Screen (as needed)	
Lab Signature/Initials	cm hr

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10 / 16 / 25
Receiving ID#	FI0162502
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	11:15
Time out	
Received by	<i>J. Morrell</i>
Sampled by	<i>J. Morrell</i>

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 170
pH (S.U.)	0.33
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.14
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	65.7
Conductivity	243.3 $\mu$ S
% Solids	12.88
Turbidity	Yes No
Color	
TSS (%)	0.25
Radiation Screen (as needed)	<input checked="" type="checkbox"/>
Lab Signature/Initials	<i>J. Morrell</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/16/25
Receiving ID#	E10162501
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	9:42
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>[Signature]</i>

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	5.17 ← 0.60
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.10
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	66.1
Conductivity	450.2 μS
% Solids	12.45
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	<i>[Signature]</i>
Lab Signature/Initials	<i>[Signature]</i>

0.54

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/15/25
Receiving ID#	I10152502
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	18:21
Time out	
Received by	Alexis Scalf
Sampled by	Jacob Lize

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	0.10
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.20
Physical Description	Liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	68.4
Conductivity	300.3
% Solids	16.78
Turbidity	Yes (No)
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	Hly SJ

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10 / 15 / 25
Receiving ID#	F10152501
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	16:30
Time out	18:30
Received by	Jacob Lize
Sampled by	Jacob Lize

LAB INFORMATION	
Compatible? (RT# )	Y
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	0.37
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.12
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.2
Conductivity	237.7
% Solids	12.21%
Turbidity	Yes No
Color	black
TSS (%)	0.50
Radiation Screen (as needed)	neg.
Lab Signature/Initials	<i>JL</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/14/25
Receiving ID#	T10142503
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	20:30
Time out	
Received by	Alexis Scalf
Sampled by	Alexis Scalf

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	1.08
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.0
Physical Description	liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	69.4
Conductivity	106.2
% Solids	3.15
Turbidity	Yes (No)
Color	Colorless
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AS

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10 / 14 / 25
Receiving ID#	710142502
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	12:10
Time out	
Received by	<i>J. DR</i>
Sampled by	<i>Jack Lise</i>

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	0.9
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.14
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.3
Conductivity	449.0 μS
% Solids	17.52
Turbidity	Yes No
Color	
TSS (%)	
Radiation Screen (as needed)	
Lab Signature/Initials	<i>J. DR</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/14/25
Receiving ID#	E10142501
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0819
Time out	
Received by	<i>J. Ah</i>
Sampled by	<i>Justin Colangelo</i>

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	0.29
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.16
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	65.0
Conductivity	332.7 us
% Solids	19.94
Turbidity	Yes No
Color	
TSS (%)	29.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>J. Ah</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/13/25
Receiving ID#	210132502
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	19:41
Time out	
Received by	Alexis Scalf
Sampled by	Darren M.

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	0.70
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.20
Physical Description	Liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	73.0
Conductivity	200.9
% Solids	<del>73.0</del> 16.23
Turbidity	Yes (No)
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AM SJ

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10 / 13 / 25
Receiving ID#	I10132501
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0705
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>[Signature]</i>

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	0.40
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.15
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	72.7
Conductivity	259.2
% Solids	19.68
Turbidity	Yes No
Color	
TSS (%)	20.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10 / 10 / 25
Receiving ID#	110102503
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	Alexis Scalf
Sampled by	Alexis Scalf

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	10.59
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	Liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	108.5
Conductivity	14.79
% Solids	0
Turbidity	Yes (No)
Color	Black
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AM SJ

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/10/25
Receiving ID#	T10102502
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	18:00
Time out	
Received by	Alexis Scalf
Sampled by	Jacob Z

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	0.29
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.20
Physical Description	liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	69.6
Conductivity	389.9
% Solids	17.18
Turbidity	Yes (No)
Color	Green
TSS (%)	20.1
Radiation Screen (as needed)	
Lab Signature/Initials	M/S

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/10/25
Receiving ID#	10102501
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	12:31
Time out	
Received by	<i>J. Ash</i>
Sampled by	<i>J. Ash</i>

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	2.48
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.17
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.4
Conductivity	208.0 us
% Solids	20.760
Turbidity	Yes No
Color	
TSS (%)	40.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>J. Ash</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/09/25
Receiving ID#	L10092505
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	Alexis Scalf
Sampled by	

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	6.90
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	Liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	70.7
Conductivity	15.17
% Solids	0
Turbidity	Yes (No)
Color	Black
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AS

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/09/25
Receiving ID#	IL10092504
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	17:35
Time out	
Received by	Alexis Scaff
Sampled by	Dalton M.

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	1.07
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.18
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes (No)
Temperature (F)	73.5
Conductivity	177.5
% Solids	12
Turbidity	Yes (No)
Color	Green
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AS

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10 / 99 / 25
Receiving ID#	210092503
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	13:50
Time out	
Received by	Alexis Scalf
Sampled by	J. Adamek

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	0.05
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.20
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	69.3
Conductivity	296.0
% Solids	19.71
Turbidity	Yes No
Color	Green
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AM

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/09/25
Receiving ID#	10092502
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	9:05
Time out	
Received by	<i>J. A. [Signature]</i>
Sampled by	J. ROBERTS

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	6.81
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.03
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	66.2
Conductivity	16.55 mS
% Solids	0.83
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>J. Roberts</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/09/25
Receiving ID#	10092501
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	7:05
Time out	
Received by	<i>J. Ash</i>
Sampled by	<i>J. McFarrell</i>

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	7.03
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	69.9
Conductivity	19.00 uf
% Solids	1.12
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>J. Ash</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/08/25
Receiving ID#	170082505
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	22:10
Time out	
Received by	Alexis Scalf
Sampled by	Dalton

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	7.15
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.0
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes (No)
Temperature (F)	67.1
Conductivity	12.63
% Solids	0
Turbidity	Yes (No)
Color	Black
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AJ SF

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/08/25
Receiving ID#	LI0082504
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	20:10
Time out	
Received by	Alexis Scalf
Sampled by	Alexis Scalf

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	0.51
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.12
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	72.0
Conductivity	194.7
% Solids	11.87
Turbidity	Yes No
Color	Grey
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AS

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10 / 08 / 25
Receiving ID#	I 10082503
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	17:03
Time out	17:14
Received by	Jacob Line
Sampled by	Jacob Line

LAB INFORMATION	
Compatible? (RT# )	Y
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	0.27
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.16
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	65.3°
Conductivity	242.0
% Solids	16.14%
Turbidity	Yes No
Color	black
TSS (%)	0.5
Radiation Screen (as needed)	neg.
Lab Signature/Initials	JL

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/08/25
Receiving ID#	210082502
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	12:56
Time out	
Received by	<i>J. Ah</i>
Sampled by	<i>J. Ah</i>

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	0.14
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.20
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	66.6
Conductivity	277.3 mS
% Solids	20.76
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>J. Ah</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/08/25
Receiving ID#	210082501
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	6:42
Time out	
Received by	J. AR
Sampled by	J. Maffei

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	1.23
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.15
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.3
Conductivity	206.7 $\mu$ S
% Solids	15.36
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J. AR

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/07/25
Receiving ID#	I10072504
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	22:00
Time out	
Received by	Alexis Scalf
Sampled by	Dalton M.

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	7.09
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.0
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	66.2
Conductivity	10.78
% Solids	0
Turbidity	Yes No
Color	Black
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AS

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/07/25
Receiving ID#	I10072503
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	17:15
Time out	
Received by	Jacob Line
Sampled by	Jacob Line

LAB INFORMATION	
Compatible? (RT# )	Y
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	<del>0.207</del> 0.10
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.20
Physical Description	liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	65.5
Conductivity	265.2
% Solids	19.13%
Turbidity	Yes No
Color	cloudy yellow
TSS (%)	<0.10
Radiation Screen (as needed)	neg
Lab Signature/Initials	Jacob Line

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/07/25
Receiving ID#	10072502
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	17:50
Time out	
Received by	Alexis Scalf
Sampled by	J. Maffei

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	0.16
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.20
Physical Description	liquid
Stream Consistency	<input checked="" type="radio"/> Yes <input type="radio"/> No
Oil in Sample?	Yes <input checked="" type="radio"/> No
Temperature (F)	72.0
Conductivity	280.5
% Solids	17.40
Turbidity	Yes <input checked="" type="radio"/> No
Color	Brown
TSS (%)	0.25
Radiation Screen (as needed)	
Lab Signature/Initials	AMJ

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10 / 07 / 25
Receiving ID#	NO 07 2501
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	6:48
Time out	
Received by	<i>J. McNeill</i>
Sampled by	<i>J. McNeill</i>

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	7.30
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.03
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.2
Conductivity	12.91
% Solids	0.88
Turbidity	Yes No
Color	
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>J. McNeill</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/06/25
Receiving ID#	E10062504
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	21:44
Time out	
Received by	Alexis Scalf
Sampled by	Alexis Scalf

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	7.30
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	71.4
Conductivity	14.67
% Solids	0
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AS

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10 / 06 / 25
Receiving ID#	J10062503
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	18:26
Time out	
Received by	Jacob Line
Sampled by	Jacob Line

LAB INFORMATION	
Compatible? (RT# )	Y
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	0.41
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.14
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes (No)
Temperature (F)	73.7
Conductivity	243.6
% Solids	12.04%
Turbidity	Yes No
Color	black
TSS (%)	0.25
Radiation Screen (as needed)	neg.
Lab Signature/Initials	JL

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/06/25
Receiving ID#	E10062505
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	12:21
Time out	
Received by	<i>J. Ar</i>
Sampled by	<i>S. Marrelli</i>

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	3140
pH (S.U.)	0.44
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.74
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	70.1
Conductivity	276.7 $\mu$ S
% Solids	16.25
Turbidity	Yes No
Color	
TSS (%)	50.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>J. Ar</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/26/25
Receiving ID#	10061501
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	10:34
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>[Signature]</i>

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	4.86
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.024
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	70.3
Conductivity	35.67 <i>[units]</i>
% Solids	0.73
Turbidity	Yes No
Color	
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/03/25
Receiving ID#	I10032503
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	21:00
Time out	
Received by	Alexis Scaff
Sampled by	Dalton M.

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	7.73
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	liquid
Stream Consistency	<input checked="" type="radio"/> Yes <input type="radio"/> No
Oil in Sample?	Yes <input checked="" type="radio"/> No
Temperature (F)	71.1
Conductivity	17.81
% Solids	0
Turbidity	Yes <input checked="" type="radio"/> No
Color	Black
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/3/25
Receiving ID#	EP032507
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	18:53
Time out	
Received by	Alexis Scalf
Sampled by	Dalton M.

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	1.35
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	68.1
Conductivity	60.65
% Solids	0.86
Turbidity	Yes (No)
Color	Black
TSS (%)	0.25
Radiation Screen (as needed)	
Lab Signature/Initials	AS

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/03/25
Receiving ID#	I 10032501
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0610
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>[Signature]</i> RUSHS Colangelo

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	7.61
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	64.4
Conductivity	5.969
% Solids	6.1
Turbidity	Yes No
Color	
TSS (%)	6.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10 / 02 / 25
Receiving ID#	I10021504
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	21:20
Received by	Alexis Scalf
Sampled by	Dalton M.

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	4.66
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.12
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes (No)
Temperature (F)	70.4
Conductivity	165.9
% Solids	12.44
Turbidity	Yes (No)
Color	Black
TSS (%)	0.25
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10 / 02 / 25
Receiving ID#	110022503
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	18:05
Time out	
Received by	Alexis Scalf
Sampled by	Darlan M.

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	0.69
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.14
Physical Description	liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	70.4
Conductivity	184.9
% Solids	11.43
Turbidity	Yes (No)
Color	Blue
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AS

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/02/25
Receiving ID#	I#0022502
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	14:30
Time out	
Received by	Alexis Scalf
Sampled by	Jacob Lize

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	0.66
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.10
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes (No)
Temperature (F)	68.3
Conductivity	177.2
% Solids	14.70
Turbidity	Yes (No)
Color	Blue/Green
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	ALV SA

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/02/25
Receiving ID#	210022501
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	11:33
Time out	
Received by	<i>J. Ash</i>
Sampled by	<i>Jacob L. Re</i>

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	10.53
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.15
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.7
Conductivity	209.5
% Solids	16.04
Turbidity	Yes No
Color	
TSS (%)	20.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>J. Ash</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10 / 01 / 25
Receiving ID#	210012507
Manifest #                      Line	
Land Ban Cert included	Yes              No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	20:35
Time out	
Received by	Alexis Scalf
Sampled by	Dallen M.
LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	0.81
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.12
Physical Description	Liquid
Stream Consistency	(Yes)              No
Oil in Sample?	Yes              (No)
Temperature (F)	70.1
Conductivity	197.5
% Solids	10
Turbidity	Yes              (No)
Color	Blue
TSS (%)	<del>7</del> 20.1
Radiation Screen (as needed)	
Lab Signature/Initials	AM

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/31/25
Receiving ID#	E10012504
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	17:22
Time out	
Received by	Alexis Scalf
Sampled by	M. M.


LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	0.25
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.18
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes (No)
Temperature (F)	69.3
Conductivity	437.5
% Solids	16.37
Turbidity	Yes (No)
Color	Green
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	BL/SJ


RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10 / 01 / 25
Receiving ID#	T10012505
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	14:56
Time out	
Received by	Alexis Scalf
Sampled by	Dalton M.

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.51
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.0
Physical Description	liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	19.3
Conductivity	3.094
% Solids	0
Turbidity	Yes (No)
Color	Black
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AY SJ

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/01/25
Receiving ID#	IRUC17504
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	1756
Time out	
Received by	
Sampled by	Justin Coluzelo

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	0.76
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.16
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	69.0
Conductivity	314.7ms
% Solids	16.90
Turbidity	Yes No
Color	
TSS (%)	0.10
Radiation Screen (as needed)	
Lab Signature/Initials	

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/01/25
Receiving ID#	I10012503
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	1041
Time out	
Received by	<i>J. Alon</i>
Sampled by	<i>Justin Colangelo</i>


LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	0.62
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.12
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.0
Conductivity	246.3 ug
% Solids	10.44
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>J. Alon</i>


RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/01/25
Receiving ID#	I10012502
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0830
Time out	
Received by	<i>J. Walsh</i>
Sampled by	<i>Musfiqul Kabir</i>

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	7.51
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.03
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	64.9
Conductivity	3.380 nS
% Solids	0.77
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>J. Walsh</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	10/01/25
Receiving ID#	110012561
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0600
Time out	
Received by	
Sampled by	

LAB INFORMATION	
Compatible? (RT# )	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	7.38
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.5
Conductivity	3.649
% Solids	<0.1
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	



Sustainability in Action

## Waste Profiles

# Deep Well Profile



Disposal Facility: 6440 DETROIT INDUSTRIAL WELL  Waste Profile #: 1026215  
Sales Rep #:

## I. Generator Information

Generator Name: A. G. S. AUTOMOTIVE  
Address: 6640 STERLING DRIVE SOUTH  
City: Sterling Heights County: Macomb State: MI Zip: 48312  
State ID/Reg No: N/A EPA ID #: MID005373782 NAICS #:   
Generator Mailing Address  (if different)  
City:  County:  State:  Zip:   
Generator Contact Name:  Email:   
Phone Number:  Ext:  Fax Number:

## II. Billing Information

Bill To: EQ Industrial Services Contact Name: Accounts Payable  
Billing Address: 26705 Northline Road Email: accounts.payable@eqonline.com  
City: Taylor State: MI Zip: 48180 Phone: 734-941-4357

## III. Waste Stream Information

Name of Waste: Chrome Etch (Chromic/Sulfuric Acid)  
Process Generating Waste: Chrome Plating  
Is Waste from a TSD/Like Consolidation Process??  Yes  No Waste Type: Hazardous  Container Type: Bulk Tanker   
Volume Per Container: 7,500 Shipment Volume: 7,500 Volume Units: Gallons  Shipment Frequency: One Time  Annual Volume: 7,500

## IV. Federal and State Regulatory Information

Is this waste Benzene NESHAP regulated by 40 CFR 61.342?  Yes  No  
Is this waste from State or Federal Superfund Subject to CERCLA?  Yes  No  
State Waste Codes:           
RCRA Waste Codes: D002 D007

Remember to attach Laboratory Analytical Report (and/or Material Safety Data Sheet) including Chain of Custody and required parameters provided for this profile

# Deep Well Profile



## V. Shipping / Packaging Information

DOT Hazardous Material / Waste?  Yes  No UN / NA#  Packaging Group:  Hazardous Class(es):

DOT Proper Shipping Name:

NOS Hazardous Constituents:

ERG#:  RQ:  Yes  No RQ Basis:  RQ Value in lbs:

Marine Pollutants defined by 49 CFR 171.8  Yes  No If Yes, describe:  24 Hour Emergency Contact Number:

## VI. Physical Characteristics

Primary Color:  % Suspended Solids:  Layers:  Specific Gravity:  Or Actual

Odor:  Odor (describe):  pH:  Dry Weight Ton Per Gallon:

Flash Point:  Flash Point Test Method:  Total Alkalinity (mg/L):  VOC Concentration (ppm):  Ammonia / Ammonia Compounds  Yes  No

## VII. Chemical Composition

Chemical Composition (Must add up to 100%) All compounds of >=1% concentration must be listed.

Constituent (no trade names)	Min	Max	% or ppm	Constituent (no trade names)	Min	Max	% or ppm
Water	70	85	%				ppm
Chromic Acid	15	30	%				ppm
Sulfuric Acid	.005	.01	ppm				ppm
Fumetrol (6:2 FTS)	0.05	1	%				ppm
			ppm				ppm

Waste Composition is determined by:  Analysis  Safety Data Sheet (SDS)  Process Knowledge

Have you taken a sample?  Yes  No

Is the representative sample collected in accordance with US EPA 40 CFR 261.20 (c) or equivalent?  Yes  No

Sample Type:  Sample ID #:  Sample Date (mm/dd/yy):

List additional sample ID#(s) and dates and/or list the product name of each SDS submitted:

Remember to attach Laboratory Analytical Report (and/or Material Safety Data Sheet) including Chain of Custody and required parameters provided for this profile.

# Deep Well Profile



## VIII. Chemical Properties

### RCRA Items:

Arsenic  None  PPM  
 Barium  None  PPM  
 Cadmium  None  PPM  
 Chromium  None  PPM  
 Lead  None  PPM  
 Mercury  None  PPM  
 Selenium  None  PPM  
 Silver  None  PPM

### State Regulated:

TPH (TX & CA)  None  PPM  
 Antimony (TX & CA)  None  PPM  
 Beryllium (TX & CA)  None  PPM  
 Nickel (TX & CA)  None  PPM  
 Chromium VI (CA)  None  PPM  
 Cobalt (CA)  None  PPM  
 Copper (CA)  None  PPM  
 Molybdenum (CA)  None  PPM  
 Thallium (CA)  None  PPM  
 Vanadium (CA)  None  PPM  
 Zinc (CA)  None  PPM

### Operational:

Bromide  None  PPM  
 Calcium  None  PPM  
 Chloride  None  PPM  
 Fluoride (CA)  None  PPM  
 Iodine  None  PPM  
 Iron  None  PPM  
 Magnesium  None  PPM  
 Potassium  None  PPM  
 Sodium  None  PPM  
 Sulfur  None  PPM

## IX. Chemical Properties Certification (Each item must be answered)

PCB's (per 40 CFR 761)  None  PPM  
 Benzene  None  PPM  
 Dioxins  None  PPM  
 Sulfides  None  PPM  
 Cyanides  None  PPM  
 Oxidizer  None  PPM  
 Pentachlorophenol  No  Yes. If Yes, please explain:  
 OSHA Carcinogen  No  Yes. If Yes, please explain: Hexavalent Chromium

Pathogens  No  Yes. If Yes, please explain:  
 Pesticides  No  Yes. If Yes, please explain:  
 Polymerizes  No  Yes. If Yes, please explain:  
 Radioactives  No  Yes. If Yes, please explain:  
 Water Reactives  No  Yes. If Yes, please explain:  
 Other Reactives  No  Yes. If Yes, please explain:

## X. Certification

*I hereby certify that to the best of my knowledge and belief, the information contained herein is a true, complete and accurate description of the waste material being offered for disposal and all known or suspected hazards have been disclosed. To the best of my knowledge, all Analytical Results/Material Safety Data Sheets submitted are truthful and complete and are representative of the waste. In addition, I certify that all known or suspected hazards involved in handling, transporting, storing, treating or processing, and disposing of the waste material that is the subject of this profile have been disclosed and that no deliberate or willful omissions or misrepresentations as to the composition and properties of the waste have been made. I shall immediately give written notice of any change or condition pertaining to the waste not provided herein. Our company hereby agrees to fully indemnify and hold harmless the disposal facility for any damages or losses resulting from this certification being inaccurate or untrue and for any damages or losses resulting from offering for disposal a waste material that does not conform to this waste profile and certification.*

Rylee Parks

Authorized Representative Name  
(Printed)

Jr. Environmental Coordinator

Title  
(Printed)

A G Simpson (USA) Inc

Company Name

*Rylee Parks*  
Representative Signature

10/07/2025

Date

# Deep Well Profile



Disposal Facility: 6440 DETROIT INDUSTRIAL WELL



Waste Profile #:

Sales Rep #:

Waszak

## I. Generator Information

Generator Name:

Address:

City:  County:  State:  Zip:

State ID/Reg No:  EPA ID #:  NAICS #:

Generator Mailing Address  (if different)

City:  County:  State:  Zip:

Generator Contact Name:  Email:

Phone Number:  Ext:  Fax Number:

## II. Billing Information

Bill To:  Contact Name:

Billing Address:  Email:

City:  State:  Zip:  Phone:

## III. Waste Stream Information

Name of Waste:

Process Generating Waste:

Is Waste from a TSD/Like Consolidation Process??  Yes  No Waste Type:  Container Type:

Volume Per Container:  Shipment Volume:  Volume Units:  Shipment Frequency:  Annual Volume:

## IV. Federal and State Regulatory Information

Is this waste Benzene NESHAP regulated by 40 CFR 61.342?  Yes  No

Is this waste from State or Federal Superfund Subject to CERCLA?  Yes  No

State Waste Codes:

RCRA Waste Codes:

Remember to attach Laboratory Analytical Report (and/or Material Safety Data Sheet) including Chain of Custody and required parameters provided for this profil

# Deep Well Profile



## V. Shipping / Packaging Information

DOT Hazardous Material / Waste?  Yes  No UN / NA#  Packaging Group:  Hazardous Class(es):

DOT Proper Shipping Name:

NOS Hazardous Constituents:

ERG#:  RQ:  Yes  No RQ Basis:  RQ Value in lbs:

Marine Pollutant as defined by 49 CFR 171.8  Yes  No If Yes, describe:  24 Hour Emergency Contact Number:

## VI. Physical Characteristics

Primary Color:  % Suspended Solids:  Layers:  Specific Gravity:  Or Actual

Odor:  Odor (describe):  pH:  Dry Weight Ton Per Gallon:

Flash Point:  Flash Point Test Method:  Total Alkalinity (mg/L):  VOC Concentration (ppm):  Ammonia / Ammonia Compounds  Yes  No

## VII. Chemical Composition

Chemical Composition (Must add up to 100%) All compounds of  $\geq 1\%$  concentration must be listed.

Constituent (no trade names)	Min	Max	% or ppm	Constituent (no trade names)	Min	Max	% or ppm
<input type="text" value="sulfuric acid"/>	<input type="text"/>	<input type="text" value="10"/>	<input style="font-size: small; vertical-align: middle;" type="text" value="%"/> <input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input style="font-size: small; vertical-align: middle;" type="text" value="ppm"/>
<input type="text" value="zinc"/>	<input type="text"/>	<input type="text" value="12000"/>	<input style="font-size: small; vertical-align: middle;" type="text" value="ppm"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input style="font-size: small; vertical-align: middle;" type="text" value="ppm"/>
<input type="text" value="copper"/>	<input type="text"/>	<input type="text" value="2,6"/>	<input style="font-size: small; vertical-align: middle;" type="text" value="ppm"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input style="font-size: small; vertical-align: middle;" type="text" value="ppm"/>
<input type="text" value="Nickel"/>	<input type="text"/>	<input type="text" value="49"/>	<input style="font-size: small; vertical-align: middle;" type="text" value="ppm"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input style="font-size: small; vertical-align: middle;" type="text" value="ppm"/>
<input type="text" value="chrome"/>	<input type="text"/>	<input type="text" value="1.4"/>	<input style="font-size: small; vertical-align: middle;" type="text" value="ppm"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input style="font-size: small; vertical-align: middle;" type="text" value="ppm"/>

Waste Composition is determined by:  Analysis  Safety Data Sheet (SDS)  Process Knowledge

Have you taken a sample?  Yes  No

Is the representative sample collected in accordance with US EPA 40 CFR 261.20 (c) or equivalent?  Yes  No

Sample Type:  Sample ID #:  Sample Date (mm/dd/yy):

List additional sample ID#(s) and dates and/or list the product name of each SDS submitted:

**Remember to attach Laboratory Analytical Report (and/or Material Safety Data Sheet) including Chain of Custody and required parameters provided for this profile**

# Deep Well Profile



## VIII. Chemical Properties

### RCRA Items:

Arsenic  None  PPM  
 Barium  None  PPM  
 Cadmium  None  PPM  
 Chromium  None  PPM  
 Lead  None  PPM  
 Mercury  None  PPM  
 Selenium  None  PPM  
 Silver  None  PPM

### State Regulated:

TPH (TX & CA)  None  PPM  
 Antimony (TX & CA)  None  PPM  
 Beryllium (TX & CA)  None  PPM  
 Nickel (TX & CA)  None  PPM  
 Chromium VI (CA)  None  PPM  
 Cobalt (CA)  None  PPM  
 Copper (CA)  None  PPM  
 Molybdenum (CA)  None  PPM  
 Thallium (CA)  None  PPM  
 Vanadium (CA)  None  PPM  
 Zinc (CA)  None  PPM

### Operational:

Bromide  None  PPM  
 Calcium  None  PPM  
 Chloride  None  PPM  
 Fluoride (CA)  None  PPM  
 Iodine  None  PPM  
 Iron  None  PPM  
 Magnesium  None  PPM  
 Potassium  None  PPM  
 Sodium  None  PPM  
 Sulfur  None  PPM

## IX. Chemical Properties Certification (Each item must be answered)

PCB's (per 40 CFR 761)  None  PPM  
 Benzene  None  PPM  
 Dioxins  None  PPM  
 Sulfides  None  PPM  
 Cyanides  None  PPM  
 Oxidizer  None  PPM  
 Pentachlorophenol  No  Yes. If Yes, please explain:  
 OSHA Carcinogen  No  Yes. If Yes, please explain:  
 Pathogens  No  Yes. If Yes, please explain:  
 Pesticides  No  Yes. If Yes, please explain:  
 Polymerizes  No  Yes. If Yes, please explain:  
 Radioactives  No  Yes. If Yes, please explain:  
 Water Reactives  No  Yes. If Yes, please explain:  
 Other Reactives  No  Yes. If Yes, please explain:

## X. Certification

**I hereby certify that to the best of my knowledge and belief, the information contained herein is a true, complete and accurate description of the waste material being offered for disposal and all known or suspected hazards have been disclosed. To the best of my knowledge, all Analytical Results/Material Safety Data Sheets submitted are truthful and complete and are representative of the waste. In addition, I certify that all known or suspected hazards involved in handling, transporting, storing, treating or processing, and disposing of the waste material that is the subject of this profile have been disclosed and that no deliberate or willful omissions or misrepresentations as to the composition and properties of the waste have been made. I shall immediately give written notice of any change or condition pertaining to the waste not provided herein. Our company hereby agrees to fully indemnify and hold harmless the disposal facility for any damages or losses resulting from this certification being inaccurate or untrue and for any damages or losses resulting from offering for disposal a waste material that does not conform to this waste profile and certification.**

John Fujawa  
Authorized Representative Name  
(Printed)

FPS Process Manger, Operatopns  
Title  
(Printed)

Cleveland-Cliffs New Carlisle Works NC II  
Company Name

Representative Signature

12-13-24  
Date

# Deep Well Profile



Disposal Facility:   Waste Profile #:   
Sales Rep #:

## I. Generator Information

Generator Name:   
Address:   
City:  County:  State:  Zip:   
State ID/Reg No:  EPA ID #:  NAICS #:   
Generator Mailing Address  (if different)   
City:  County:  State:  Zip:   
Generator Contact Name:  Email:   
Phone Number:  Ext:  Fax Number:

## II. Billing Information

Bill To:  Contact Name:   
Billing Address:  Email:   
City:  State:  Zip:  Phone:

## III. Waste Stream Information

Name of Waste:   
Process Generating Waste:

Is Waste from a TSDF Like Consolidation Process??  Yes  No Waste Type:  Container Type:   
Volume Per Container:  Shipment Volume:  Volume Units:  Shipment Frequency:  Annual Volume:

## IV. Federal and State Regulatory Information

Is this waste Benzene NESHAP regulated by 40 CFR 61.342?  Yes  No  
Is this waste from State or Federal Superfund Subject to CERCLA?  Yes  No  
State Waste Codes:           
RCRA Waste Codes:

Remember to attach Laboratory Analytical Report (and/or Material Safety Data Sheet) including Chain of Custody and required parameters provided for this profil

# Deep Well Profile



## V. Shipping / Packaging Information

DOT Hazardous Material / Waste?  Yes  No UN / NA#  Packaging Group:  Hazardous Class(es):

DOT Proper Shipping Name:

NOS Hazardous Constituents:

ERG#:  RQ:  Yes  No RQ Basis:  RQ Value in lbs:

Marine Pollutant as defined by 49 CFR 171.8  Yes  No If Yes, describe:  24 Hour Emergency Contact Number:

## VI. Physical Characteristics

Primary Color:  % Suspended Solids:  Layers:  Specific Gravity:  Or Actual

Odor:  Odor (describe):  pH:  Dry Weight Ton Per Gallon:

Flash Point:  Flash Point Test Method:  Total Alkalinity (mg/L):  VOC Concentration (ppm):  Ammonia / Ammonia Compounds  Yes  No

## VII. Chemical Composition

Chemical Composition (Must add up to 100%) All compounds of >=1% concentration must be listed.

Constituent (no trade names)	Min	Max	% or ppm	Constituent (no trade names)	Min	Max	% or ppm
Hydrogen Chloride	30	34	%				%
Water	66	70	%				%
			%				%
			%				%
			ppm				ppm

Waste Composition is determined by:  Analysis  Safety Data Sheet (SDS)  Process Knowledge

Have you taken a sample?  Yes  No

Is the representative sample collected in accordance with US EPA 40 CFR 261.20 (c) or equivalent?  Yes  No

Sample Type:  Sample ID #:  Sample Date (mm/dd/yy):

List additional sample ID#(s) and dates and/or list the product name of each SDS submitted:

Remember to attach Laboratory Analytical Report (and/or Material Safety Data Sheet) including Chain of Custody and required parameters provided for this profile

# Deep Well Profile



## VIII. Chemical Properties

### RCRA Items:

Arsenic  None  PPM  
 Barium  None  PPM  
 Cadmium  None  PPM  
 Chromium  None  PPM  
 Lead  None  PPM  
 Mercury  None  PPM  
 Selenium  None  PPM  
 Silver  None  PPM

### State Regulated:

TPH (TX & CA)  None  PPM  
 Antimony (TX & CA)  None  PPM  
 Beryllium (TX & CA)  None  PPM  
 Nickel (TX & CA)  None  PPM  
 Chromium VI (CA)  None  PPM  
 Cobalt (CA)  None  PPM  
 Copper (CA)  None  PPM  
 Molybdenum (CA)  None  PPM  
 Thallium (CA)  None  PPM  
 Vanadium (CA)  None  PPM  
 Zinc (CA)  None  PPM

### Operational:

Bromide  None  PPM  
 Calcium  None  PPM  
 Chloride  None  PPM  
 Fluoride (CA)  None  PPM  
 Iodine  None  PPM  
 Iron  None  PPM  
 Magnesium  None  PPM  
 Potassium  None  PPM  
 Sodium  None  PPM  
 Sulfur  None  PPM

## IX. Chemical Properties Certification (Each item must be answered)

PCB's (per 40 CFR 761)  None  PPM Pathogens  No  Yes. If Yes, please explain:

Benzene  None  PPM Pesticides  No  Yes. If Yes, please explain:

Dioxins  None  PPM Polymerizes  No  Yes. If Yes, please explain:

Sulfides  None  PPM Radioactives  No  Yes. If Yes, please explain:

Cyanides  None  PPM Water Reactives  No  Yes. If Yes, please explain:

Oxidizer  None  PPM Other Reactives  No  Yes. If Yes, please explain:

Pentachlorophenol  No  Yes. If Yes, please explain:

OSHA Carcinogen  No  Yes. If Yes, please explain:

## X. Certification

*I hereby certify that to the best of my knowledge and belief, the information contained herein is a true, complete and accurate description of the waste material being offered for disposal and all known or suspected hazards have been disclosed. To the best of my knowledge, all Analytical Results/Material Safety Data Sheets submitted are truthful and complete and are representative of the waste. In addition, I certify that all known or suspected hazards involved in handling, transporting, storing, treating or processing, and disposing of the waste material that is the subject of this profile have been disclosed and that no deliberate or willful omissions or misrepresentations as to the composition and properties of the waste have been made. I shall immediately give written notice of any change or condition pertaining to the waste not provided herein. Our company hereby agrees to fully indemnify and hold harmless the disposal facility for any damages or losses resulting from this certification being inaccurate or untrue and for any damages or losses resulting from offering for disposal a waste material that does not conform to this waste profile and certification.*

Authorized Representative Name  
 (Printed)

Title  
 (Printed)

Company Name

Representative Signature

Date



Sustainability in Action

## F039 Results