



2/27/2026

VIA FEDERAL EXPRESS

Tera Fong, Director
Water Division
US EPA, Region 5
UIC Section, (WP-16J)
77 West Jackson Boulevard
Chicago, Illinois 60604-3590

SUBJECT: Well #1-12, UIC PERMIT MI-163-1W-C010 and Well #2-12, UIC Permit MI-163-1W-C011
Republic Industrial and Energy Solutions, LLC. Class 1 Hazardous
Wayne County, Michigan
January Monthly Report

Dear Ms. Fong,

In accordance with the Class 1 Hazardous Underground Injection Well Permits MI-163-1W-C010 and MI-163-1W-C011, Republic Industrial and Energy Solutions, LLC (RIES) located in Wayne County, Michigan is submitting it's Monthly Report demonstrating compliance with permit requirements. The attached information is provided in the same sequence as required by both subject permits in Part II D.1. (a-i) and Part III Attachment A, Part III Attachment E(G)(2) and E(I).

I certify under penalty of law that this document and all attachments were prepared under my supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry into the person or persons who manage the system, or those directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Should you have any questions regarding this report, please contact me at krevels@republicservices.com or (734) 664-6075.

Sincerely,

A handwritten signature in black ink that reads "Kristina Revels".

Kristina Revels
Environmental Compliance Manager

Enclosures



Sustainability in Action

TABLE OF CONTENTS

Summary.....	1
Average Injection Rate.....	2
Well 1 Data.....	4
Well 2 Data.....	8
Annulus System.....	12
Corrosion Monitoring.....	17
Maintenance.....	21
Injection Fingerprints.....	23
F039 Results.....	120



Sustainability in Action

Summary

Wells #1-12 and #2-12 were operated in accordance with the requirements of MI-163-1W-C010 and MI-163-1W-C011, during the reporting month. A summary table of the total monthly and year-to-date volumes of fluids injected into the wells is provided below.

Year	Month	Monthly (gal)		Total (gal)	
		Well #1-12	Well #2-12	Per Month	Cumulative
2025	February	928,620	926,212	1,854,832	1,854,832
2025	March	1,114,252	1,135,548	2,249,800	4,104,632
2025	April	1,049,644	1,109,776	2,159,420	6,264,052
2025	May	925,240	904,804	1,830,044	8,094,096
2025	June	470,712	1,097,272	1,567,984	9,662,080
2025	July	-	1,587,120	1,587,120	11,249,200
2025	August	373,528	549,768	923,296	12,172,496
2025	September	951,788	299,208	1,250,996	13,423,492
2025	October	516,307	605,832	1,122,139	14,545,631
2025	November	238,380	648,114	886,494	15,432,125
2025	December	284,572	599,933	884,505	16,316,630
2026	January	729,517	701,594	1,431,111	17,747,741



Sustainability in Action

UIC Permit Condition Part II.D.1. (d):

Average Injection Rate

Calculation of Average Injection Rate

CURRENT REPORTING YEAR 2026

CURRENT REPORTING MONTH January

Date (month, year) of the first injection into either well at the Citrin Road Facility November 2013

CURRENT MONTH (all volumes in gallons)

	Injected Waste	Injected Non-Waste	Total injected
MI-163-1W-C010, Well #1-12			
Current Month	729,517	0	729,517
Since facility first injected			77,793,193
MI-163-1W-C011, Well #2-12			
Current Month	701,594	0	701,594
Since facility first injected			63,959,605
		Lifetime Combined	141,752,798

Conversion factors

365.25 days per year ÷ 12 months per year = 30.4375 days per month

30.4375 days per month × 1440 minutes per day = 43,830 minutes per month

Calculations

Whole number of months¹ of injection 146

146 lifetime number of months of injection X 43,830 minutes/month
= 6399180 minutes of injection

Lifetime combined injected volume 141,752,798 ÷ 6399180 minutes of injection

= 22 gpm average injection rate

¹ Calculated from November 30, 2013, to January 31, 2026, for a total of 146 months.



Sustainability in Action

UIC Permit Condition Part II.D.1. (b):

Well #1-12, Permit MI-163-1W-C010 Data



Injection Well 1-12

January 2026

Date	Injection Pressure (psig)		Annulus Tank Level (inches)		Annulus Pressure (psig)		Injection pH		Flow Rate (gpm)		Differential Pressure (psig)	
	Min.	Max.	Min.	Max.	Min.	Max.	Min.	Max.	Min.	Max.	Min.	Max.
1/1/2026	0.0	0.0	7.9	8.1	724.6	789.7	0.0	0.0	0.0	0.0	724.6	789.7
1/2/2026	0.0	0.0	7.9	8.1	788.6	792.6	0.0	0.0	0.0	0.0	788.6	792.6
1/3/2026	0.0	0.0	7.9	8.1	790.1	792.3	0.0	0.0	0.0	0.0	790.1	792.3
1/4/2026	0.0	0.0	7.9	8.1	787.8	791.1	0.0	0.0	0.0	0.0	787.8	791.1
1/5/2026	0.0	377.1	7.9	8.1	650.7	860.5	0.0	7.7	0.0	81.5	371.7	788.8
1/6/2026	0.0	397.5	7.9	8.1	700.9	902.4	0.0	7.6	0.0	82.8	433.0	837.1
1/7/2026	0.0	465.3	7.9	8.1	627.4	890.6	0.0	7.6	0.0	80.9	292.7	782.0
1/8/2026	0.0	438.0	7.9	8.1	617.1	985.2	0.0	7.5	0.0	81.5	294.6	885.2
1/9/2026	0.0	464.9	7.9	8.1	594.6	852.0	0.0	7.5	0.0	82.1	250.4	748.5
1/10/2026	0.0	0.0	8.0	8.1	712.3	759.8	0.0	0.0	0.0	0.0	712.3	759.8
1/11/2026	0.0	0.0	8.0	8.1	759.0	764.5	0.0	0.0	0.0	0.0	759.0	764.5
1/12/2026	0.0	422.0	8.0	8.3	671.4	884.6	0.0	7.5	0.0	81.7	389.0	810.0
1/13/2026	0.0	382.7	7.9	8.1	628.8	870.1	0.0	7.5	0.0	82.2	316.5	805.4
1/14/2026	0.0	392.7	8.0	8.1	564.5	801.7	0.0	7.4	0.0	82.5	254.9	725.4
1/15/2026	0.0	392.6	8.0	8.1	529.1	773.4	0.0	7.6	0.0	82.1	222.1	694.4
1/16/2026	0.0	277.8	7.9	8.1	633.8	766.2	0.0	0.3	0.0	81.4	454.0	709.2
1/17/2026	0.0	0.0	7.9	8.1	663.8	694.5	0.0	0.0	0.0	0.0	663.8	694.5
1/18/2026	0.0	0.0	7.9	8.1	689.5	695.8	0.0	0.0	0.0	0.0	689.5	695.8
1/19/2026	0.0	341.1	7.9	8.1	542.3	758.4	0.0	7.7	0.0	81.7	319.5	714.6
1/20/2026	0.0	348.0	7.9	8.1	352.3	761.0	0.0	7.7	0.0	80.7	148.9	691.8
1/21/2026	0.0	306.2	7.9	8.1	396.5	688.0	0.0	7.1	0.0	87.5	228.5	612.0
1/22/2026	0.0	305.1	8.0	8.1	320.1	664.7	0.0	7.2	0.0	81.1	167.7	606.7
1/23/2026	0.0	319.3	7.9	8.1	320.0	672.0	0.0	7.1	0.0	81.4	147.9	595.3
1/24/2026	0.0	0.0	7.8	8.0	470.0	624.5	0.0	0.0	0.0	0.0	470.0	624.5
1/25/2026	0.0	0.0	7.8	8.0	623.9	661.0	0.0	0.0	0.0	0.0	623.9	661.0
1/26/2026	0.0	363.0	6.1	8.0	516.5	969.6	0.0	7.9	0.0	80.7	179.7	932.3
1/27/2026	0.0	395.6	6.1	6.2	774.8	1062.4	0.0	9.6	0.0	81.6	466.3	991.6
1/28/2026	0.0	364.3	6.1	6.2	743.7	1050.1	0.0	8.1	0.0	81.4	525.6	972.7
1/29/2026	-2.6	394.6	6.0	6.2	704.3	997.8	0.0	8.0	0.0	80.6	435.3	948.9
1/30/2026	-8.8	404.9	6.1	6.2	660.5	958.5	0.0	7.8	0.0	81.3	441.9	912.6
1/31/2026	0.0	0.0	6.0	6.2	834.9	988.1	0.0	0.0	0.0	0.0	834.9	988.1

Well 1 Trends

Flow Totalizer

33,180.00 gal

Injection Pressure

302.43 psi

Annulus Pressure

788.97 psi

Annulus Tank Volume

27.18 gal

Suction Pressure

20.08 psi

Injection Rate

78.39 gal/min

Density

16.664 lb/gal

pH

7.59 pH

Hz

51 Hz

Filter Pot Pressure

9.53 psi



1/1/26 12 AM - 1/15/26 12 AM

Jan 1 Jan 2 Jan 3 Jan 4 Jan 5 Jan 6 Jan 7 Jan 8 Jan 9 Jan 10 Jan 11 Jan 12 Jan 13 Jan 14 Jan 15


Well 1 Trends

Date Picker Realtime

Flow Totalizer


33,360.00 gal

Injection Pressure 304.60 psi	Annulus Pressure 788.97 psi	Annulus Tank Volume 27.06 gal	Suction Pressure 20.15 psi	Injection Rate 76.52 gal/min	Density 16.666 lb/gal	pH 7.60 pH	Hz 51 Hz	Filter Pot Pressure 9.48 psi
---	---------------------------------------	---	--------------------------------------	--	---------------------------------	----------------------	--------------------	--



— Injection Pressure — Annulus Pressure — Suction Pressure — Density — Injection Rate — FP Pressure — Hz — AT-1 Volume — pH

1/16/26 12 AM - 2/1/26 12 AM





Sustainability in Action

UIC Permit Condition Part II.D.1. (b):

Well #2-12, Permit MI-163-1W-C011 Data



Injection Well 2-12

January 2026

Date	Injection Pressure (psig)		Annulus Tank Level (inches)		Annulus Pressure (psig)		Injection pH		Flow Rate (gpm)		Differential Pressure (psig)	
	Min.	Max.	Min.	Max.	Min.	Max.	Min.	Max.	Min.	Max.	Min.	Max.
1/1/2026	0.0	0.0	25.7	25.8	601.9	671.6	0.0	0.0	0.0	0.0	601.9	671.6
1/2/2026	0.0	0.0	25.7	25.8	671.4	678.4	0.0	0.0	0.0	0.0	671.4	678.4
1/3/2026	0.0	0.0	25.7	25.7	677.9	681.0	0.0	0.0	0.0	0.0	677.9	681.0
1/4/2026	0.0	0.0	25.7	25.8	680.5	682.8	0.0	0.0	0.0	0.0	680.5	682.8
1/5/2026	0.0	396.1	25.8	25.9	540.3	753.6	0.0	7.7	0.0	81.7	245.5	694.2
1/6/2026	0.0	398.3	25.8	25.9	598.1	794.7	0.0	7.6	0.0	81.4	332.8	759.6
1/7/2026	0.0	460.8	25.9	25.9	524.7	772.9	0.0	7.6	0.0	81.0	185.6	681.9
1/8/2026	0.0	457.7	25.5	26.0	517.7	866.1	0.0	7.5	0.0	81.2	172.2	813.9
1/9/2026	0.0	485.5	25.5	25.6	619.2	872.4	0.0	7.5	0.0	81.1	250.6	779.3
1/10/2026	0.0	0.0	25.4	25.5	740.7	797.3	0.0	0.0	0.0	0.0	740.7	797.3
1/11/2026	0.0	0.0	25.4	25.4	797.1	805.7	0.0	0.0	0.0	0.0	797.1	805.7
1/12/2026	0.0	422.2	0.6	25.4	705.9	924.1	0.0	7.5	0.0	81.2	405.2	884.5
1/13/2026	0.0	419.1	25.4	25.5	669.1	907.8	0.0	7.5	0.0	84.2	328.2	888.6
1/14/2026	0.0	430.9	25.4	25.5	614.6	844.6	0.0	7.4	0.0	82.9	259.8	770.0
1/15/2026	0.0	435.5	25.3	25.4	572.3	820.7	0.0	7.6	0.0	82.1	226.7	769.3
1/16/2026	0.0	305.6	25.3	25.3	676.9	815.6	0.0	0.3	0.0	82.3	482.2	769.0
1/17/2026	0.0	0.0	25.3	25.4	709.0	750.5	0.0	0.0	0.0	0.0	709.0	750.5
1/18/2026	0.0	0.0	25.2	25.3	750.1	757.3	0.0	0.0	0.0	0.0	750.1	757.3
1/19/2026	0.0	380.7	25.2	25.3	599.4	821.1	0.0	7.7	0.0	81.0	343.2	776.2
1/20/2026	0.0	384.2	25.1	25.2	408.7	823.4	0.0	7.7	0.0	81.5	167.9	756.3
1/21/2026	0.0	340.0	25.2	25.3	458.6	748.5	0.0	7.1	0.0	81.2	249.6	686.6
1/22/2026	0.0	333.6	25.3	25.4	381.7	732.1	0.0	7.2	0.0	81.9	193.9	673.9
1/23/2026	0.0	346.4	25.2	25.3	381.1	733.7	0.0	7.2	0.0	81.0	182.5	661.1
1/24/2026	0.0	0.0	25.1	25.2	507.5	731.3	0.0	0.0	0.0	0.0	507.5	731.3
1/25/2026	0.0	0.0	25.1	25.1	731.1	750.3	0.0	0.0	0.0	0.0	731.1	750.3
1/26/2026	0.0	403.0	24.0	25.1	603.1	948.6	0.0	7.9	0.0	80.8	233.9	911.3
1/27/2026	0.0	439.3	24.0	24.2	753.6	1050.5	0.0	9.0	0.0	81.1	404.8	979.4
1/28/2026	0.0	396.4	24.0	24.1	730.8	1048.0	0.0	8.1	0.0	80.9	481.8	973.7
1/29/2026	0.0	443.6	24.0	24.1	691.7	1009.2	0.0	8.0	0.0	82.3	385.5	948.5
1/30/2026	0.0	454.7	24.0	24.1	653.8	957.9	0.0	7.8	0.0	98.7	391.0	905.6
1/31/2026	0.0	0.0	24.0	24.1	826.6	999.6	0.0	0.0	0.0	0.0	826.6	999.6

Well 2 Trends

Date Picker Realtime

Flow Totalizer

31,536.00 gal

Injection Pressure

348.28 psi

Annulus Pressure

919.73 psi

Annulus Tank Volume

106.19 gal

Suction Pressure

19.95 psi

Injection Rate

76.90 gal/min

Density

16.66 lb/gal

pH


7.64 pH

Hz

44 Hz

Filter Pot Pressure

9.70 psi



Well 2 Trends

Date Picker Realtime

Flow Totalizer

31,724.00 gal

Injection Pressure

Annulus Pressure

Annulus Tank Volume

Suction Pressure

Injection Rate

Density

pH

Hz

Filter Pot Pressure

349.70 psi

920.08 psi

106.21 gal

20.00 psi


76.38 gal/min

16.66 lb/gal

7.63 pH

44 Hz

9.60 psi



— Injection Pressure — Annulus Pressure — Suction Pressure — Density — Injection Rate — FP Pressure — Hz — AT-2 Volume — pH

1/16/26 12 AM - 2/1/26 12 AM



Sustainability in Action

UIC Permit Condition Part II.D.1. (e):

Annulus System



**WELL 1-12
ANNULUS SYSTEM**

January 2026

Current Month, Additions and Removals			
DAY	Volume Added (gal)	Volume Removed (gal)	Composition
1	-	-	
2	-	-	
3	-	-	
4	-	-	
5	-	-	
6	-	-	
7	-	-	
8	-	-	
9	-	-	
10	-	-	
11	-	-	
12	-	-	
13	-	-	
14	-	-	
15	-	-	
16	-	-	
17	-	-	
18	-	-	
19	-	-	
20	-	-	
21	-	-	
22	-	-	
23	-	-	
24	-	-	
25	-	-	
26	5	-	Diesel
27	-	-	
28	-	-	
29	-	-	
30	-	-	
31	-	-	

Cumulative Additions and Subtractions:

5



WELL 1-12
ANNULUS SYSTEM

January 2026

Last 12 months, Additions and Removals			
MONTH YEAR	Volume Added (gal)	Volume Removed (gal)	Comments
Jan-26	5	-	
Dec-25	5	-	
Nov-25	-	-	
Oct-25	4.97	-	
Sep-25	-	-	
Aug-25	-	-	
Jul-25	-	-	
Jun-25	-	-	
May-25	-	-	
Apr-25	-	-	
Mar-25	-	-	
Feb-25	-	-	

Cumulative Additions and Subtractions: 14.97



**WELL 2-12
ANNULUS SYSTEM**

January 2026

Current Month, Additions and Removals			
DAY	Volume Added (gal)	Volume Removed (gal)	Composition
1	-	-	
2	-	-	
3	-	-	
4	-	-	
5	-	-	
6	-	-	
7	-	-	
8	-	-	
9	-	-	
10	-	-	
11	-	-	
12	-	-	
13	-	-	
14	-	-	
15	-	-	
16	-	-	
17	-	-	
18	-	-	
19	-	-	
20	-	-	
21	-	-	
22	-	-	
23	-	-	
24	-	-	
25	-	-	
26	5	-	
27	-	-	
28	-	-	
29	-	-	
30	-	-	
31	-	-	

Cumulative Additions and Subtractions: 5



WELL 2-12
ANNULUS SYSTEM

January 2026

Last 12 months, Additions and Removals			
MONTH YEAR	Volume Added (gal)	Volume Removed (gal)	Comments
Jan-26	5	-	
Dec-25	-	-	
Nov-25	-	-	
Oct-25	-	-	
Sep-25	-	-	
Aug-25	-	-	
Jul-25	-	-	
Jun-25	-	-	
May-25	-	-	
Apr-25	-	-	
Mar-25	-	-	
Feb-25	-	-	

Cumulative Additions and Subtractions: 5



Sustainability in Action

UIC Permit Condition Part II.D.1. (g):

Corrosion Monitoring

CORROSION MONITORING COUPON IMAGE & VISUAL DESCRIPTION

Inspection/Evaluation Date: January 16, 2026
(e.g. January 2026 Reporting Period)

Fiberglass Coupon



Result: 16.00g - 0.8% Loss of mass from previous month

Image Date and Time: 01/16/26 0906

Location of Sample: SST 1 Outlet

Sampling Method: Grab Sample

Sampler: Anthony Warlix

Description:

This coupon is red in color with a semi-smooth texture on both sides. Its cut edges appear sanded. The coupon is free of cracks, pitting, swelling, blemishes, and corrosion. There has been no obvious effect on this coupon since last month.

CORROSION MONITORING COUPON IMAGE & VISUAL DESCRIPTION

Inspection/Evaluation Date: January 16, 2026
(e.g. January 2026 Reporting Period)

Hastelloy Coupon



Result: 13.25g - 0.7% Loss of mass from previous month

Image Date and Time: 01/16/26 0906

Location of Sample: SST 1 Outlet

Sampling Method: Grab Sample

Sampler: Anthony Warlix

Description:

This coupon is identified as C276 with Serial Number 6. It has several small pits on its surface. There are no apparent new indications of corrosion. The surface color of the coupon is silver-grey.

**CORROSION MONITORING
COUPON IMAGE & VISUAL DESCRIPTION**

**Inspection/Evaluation Date: January 16, 2026
(e.g. January 2026 Reporting Period)**

Stainless Steel Coupon



Result: 9.28g - 0.7% Loss of mass from previous month

Image Date and Time: 01/16/26 0906

Location of Sample: SST 1 Outlet

Sampling Method: Grab Sample

Sampler: Anthony Warlix

Description:

This coupon is identified as S2046. There is no visible pitting on its surface. The surface color of the coupon is silver-grey.



Sustainability in Action

UIC Permit Condition Part II.D.1. (h):

Maintenance

No reportable maintenance activities occurred during the period from January 1, 2026 through January 31, 2026.



Sustainability in Action

UIC Permit Condition Part II.D.1. (a):

Injection Fingerprints

In conformance to Part II Section D(1)(f) of Permits MI-163-1W-C010 and MI-163-1W-C011, Republic Industrial Energy Services, LLC is reporting the following. For this reporting period, the sampling location may not be found on the pre-injection fingerprints. In accordance with the facility's Waste Analysis Plan (WAP), sampling locations were historically documented within table A3.A.2 of the WAP itself. Operator training will be conducted in February 2026 and will continue to be part of the annual training.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01 / 95 / 26
Receiving ID#	201052601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	17:10
Time out	
Received by	J. Koffell
Sampled by	J. Koffell

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	7.46
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	65.9
Conductivity	16.27
% Solids	<0.1
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J. Koffell

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01 / 05 / 26
Receiving ID#	201052602
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	19:57
Time out	
Received by	J. MONTPELLI
Sampled by	T. KESTER

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	7140
pH (S.U.)	7.50
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	66.5
Conductivity	16.60
% Solids	0.74
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J. KESTER

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01 / 05 / 26
Receiving ID#	201052603
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	21:34
Time out	
Received by	J. HORRELL
Sampled by	C. Haney

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	7140
pH (S.U.)	6.82
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.07
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	73.9
Conductivity	161.8
% Solids	4.92
Turbidity	Yes No
Color	
TSS (%)	20.1
Radiation Screen (as needed)	
Lab Signature/Initials	J. HORRELL

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01/06/26
Receiving ID#	FC1062601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	10:30
Time out	
Received by	J. Harpell
Sampled by	Matt White

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	7140
pH (S.U.)	0.86
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.07
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	73.7
Conductivity	188.6
% Solids	5.29
Turbidity	Yes No
Color	
TSS (%)	1.0 %
Radiation Screen (as needed)	
Lab Signature/Initials	J. Harpell

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01/06/12
Receiving ID#	Z01062002
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	J. Koffell
Sampled by	Celia H

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	714.0
pH (S.U.)	0.90
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.06
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	74.9
Conductivity	140.7
% Solids	5.81
Turbidity	Yes No
Color	
TSS (%)	2.0
Radiation Screen (as needed)	
Lab Signature/Initials	J. Koffell

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01/07/26
Receiving ID#	201072601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	16:12
Time out	
Received by	<i>Munt Munt</i>
Sampled by	Colin H

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	7140
pH (S.U.)	7.52
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.00
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	72.3
Conductivity	19.10
% Solids	5%
Turbidity	Yes No
Color	Black / Brown
TSS (%)	20.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>Munt Munt</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01 / 07 / 26
Receiving ID#	FB1672602
Manifest # Line	
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	17:56
Time out	
Received by	<i>Matt Matt</i>
Sampled by	<i>Matt Matt</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	7.56
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.00
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	70.1
Conductivity	2151
% Solids	6.76
Turbidity	Yes No
Color	
TSS (%)	20.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>Matt Matt</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01 / 08 / 26
Receiving ID#	I01082601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0824
Time out	
Received by	J. AP
Sampled by	N. Whitburn

LAB INFORMATION	
Compatible? (RT#)	Y
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	1.92
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.06
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.6
Conductivity	99.61 us
% Solids	8.38
Turbidity	Yes No
Color	
TSS (%)	0.75
Radiation Screen (as needed)	
Lab Signature/Initials	J. AP

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01 / 08 / 26
Receiving ID#	E01082602
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	1408
Time out	
Received by	<i>MMA</i>
Sampled by	<i>Jewitt</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	7.59
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.00
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	74.4
Conductivity	24.02
% Solids	19.76 4.31
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>MMA</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01 / 08 / 26
Receiving ID#	101082503
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	16:35
Time out	
Received by	<i>M. M. M.</i>
Sampled by	T. Kuffel

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	7140
pH (S.U.)	7.60
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	73.2
Conductivity	24.34
% Solids	2.57%
Turbidity	Yes No
Color	
TSS (%)	40.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>M. M. M.</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01 / 08 / 26
Receiving ID#	F010227004
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	12:05
Time out	
Received by	
Sampled by	Munt Munt


LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	7140
pH (S.U.)	7.55
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.00
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	69.6
Conductivity	22.86
% Solids	1.45%
Turbidity	Yes No
Color	
TSS (%)	20.1
Radiation Screen (as needed)	
Lab Signature/Initials	Munt Munt


RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01 / 9 / 26
Receiving ID#	201092601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	08:05
Time out	
Received by	<i>[Signature]</i>
Sampled by	Dalton M.

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	7.55
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.4
Conductivity	23.44
% Solids	1.16
Turbidity	Yes No
Color	
TSS (%)	20.4
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01/ 9 /26
Receiving ID#	I01092602
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	10:00
Time out	
Received by	
Sampled by	Dalton M.

LAB INFORMATION	
Compatible? (RT#)	Y
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	7.57
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.03
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.1
Conductivity	22-50 μ S
% Solids	<0.1
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01 / 9 / 26
Receiving ID#	201092603
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	12:30
Time out	
Received by	J. A. R.
Sampled by	Dalton M.

LAB INFORMATION	
Compatible? (RT#)	Y
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	7.55
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	64.7
Conductivity	22.53 mS
% Solids	0.97
Turbidity	Yes No
Color	
TSS (%)	30.1
Radiation Screen (as needed)	
Lab Signature/Initials	J. A. R.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01 / 9 / 26
Receiving ID#	I01092604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	14:40
Time out	
Received by	Michael Munte
Sampled by	Dalton M.

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	7140
pH (S.U.)	7.46
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.00
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	69.1
Conductivity	21.85
% Solids	2.570
Turbidity	Yes No
Color	
TSS (%)	20.1
Radiation Screen (as needed)	
Lab Signature/Initials	Michael Munte

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01 / 9 / 26
Receiving ID#	I01092605
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	15:50
Time out	
Received by	<i>M. M. A.</i>
Sampled by	<i>D. M.</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	7140
pH (S.U.)	7.38
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.00
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	71.4
Conductivity	20.60
% Solids	0.88%
Turbidity	Yes No
Color	
TSS (%)	40-1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>M. M. A.</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01 / 12 / 26
Receiving ID#	E01122601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0630
Time out	
Received by	<i>J. A. [Signature]</i>
Sampled by	Justin Colangelo

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	7.31
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	65.8
Conductivity	19.96
% Solids	< 0.1
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>J. A. [Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01 / 12 / 26
Receiving ID#	I01122602
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	19:15
Time out	
Received by	Alvin Scalf
Sampled by	Dalton M.

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	6.07
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.06
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	71.4
Conductivity	74.10
% Solids	2.11
Turbidity	Yes No
Color	Brown
TSS (%)	2.0 %
Radiation Screen (as needed)	
Lab Signature/Initials	Alvin Scalf

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01/12/26
Receiving ID#	I01122603
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	Alexis Seal f
Sampled by	CSH

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>40
pH (S.U.)	7.33
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.0
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.0
Conductivity	19.31
% Solids	<0.1
Turbidity	Yes No
Color	Black
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AS

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01 / 13 / 26
Receiving ID#	IC013 2601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	05:55
Time out	
Received by	<i>J. Angelo</i>
Sampled by	<i>Justin Colangelo</i>

LAB INFORMATION	
Compatible? (RT#)	Y
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	7.45
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.3
Conductivity	20.92
% Solids	0.102
Turbidity	Yes No
Color	
TSS (%)	12.5
Radiation Screen (as needed)	
Lab Signature/Initials	<i>J. Angelo</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01 / 13 / 26
Receiving ID#	101132602
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0739
Time out	
Received by	<i>JAR</i>
Sampled by	<i>NEWBOSTON</i>

LAB INFORMATION	
Compatible? (RT#)	4
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	7.48
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	66.6
Conductivity	20.08 mS
% Solids	1.09
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>JAR</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01 / 13 / 26
Receiving ID#	F01132603
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	<i>J. Ash</i>
Sampled by	<i>Jaime Line</i>

LAB INFORMATION	
Compatible? (RT#)	4
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	7.45
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	62.5
Conductivity	20.27
% Solids	1.12
Turbidity	Yes No
Color	
TSS (%)	26.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>J. Ash</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01 / 13 / 26
Receiving ID#	I01132604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	<i>J. A. L.</i>
Sampled by	<i>David Line</i>

LAB INFORMATION	
Compatible? (RT#)	Y
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	11.84
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.07
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	64.2
Conductivity	64.23 uS
% Solids	5.35
Turbidity	Yes No
Color	
TSS (%)	3.0
Radiation Screen (as needed)	
Lab Signature/Initials	<i>J. A. L.</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01/13/26
Receiving ID#	I01132605
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	Alexis Scaff
Sampled by	Colin H

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	0.54
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.0
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes <u>No</u>
Temperature (F)	65.0
Conductivity	510,000
% Solids	10.19
Turbidity	Yes <u>No</u>
Color	Brown
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	Alex S

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01/13/26
Receiving ID#	I 01132606
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	19:30
Time out	
Received by	Alexis Scalf
Sampled by	Colin H

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	0.76
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.09
Physical Description	liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	68.7
Conductivity	259.1
% Solids	2.94
Turbidity	Yes NO
Color	Brown
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	ALG

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01/13/26
Receiving ID#	F01132607
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	Alexis Scalf
Sampled by	GAH H

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	7.42
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.0
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes (No)
Temperature (F)	67.2
Conductivity	19.31
% Solids	<0.1
Turbidity	Yes (No)
Color	Black
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AY Y

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01/14/26
Receiving ID#	I01142601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0551
Time out	
Received by	<i>[Signature]</i>
Sampled by	Justin Colangelo

LAB INFORMATION	
Compatible? (RT#)	4
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	7.37
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	72.5
Conductivity	18.84
% Solids	1.55
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01/14/26
Receiving ID#	I0114 2607
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0736
Time out	
Received by	J. Khan
Sampled by	Justin Colangelo

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.92
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.03
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	66.6
Conductivity	18.56
% Solids	2.00
Turbidity	Yes No
Color	
TSS (%)	30.1
Radiation Screen (as needed)	
Lab Signature/Initials	J. Khan

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01 / 14 / 26
Receiving ID#	I011418603
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0930
Time out	
Received by	<i>J. Ash</i>
Sampled by	<i>Justin Colangelo</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	7.52
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.01
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	66.2
Conductivity	1696 mS
% Solids	1.06
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>J. Ash</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01/14/26
Receiving ID#	201142604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	1057
Time out	
Received by	<i>J. Ash</i>
Sampled by	<i>Justis Colangelo</i>

LAB INFORMATION	
Compatible? (RT#)	<input checked="" type="checkbox"/>
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	7.16
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	64.9
Conductivity	12.83 mS
% Solids	6.1
Turbidity	Yes No
Color	
TSS (%)	6.1
Radiation Screen (as needed)	<input checked="" type="checkbox"/>
Lab Signature/Initials	<i>J. Ash</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01 / 14 / 26
Receiving ID#	201142605
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	16:59
Time out	
Received by	Alexis Scaif
Sampled by	Dallen M.

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	0.86
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.10
Physical Description	liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	69.9
Conductivity	258.3
% Solids	5.72
Turbidity	Yes (No)
Color	Brown
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AM SJ

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01 / 14 / 26
Receiving ID#	IP1142606
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	21:03
Time out	
Received by	Alexis Scalf
Sampled by	J. Russell

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	0.7
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.10
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes (No)
Temperature (F)	70.6
Conductivity	464.7
% Solids	0.77
Turbidity	Yes (No)
Color	Black / purple
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AR

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01 / 15 / 26
Receiving ID#	101152601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	<i>J. Ash</i>
Sampled by	<i>Jacob Line</i>

LAB INFORMATION	
Compatible? (RT#)	<i>Y</i>
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	<i>> 140</i>
pH (S.U.)	<i>5.7</i> <i>1.09</i> <i>2.8</i>
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	<i>1.09</i>
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	<i>71.5</i>
Conductivity	<i>219.0ms</i>
% Solids	<i>6.44</i>
Turbidity	Yes No
Color	
TSS (%)	<i>5.0</i>
Radiation Screen (as needed)	
Lab Signature/Initials	<i>J. Ash</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01/15/26
Receiving ID#	IO115 2607
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	1029
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>[Signature]</i> Justin Colangelo

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	7.50
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	59.5
Conductivity	17.72 ms
% Solids	1.28
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01/15/26
Receiving ID#	I01152603
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	1303
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>[Signature]</i> DUSTIN COLANGELO

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	7.43
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	59.5
Conductivity	18.86 mg
% Solids	1.05
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01 / 15 / 26
Receiving ID#	201152604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	15:24
Time out	
Received by	Alexis Sealf
Sampled by	J. Harrell

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	7.34
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.0
Physical Description	liquid
Stream Consistency	<input checked="" type="radio"/> Yes <input type="radio"/> No
Oil in Sample?	Yes <input type="radio"/> <input checked="" type="radio"/> No
Temperature (F)	57.7
Conductivity	14.36
% Solids	<0.1
Turbidity	Yes <input type="radio"/> <input checked="" type="radio"/> No
Color	Brown
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	Ali ST

RECEIVING & APPROVAL FORM


RECEIVING INFORMATION	
Date	01/ 15 /26
Receiving ID#	201152605
Manifest # Line	
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	17:00
Time out	
Received by	J. Russell
Sampled by	J. Russell


LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>40
pH (S.U.)	6.59
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	74.7
Conductivity	5.093
% Solids	0.6
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J. Russell

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01 / 15 / 26
Receiving ID#	201152606
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	10:34
Time out	
Received by	J. Harpell
Sampled by	J. Harpell
LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	7140
pH (S.U.)	6.38
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.05
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	74.8
Conductivity	497.8
% Solids	1.62
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J. Harpell

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01 / 16 / 26
Receiving ID#	IO1162601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	8:43
Time out	
Received by	
Sampled by	

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	2.26
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.09
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	59.0
Conductivity	78.05 μ S
% Solids	6.28
Turbidity	Yes No
Color	
TSS (%)	50.1
Radiation Screen (as needed)	
Lab Signature/Initials	

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01 / 16 / 26
Receiving ID#	F01162602
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	18:43
Time out	
Received by	Alexis Scelfo
Sampled by	T. Hoffell

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	0.78
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.10
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	70.1
Conductivity	335.3
% Solids	<0.1
Turbidity	Yes No
Color	Blue
TSS (%)	20.1
Radiation Screen (as needed)	
Lab Signature/Initials	ALY SJ

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01 / 19 / 26
Receiving ID#	I01192601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	9:22
Time out	
Received by	<i>JAH</i>
Sampled by	<i>Michael M A</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	0.10
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.10
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	62.2
Conductivity	> 10,000
% Solids	13.60
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>JAH</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01 / 19 / 26
Receiving ID#	I01192402
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	<i>J. Al</i>
Sampled by	<i>Jacob Line</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	0.78
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.10
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	62.5
Conductivity	> 10,000
% Solids	13.54
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>J. Al</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01/19/26
Receiving ID#	F01192603
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	Alvin Scott
Sampled by	Colin H

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	0.87
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.10
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	108.3
Conductivity	375.5
% Solids	0.01
Turbidity	Yes No
Color	Blue
TSS (%)	20.7
Radiation Screen (as needed)	
Lab Signature/Initials	Alvin Scott

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01 / 19 / 26
Receiving ID#	201192604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	21:25
Time out	
Received by	Alexis Scalf
Sampled by	J. Morrill

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	0.79
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.10
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes (No)
Temperature (F)	62.4
Conductivity	290.4
% Solids	8.13
Turbidity	Yes No
Color	Brown
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	BY EJ

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01 / 20 / 26
Receiving ID#	701202401
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	<i>J. Al</i>
Sampled by	<i>Saint Line</i>

LAB INFORMATION	
Compatible? (RT#)	F
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	7.63
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.03
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	61.5
Conductivity	22.52 <i>ms</i>
% Solids	1.58
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>J. Al</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01 / 20 / 26
Receiving ID#	201202602
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	<i>J. Ahn</i>
Sampled by	<i>Jacob Line</i>

LAB INFORMATION	
Compatible? (RT#)	Y
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	7.60
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.03
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	56.1
Conductivity	2735 μ S
% Solids	1.73
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>JAL</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01/20/26
Receiving ID#	I01202603
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	<i>J. A. H.</i>
Sampled by	<i>Jacobline</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	7.10
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	56.4
Conductivity	45.08 mg
% Solids	2.54
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>J. A. H.</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01/20/26
Receiving ID#	F01202604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	14:34
Time out	
Received by	Alexis Sealf
Sampled by	Cedric H

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>40
pH (S.U.)	7.21
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	54.5
Conductivity	61.32
% Solids	2.12
Turbidity	Yes No
Color	Brown
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AM DJ

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01/26/26
Receiving ID#	F01202605
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	19:17
Time out	
Received by	Alexis Scalf
Sampled by	Dalton M.

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	7.03
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	84.36 61.6
Conductivity	84.36
% Solids	3.20
Turbidity	Yes No
Color	Brown
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AM

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01/20/26
Receiving ID#	I01702606
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	Alexis Sealf
Sampled by	C@lin H

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.73
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.06
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes (No)
Temperature (F)	60.1
Conductivity	142.1
% Solids	0.38
Turbidity	Yes (No)
Color	Brown
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AY EJ

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01 / 21 / 26
Receiving ID#	109812107
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0658
Time out	
Received by	<i>[Signature]</i>
Sampled by	JUSTIS Coluzelo

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.90
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.056
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	101.4
Conductivity	116.8
% Solids	9.13
Turbidity	Yes No
Color	
TSS (%)	20.1
Radiation Screen (as needed)	<i>[Signature]</i>
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01 / 21 / 26
Receiving ID#	101212602
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	13:20
Time out	
Received by	
Sampled by	

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	0.98
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.05
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	64.8
Conductivity	2.511
% Solids	(0.3)
Turbidity	Yes No
Color	
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01/21/26
Receiving ID#	T01212603
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	19:57
Time out	
Received by	Alexis Scott
Sampled by	Dalton M.

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	1.09
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	66.3
Conductivity	132.5
% Solids	5.38
Turbidity	Yes No
Color	Brown
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AM

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01/21/26
Receiving ID#	F21212604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	Cicero C.
Sampled by	Colin H


LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.93
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.01
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	62.4
Conductivity	107
% Solids	6.10
Turbidity	Yes No
Color	Black
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>Colin H</i>


RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01/22/26
Receiving ID#	101222601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	5:53
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>[Signature]</i>

LAB INFORMATION	
Compatible? (RT#)	Y
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2142
pH (S.U.)	0.65
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.7
Conductivity	136.0 μS
% Solids	31.40
Turbidity	Yes No
Color	
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01/22/26
Receiving ID#	501222607
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	
Sampled by	Jacob Line

LAB INFORMATION	
Compatible? (RT#)	4
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	6.68
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.07
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	57.0
Conductivity	132.1 mS
% Solids	11.48
Turbidity	Yes No
Color	4.0 5.1
TSS (%)	4.0
Radiation Screen (as needed)	
Lab Signature/Initials	

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01/22/26
Receiving ID#	IG122263
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	9:55
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>[Signature]</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5146
pH (S.U.)	6.73
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.09
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	56.9
Conductivity	154.8 ug
% Solids	12.18
Turbidity	Yes No
Color	
TSS (%)	0.25
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01/22/26
Receiving ID#	D02222604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	17:36
Time out	
Received by	Alexis Scalf
Sampled by	Dalton M.

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.92
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.10
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes (No)
Temperature (F)	62.0
Conductivity	218.3
% Solids	13.35
Turbidity	Yes (No)
Color	Black
TSS (%)	0.5
Radiation Screen (as needed)	
Lab Signature/Initials	AS

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01/22/26
Receiving ID#	D01222605
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	21:05
Time out	
Received by	Alexis Scalf
Sampled by	Danton M.

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.74
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.10
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes (No)
Temperature (F)	63.8
Conductivity	154.3
% Solids	13.01
Turbidity	Yes (No)
Color	Black
TSS (%)	0.25
Radiation Screen (as needed)	
Lab Signature/Initials	AS

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01/23/26
Receiving ID#	701232501
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0619
Time out	
Received by	<i>[Signature]</i>
Sampled by	Justin Colonsello

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	6.69
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.10
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	61.7
Conductivity	169.8 μ S
% Solids	1508
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01/23/26
Receiving ID#	FO1232602
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>Justin C. Longelo</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2240
pH (S.U.)	6.40
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.09
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	60.6
Conductivity	150.7
% Solids	12.44
Turbidity	Yes No
Color	
TSS (%)	20.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01/23/26
Receiving ID#	J01232603
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	12:39
Time out	
Received by	Alvis Scalf
Sampled by	A. Wallace

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	5740
pH (S.U.)	0.96
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.06
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes <input checked="" type="checkbox"/> No
Temperature (F)	65.6
Conductivity	>10,000
% Solids	5.18
Turbidity	Yes <input checked="" type="checkbox"/> No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	Aly SJ.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01/23/26
Receiving ID#	501232604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	17:10
Time out	
Received by	Alexis Scott
Sampled by	J. HOFFER

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	0.74
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.09
Physical Description	liquid
Stream Consistency	<input checked="" type="radio"/> Yes <input type="radio"/> No
Oil in Sample?	Yes <input checked="" type="radio"/> No
Temperature (F)	64.5
Conductivity	308.6
% Solids	1.14
Turbidity	Yes <input checked="" type="radio"/> No
Color	Brown
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AH SP

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01 / 23 / 26
Receiving ID#	201232609
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	20:53
Time out	
Received by	Alexis Scott
Sampled by	J. Martelli

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.80
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.05
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes (No)
Temperature (F)	57.6
Conductivity	105.4
% Solids	<0.1
Turbidity	Yes (No)
Color	Black
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	ALY SJ.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01/26/26
Receiving ID#	I 01262601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0645
Time out	
Received by	<i>[Signature]</i>
Sampled by	Justin Colquhoun

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2190
pH (S.U.)	2.41
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	62.3
Conductivity	6653 μ S
% Solids	4.74
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01/26/26
Receiving ID#	201262602
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	10:17
Time out	
Received by	<i>J. AD</i>
Sampled by	<i>A. W. [Signature]</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	7.57
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.03
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	58.2
Conductivity	56.77 mS
% Solids	2.80
Turbidity	Yes No
Color	
TSS (%)	<i>2.0</i>
Radiation Screen (as needed)	<i>[Signature]</i>
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01/26/26
Receiving ID#	101262403
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	11:53
Time out	
Received by	<i>J. Ash</i>
Sampled by	<i>Matt M. A.</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	2.54
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.03
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	61.6
Conductivity	49.90
% Solids	3.06
Turbidity	Yes No
Color	
TSS (%)	10.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>J. Ash</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01 / 26 / 26
Receiving ID#	101262604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	13:33
Time out	
Received by	<i>J. A. [Signature]</i>
Sampled by	<i>[Signature]</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	51.40
pH (S.U.)	7.77
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.03
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	54.3
Conductivity	40.21 <i>ms</i>
% Solids	1.01
Turbidity	Yes No
Color	
TSS (%)	
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01/26/26
Receiving ID#	101262605
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	17:55
Time out	
Received by	Alexis Scott
Sampled by	J. HOFFEL

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	0.69
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.08
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	61.7
Conductivity	282.2
% Solids	8.14
Turbidity	Yes No
Color	Brown
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	Aly EJ

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01/26/26
Receiving ID#	F01262606
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	21:15
Time out	
Received by	Alexis Scalf
Sampled by	Colin H.

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	0.86
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.06
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	54.8
Conductivity	343.9
% Solids	7.72
Turbidity	Yes No
Color	Brown
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01 / 27 / 26
Receiving ID#	IO1272401
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	05:58
Time out	
Received by	Jaublin
Sampled by	Jaublin

LAB. INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	0.66
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.08
Physical Description	liquid
Stream Consistency	<input checked="" type="radio"/> Yes <input type="radio"/> No
Oil in Sample?	Yes <input checked="" type="radio"/> No
Temperature (F)	46.3
Conductivity	292.4
% Solids	8.82%
Turbidity	<input checked="" type="radio"/> Yes <input type="radio"/> No
Color	cloudy brown
TSS (%)	20.1
Radiation Screen (as needed)	neg.
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01/27/26
Receiving ID#	I01272602
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0816
Time out	
Received by	<i>[Signature]</i>
Sampled by	Justin Colangelo

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	7.84
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.01
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	45.7
Conductivity	>10,000
% Solids	2.25
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01 / 27 / 26
Receiving ID#	I01272603
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	10:35
Time out	
Received by	J. Al
Sampled by	Jacobline

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	7.85
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.00
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	54.1
Conductivity	570,000
% Solids	1.49
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J. Al

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01/27/26
Receiving ID#	101222604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	12:33
Time out	
Received by	<i>J. Ahn</i>
Sampled by	<i>Michael M. A.</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2148
pH (S.U.)	7.76
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.00
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	51.4
Conductivity	2728
% Solids	1.44
Turbidity	Yes No
Color	
TSS (%)	<0
Radiation Screen (as needed)	
Lab Signature/Initials	<i>J. Ahn</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01 / 27 / 26
Receiving ID#	101272605
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	14:00
Time out	
Received by	Alexis Scalf
Sampled by	J. MONTPELLI

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	7.91
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.0
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes <input checked="" type="radio"/> No <input type="radio"/>
Temperature (F)	52.5
Conductivity	24.95
% Solids	1.03
Turbidity	Yes <input type="radio"/> No <input checked="" type="radio"/>
Color	Black
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AM ET

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01/27/26
Receiving ID#	I01272606
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	15:42
Time out	
Received by	Alexis Scalf
Sampled by	Colin H

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	7.83
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.0
Physical Description	liquid
Stream Consistency	<input checked="" type="radio"/> Yes No
Oil in Sample?	Yes <input checked="" type="radio"/> No
Temperature (F)	52.8
Conductivity	24.79
% Solids	1.18
Turbidity	Yes <input checked="" type="radio"/> No
Color	Black/DRK Brown
TSS (%)	20.1
Radiation Screen (as needed)	
Lab Signature/Initials	Ali S

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01 / 27 / 26
Receiving ID#	Id272607
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	18:25
Time out	
Received by	Alexis Scalf
Sampled by	Dalton M.

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	7.14
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.0
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	106.5
Conductivity	20.62
% Solids	1.55
Turbidity	Yes No
Color	Dark Brown/Black
TSS (%)	10.1
Radiation Screen (as needed)	
Lab Signature/Initials	AY SJ

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01 / 27 / 26
Receiving ID#	201272608
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	20:12
Time out	
Received by	Alexis Scalf
Sampled by	J. HOSSELL

LAB. INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	6.26
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.0
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.8
Conductivity	18.14
% Solids	<0.1
Turbidity	Yes No
Color	Dark Brown
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	But ST

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01 / 28 / 26
Receiving ID#	J01282601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	<i>JAH</i>
Sampled by	<i>Jacob Line</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	7.10
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.01
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	59.1
Conductivity	40.11 μm
% Solids	1.16
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>JAH</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01 / 28 / 26
Receiving ID#	101282602
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	08:35
Time out	
Received by	<i>J. A. Jacobine</i>
Sampled by	<i>J. A. Jacobine</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	7.27
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.00
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	57.0
Conductivity	30.05 mg
% Solids	1.40
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	<i>J. A. Jacobine</i>
Lab Signature/Initials	<i>J. A. Jacobine</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01 / 28 / 26
Receiving ID#	I01782603
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	1504
Time out	
Received by	Justis Colangelo
Sampled by	Justis Colangelo

LAB INFORMATION	
Compatible? (RT#)	Y
PCBs (ppm) (Oily Waste Only)?	NIA
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	0.84
Cyanides? (mg/L)	<30
Sulfides? (ppm)?	<200
Specific Gravity	1.04
Physical Description	LIQUID
Stream Consistency	Yes No
Oil in Sample?	Yes (No)
Temperature (F)	63.4
Conductivity	182.5
% Solids	6.7%
Turbidity	Yes No
Color	Light Gray
TSS (%)	20.1
Radiation Screen (as needed)	Neg
Lab Signature/Initials	Justis

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01/28/26
Receiving ID#	I01282604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	21:38
Time out	
Received by	J. Marshall
Sampled by	J. Marshall


LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	7140
pH (S.U.)	0.71
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	1.02
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	57.2
Conductivity	205.2
% Solids	8.0
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J. Marshall


RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01/29 / 26
Receiving ID#	101292601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	AS 0611
Time out	
Received by	<i>[Signature]</i>
Sampled by	Justin Colasely

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	0.37
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.7
Conductivity	196.5 us
% Solids	9.85
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01 / 29 / 26
Receiving ID#	I01292602
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0:55
Time out	
Received by	
Sampled by	Justin G. Wenzel


LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	0.75
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.03
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	66.0
Conductivity	252.8 mS
% Solids	11.47
Turbidity	Yes No
Color	
TSS (%)	20.1
Radiation Screen (as needed)	
Lab Signature/Initials	


RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01/29/26
Receiving ID#	I01292603
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	1043
Time out	
Received by	<i>[Signature]</i>
Sampled by	Justin Colangelo

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	7.45
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.03
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	56.5
Conductivity	37.33 mS
% Solids	4.55
Turbidity	Yes No
Color	
TSS (%)	20.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01/29/26
Receiving ID#	I01292604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	12:41
Time out	
Received by	
Sampled by	Justice Counselor

LAB INFORMATION	
Compatible? (RT#)	-1
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	0.35
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.10
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.3
Conductivity	328.6 uS
% Solids	17.16
Turbidity	Yes No
Color	
TSS (%)	40.5
Radiation Screen (as needed)	
Lab Signature/Initials	

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01/29/26
Receiving ID#	I01292605
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	14:31
Time out	
Received by	<i>J. A. [Signature]</i>
Sampled by	<i>Dickson M.</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	7140
pH (S.U.)	7.55
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.03
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	59.8
Conductivity	34.68 m
% Solids	<0.1
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01/29/26
Receiving ID#	F01292605
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	16:39
Time out	
Received by	J. HOFFER
Sampled by	J. HOFFER

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	7.74
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	60.7
Conductivity	127.2
% Solids	2.0
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J. HOFFER

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01/29/26
Receiving ID#	201292607
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	18:00
Time out	
Received by	J. Maffell
Sampled by	J. Maffell

LAB. INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	7.62
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	66.7
Conductivity	29.73
% Solids	2.0
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J. Maffell

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01/29/26
Receiving ID#	I01292608
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	2:05
Time out	
Received by	J. Harpell
Sampled by	J. Harpell

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	0.51
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.10
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	61.2
Conductivity	301.5
% Solids	12.0
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J. Harpell

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01 / 30 / 26
Receiving ID#	101302601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	06:35
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>[Signature]</i> Dawblie

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	7.36
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	60.1
Conductivity	27.79 <i>[initials]</i>
% Solids	1.62
Turbidity	Yes No
Color	
TSS (%)	2.05
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01/30/26
Receiving ID#	I01302602
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0850
Time out	
Received by	<i>J. Colase</i>
Sampled by	<i>Justin Colase</i>

LAB INFORMATION	
Compatible? (RT#)	<input checked="" type="checkbox"/>
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	7.40
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	57.1
Conductivity	29.85ms
% Solids	1.53
Turbidity	Yes No
Color	
TSS (%)	10.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>J. Colase</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01 / 30 / 26
Receiving ID#	J01302603
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	11:00
Time out	
Received by	<i>J. Al</i>
Sampled by	<i>Jacobine</i>

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	2.45
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.03
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	59.6
Conductivity	33.72 mS
% Solids	1.03
Turbidity	Yes No
Color	
TSS (%)	10.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>J. Al</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01 / 30 / 26
Receiving ID#	101302604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	12:57
Time out	
Received by	J. HOFFER
Sampled by	Jacob Line

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	7.65
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	70.3
Conductivity	27.73
% Solids	50.1
Turbidity	Yes No
Color	
TSS (%)	50.1
Radiation Screen (as needed)	
Lab Signature/Initials	J. HOFFER

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01 / 30 / 26
Receiving ID#	201302605
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	14.42
Time out	
Received by	J. HASSPILL
Sampled by	J. HASSPILL

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	7140
pH (S.U.)	7.63
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	70.7
Conductivity	28.36
% Solids	1.0
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J. HASSPILL

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	01 / 30 / 26
Receiving ID#	F01302606
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	18:00
Time out	
Received by	J. HARTPILL
Sampled by	J. HARTPILL

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	714.0
pH (S.U.)	9.84
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.10
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.8
Conductivity	198.3
% Solids	14.0
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J. HARTPILL



Sustainability in Action

UIC Permit Condition Part II.D.1. (i):

F039 Results



ANALYTICAL REPORT

PREPARED FOR

Attn: Kristina Revels
Republic Industrial and Energy Solutions
28470 Citrin Dr
Romulus, Michigan 48174

Generated 2/10/2026 3:08:57 PM

JOB DESCRIPTION

Republic Industrial & Energy Solutions - F039

JOB NUMBER

190-38998-1


Eurofins Michigan

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Generated
2/10/2026 3:08:57 PM

Authorized for release by
Mariah Witas, Project Manager
Mariah.Witas@et.eurofinsus.com
(234)350-9477



Table of Contents

Cover Page	1
Table of Contents	3
Sample Summary	4
Case Narrative	5
Client Sample Results	6
QC Sample Results	7
Definitions/Glossary	9
Chain of Custody	10
Isotope Dilution Summary	18

Sample Summary

Client: Republic Industrial and Energy Solutions
Project/Site: Republic Industrial & Energy Solutions - F039

Job ID: 190-38998-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
190-38998-1	F039 Jan 2026 Comp	Water	01/30/26 00:00	02/03/26 14:00	Michigan

1

2

3

4

5

6

7

8

9

Case Narrative

Client: Republic Industrial and Energy Solutions
Project: Republic Industrial & Energy Solutions - F039

Job ID: 190-38998-1

Job ID: 190-38998-1

Eurofins Michigan

Job Narrative 190-38998-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The sample was received on 2/3/2026 2:00 PM. Unless otherwise noted below, the sample arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 8.4°C.

GC/MS Semi VOA

Method 8270E: Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with preparation batch 240-689565.

Method 8270E: The following sample was diluted due to the nature of the sample matrix: F039 Jan 2026 Comp (190-38998-1). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Pesticides

Method 8081B: The following sample required a tetrabutylammonium sulfite (TBA) clean-up to reduce matrix interferences caused by sulfur: F039 Jan 2026 Comp (190-38998-1), (LCS 240-689558/2-A) and (MB 240-689558/1-A).

Method 8081B: The following sample was diluted due to the nature of the sample matrix: F039 Jan 2026 Comp (190-38998-1). As such, surrogate recoveries may be below the calibration range, and elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Dioxin

Method 8290A: Due to the matrix, the initial volume(s) used for the following sample deviated from the standard procedure: F039 Jan 2026 Comp (190-38998-1). The reporting limits (RLs) have been adjusted proportionately. 10x Dilution performed by adding 100mL of sample to 900mL DI water due to the sample's black/brown color and smell.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Michigan

Client Sample Results

Client: Republic Industrial and Energy Solutions
 Project/Site: Republic Industrial & Energy Solutions - F039

Job ID: 190-38998-1

Client Sample ID: F039 Jan 2026 Comp

Lab Sample ID: 190-38998-1

Date Collected: 01/30/26 00:00

Matrix: Water

Date Received: 02/03/26 14:00

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrosodimethylamine	<23		23	ug/L		02/05/26 09:51	02/06/26 13:19	25
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Terphenyl-d14 (Surr)	52		43 - 136			02/05/26 09:51	02/06/26 13:19	25
Phenol-d5 (Surr)	77		10 - 120			02/05/26 09:51	02/06/26 13:19	25
Nitrobenzene-d5 (Surr)	44		40 - 120			02/05/26 09:51	02/06/26 13:19	25
2-Fluorophenol (Surr)	48		10 - 127			02/05/26 09:51	02/06/26 13:19	25
2-Fluorobiphenyl (Surr)	45		41 - 120			02/05/26 09:51	02/06/26 13:19	25
2,4,6-Tribromophenol (Surr)	112		23 - 127			02/05/26 09:51	02/06/26 13:19	25

Method: SW846 8081B - Organochlorine Pesticides (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Aldrin	<0.47		0.47	ug/L		02/05/26 09:37	02/09/26 15:29	10
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl	0	S1-	10 - 137			02/05/26 09:37	02/09/26 15:29	10
Tetrachloro-m-xylene	64		10 - 120			02/05/26 09:37	02/09/26 15:29	10

Method: SW846 8290A - Dioxins and Furans (HRGC/HRMS)

Analyte	Result	Qualifier	RL	EDL	Unit	D	Prepared	Analyzed	Dil Fac
2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD)	<100		100		pg/L		02/06/26 13:36	02/10/26 02:20	1
1,2,3,4,7,8-HxCDD	<500		500		pg/L		02/06/26 13:36	02/10/26 02:20	1
1,2,3,6,7,8-HxCDD	<500		500		pg/L		02/06/26 13:36	02/10/26 02:20	1
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin	<500		500		pg/L		02/06/26 13:36	02/10/26 02:20	1
1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin	<1000		1000		pg/L		02/06/26 13:36	02/10/26 02:20	1
1,2,3,4,6,7,8,9-Octachlorodibenzofuran	<1000		1000		pg/L		02/06/26 13:36	02/10/26 02:20	1
Isotope Dilution	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C-2,3,7,8-TCDD	61		40 - 135				02/06/26 13:36	02/10/26 02:20	1
13C-1,2,3,4,7,8-HxCDD	53		40 - 135				02/06/26 13:36	02/10/26 02:20	1
13C-1,2,3,6,7,8-HxCDD	71		40 - 135				02/06/26 13:36	02/10/26 02:20	1
13C-OCDD	61		40 - 135				02/06/26 13:36	02/10/26 02:20	1
13C-OCDF	52		40 - 135				02/06/26 13:36	02/10/26 02:20	1

QC Sample Results

Client: Republic Industrial and Energy Solutions
 Project/Site: Republic Industrial & Energy Solutions - F039

Job ID: 190-38998-1

Method: 8270E - Semivolatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-689565/1-A
Matrix: Water
Analysis Batch: 689648

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 689565

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrosodimethylamine	<1.0		1.0	ug/L		02/05/26 09:51	02/06/26 08:45	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Terphenyl-d14 (Surr)	94		43 - 136			02/05/26 09:51	02/06/26 08:45	1
Phenol-d5 (Surr)	60		10 - 120			02/05/26 09:51	02/06/26 08:45	1
Nitrobenzene-d5 (Surr)	64		40 - 120			02/05/26 09:51	02/06/26 08:45	1
2-Fluorophenol (Surr)	65		10 - 127			02/05/26 09:51	02/06/26 08:45	1
2-Fluorobiphenyl (Surr)	77		41 - 120			02/05/26 09:51	02/06/26 08:45	1
2,4,6-Tribromophenol (Surr)	73		23 - 127			02/05/26 09:51	02/06/26 08:45	1

Lab Sample ID: LCS 240-689565/2-A
Matrix: Water
Analysis Batch: 689648

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 689565

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Nitrosodimethylamine	32.0	15.4		ug/L		48	10 - 120
Surrogate	%Recovery	Qualifier	Limits				
Terphenyl-d14 (Surr)	87		43 - 136				
Phenol-d5 (Surr)	84		10 - 120				
Nitrobenzene-d5 (Surr)	69		40 - 120				
2-Fluorophenol (Surr)	113		10 - 127				
2-Fluorobiphenyl (Surr)	79		41 - 120				
2,4,6-Tribromophenol (Surr)	80		23 - 127				

Method: 8081B - Organochlorine Pesticides (GC)

Lab Sample ID: MB 240-689558/1-A
Matrix: Water
Analysis Batch: 689844

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 689558

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Aldrin	<0.013		0.013	ug/L		02/05/26 09:37	02/09/26 14:43	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl	87		10 - 137			02/05/26 09:37	02/09/26 14:43	1
Tetrachloro-m-xylene	69		10 - 120			02/05/26 09:37	02/09/26 14:43	1

Lab Sample ID: LCS 240-689558/2-A
Matrix: Water
Analysis Batch: 689844

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 689558

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Aldrin	0.250	0.225		ug/L		90	23 - 139
Surrogate	%Recovery	Qualifier	Limits				
DCB Decachlorobiphenyl	92		10 - 137				

Eurofins Michigan

QC Sample Results

Client: Republic Industrial and Energy Solutions
 Project/Site: Republic Industrial & Energy Solutions - F039

Job ID: 190-38998-1

Method: 8081B - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: LCS 240-689558/2-A
Matrix: Water
Analysis Batch: 689844

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 689558

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
Tetrachloro-m-xylene	70		10 - 120

Method: 8290A - Dioxins and Furans (HRGC/HRMS)

Lab Sample ID: MB 140-110486/8-A
Matrix: Water
Analysis Batch: 110555

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 110486

Analyte	MB MB		RL	EDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD)	<10		10		pg/L		02/06/26 13:36	02/10/26 00:19	1
1,2,3,4,7,8-HxCDD	<50		50		pg/L		02/06/26 13:36	02/10/26 00:19	1
1,2,3,6,7,8-HxCDD	<50		50		pg/L		02/06/26 13:36	02/10/26 00:19	1
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin	<50		50		pg/L		02/06/26 13:36	02/10/26 00:19	1
1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin	<100		100		pg/L		02/06/26 13:36	02/10/26 00:19	1
1,2,3,4,6,7,8,9-Octachlorodibenzofuran	<100		100		pg/L		02/06/26 13:36	02/10/26 00:19	1
Isotope Dilution	MB MB		Limits				Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier							
13C-2,3,7,8-TCDD	72		40 - 135				02/06/26 13:36	02/10/26 00:19	1
13C-1,2,3,4,7,8-HxCDD	66		40 - 135				02/06/26 13:36	02/10/26 00:19	1
13C-1,2,3,6,7,8-HxCDD	78		40 - 135				02/06/26 13:36	02/10/26 00:19	1
13C-OCDD	60		40 - 135				02/06/26 13:36	02/10/26 00:19	1
13C-OCDF	57		40 - 135				02/06/26 13:36	02/10/26 00:19	1

Lab Sample ID: LCS 140-110486/7-A
Matrix: Water
Analysis Batch: 110555

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 110486

Analyte	Spike Added	LCS LCS		Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD)	200	161		pg/L		81	77 - 127
1,2,3,4,7,8-HxCDD	1000	1020		pg/L		102	73 - 123
1,2,3,6,7,8-HxCDD	1000	1050		pg/L		105	72 - 127
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin	1000	1110		pg/L		111	76 - 126
1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin	2000	1920		pg/L		96	75 - 125
1,2,3,4,6,7,8,9-Octachlorodibenzofuran	2000	2010		pg/L		101	68 - 132
Isotope Dilution	LCS LCS		Limits				
	%Recovery	Qualifier					
13C-2,3,7,8-TCDD	68		40 - 135				
13C-1,2,3,4,7,8-HxCDD	60		40 - 135				
13C-1,2,3,6,7,8-HxCDD	68		40 - 135				
13C-OCDD	60		40 - 135				
13C-OCDF	57		40 - 135				

Definitions/Glossary

Client: Republic Industrial and Energy Solutions
Project/Site: Republic Industrial & Energy Solutions - F039

Job ID: 190-38998-1

Qualifiers

GC Semi VOA

Qualifier	Qualifier Description
S1-	Surrogate recovery exceeds control limits, low biased.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count



Environment Testing
TestAmerica

SDS or Known Hazard Information Supplied by Client

Discrepancies

Short Hold

Rush 24 Hr 2-Day 3-Day 5-Day Other:

Receipt Evaluation Performed by: Initials: RL Date: 2/3 Time: 14:00

Client ID: RELS

Work Order #: 38998

Cooler / Sample Receipt

After hours receipt: complete gray areas. Place cooler in walk-in, place

form in Receiving box. Date: _____ Time: _____

Method of Shipment:

Walk-In Client Eurofins TA Field/Courier

Other Client / 3rd Party Courier: _____

Fed Ex Tracking #: _____

UPS Tracking #: _____

Other: _____

Shipping Container Type:

Cooler Box

None Other: _____

Packing Materials:

Plastic Bags Foam

Bubble Wrap Paper

Packing Peanuts None

Other: _____

Custody Seals Intact:

Yes No

NA (not used or required)

Cooling Materials:

Ice (Solid) Ice (Melted)

Blue Ice None

Other: _____

Bacteriological Samples	Temp Corrected (°C)	Frozen?		Rec'd Within 2 Hrs?		Sample Flagged?	
		Yes	No	Yes	No	Yes	No

Received on same day sampled? Yes No

Additional Sheets Required? Yes No

Receipt Temperatures

Thermometer ID	Observed (°C)	Corrected (°C)	Temp Blank	Sample Temp	Acceptable	Cooler ID	Affected Samples
CP313207	8.4	8.4		✓	Y N		
					Y N		
					Y N		

Receipt Questions**	Y	N	NA	"No" answers require additional comment
CoC present and ETA receipt signature, date, and time properly documented?	✓			
Containers and Labels in good condition? (unbroken, not leaking, appropriately filled, labels legible & attached)	✓			
Appropriate containers used and adequate volume provided?	✓			Preserved bottles checked for pH? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Number of sample containers match CoC?	✓			pH strip lot # _____
Samples received within hold?	✓			
Samples submitted for GRO and Volatiles analysis (8260, 624, 524) received without headspace?			✓	
Was a Trip Blank received with VOA samples?			✓	
Were the samples free of any questionable physical conformities? (i.e., field duplicates or multiple bottles of the same sample do not significantly vary in appearance - color, solid proportions, etc.)	✓			
Were the CoC bottle labels and all other items free of all other discrepancies or issues that would need to be addressed with the Project Manager and/or Client?	✓			

Client Contact Record

Contact Via: Phone Email Other: _____ Person Contacted: _____ Date/Time: _____

Discrepancy allowance agreement is on record in the client project file

Discussion / Resolution

Any additional documentation and clarification from the client must be noted in the narrative and/or scanned into the CoC directory.

Reviewed by [Signature] Date: 2/3/26

WI-MI-010_020720

Chain of Custody Record



Client Information (Sub Contract Lab)		Sampler: N/A	Lab PM: Witas, Mariah J	Carrier Tracking No(s): N/A	COC No: 320-393011.1
Shipping/Receiving		Phone: N/A	E-Mail: Mariah.Witas@et.eurofins.com	State of Origin: Michigan	Page: Page 1 of 1
Company: TestAmerica Laboratories, Inc.		Accreditations Required (See note): N/A		Job #: 190-38998-1	Preservation Codes:
Address: 5815 Middlebrook Pike, Knoxville		Due Date Requested: 2/10/2026	Analysis Requested		
City: Knoxville		TAT Requested (days): N/A			
State, Zip: TN, 37921		PO #: N/A			
Phone: 865-291-3000(Tel) 865-584-4315(Fax)		VO #: N/A			
Email: N/A		Project #: 19001517	Field Filtered Sample (Yes or No): <input checked="" type="checkbox"/>	Perform MS/MSD (Yes or No): <input checked="" type="checkbox"/>	8290A/8290_P_SepDIOXINS Project List Knox
Project Name: Republic Industrial & Energy Solutions - F039		Site: N/A	Sample Date: 1/30/26	Sample Time: Eastern	Sample Type (C=Comp, G=grab): G
Matrix (W=water, S=solid, O=water/oli):		Preservation Code: X	Matrix: Water	Total Number of Containers: 2	
Sample Identification - Client ID (Lab ID): F039 Jan 2026 Comp (190-38998-1)		Special Instructions/Note: 190-38998 Chain of Custody			

Note: Since laboratory accreditations are subject to change, Eurofins Environment Testing Northern California, LLC places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed, the samples must be shipped back to the Eurofins Environment Testing Northern California, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Environment Testing Northern California, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Environment Testing Northern California, LLC.

Possible Hazard Identification
 Unconfirmed
 Deliverable Requested: I, II, III, IV, Other (specify) Primary Deliverable Rank: 2

Empty Kit Relinquished by: _____ Date: _____
 Relinquished by: *DSM* Date: 02/05/24 1530 Company: *ETS*
 Relinquished by: _____ Date/Time: _____ Company: _____
 Relinquished by: _____ Date/Time: _____ Company: _____

Custody Seals Intact: Yes No
 Cooler Temperature(s) °C and Other Remarks: _____

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
 Return To Client Disposal By Lab Archive For _____ Months
 Special Instructions/QC Requirements: _____

Method of Shipment: _____
 Date/Time: _____
 Date/Time: 2/6/26 11:00 Company: *ELUX*
 Date/Time: _____ Company: _____
 Date/Time: _____ Company: _____



EUROFINS KNOXVILLE SAMPLE RECEIPT/CONDITION UPON RECEIPT ANOMALY CHECKLIST Log In Number:

Review Items	Yes	No	NA	If No, what was the problem?	Comments/Actions Taken
1. Are the shipping containers intact?	<input checked="" type="checkbox"/>				
2. Were ambient air containers received intact?			<input checked="" type="checkbox"/>	Containers, Broken	
3. The coolers/containers custody seal if present, is it intact?	<input checked="" type="checkbox"/>			Checked in lab Yes NA	Custody Seals Intact Received at AT: 0.7, 0.1, 0.1, 0.1, 2.6°C DH 2/4/26 4 Coolers FedEx 4856 6874 8754M70
4. Is the cooler temperature within limits? (> freezing temp. of water to 6°C, VOST: 10°C) Thermometer ID: <u>5477</u> Correction factor: <u>+0.1°C</u>	<input checked="" type="checkbox"/>			Cooler Out of Temp, Client Contacted, Proceed/Cancel Cooler Out of Temp, Same Day Receipt	B. 885-39060-M-2 885-39060-L-1 8. 310-328724-H-2 310-328724-T-2
5. Were all of the sample containers received intact?	<input checked="" type="checkbox"/>			Containers, Broken	
6. Were samples received in appropriate containers?	<input checked="" type="checkbox"/>			Containers, Improper; Client Contacted; Proceed/Cancel	RC INC
7. Do sample container labels match COC? (IDs, Dates, Times)	<input checked="" type="checkbox"/>			COC & Samples Do Not Match COC Incorrect/Incomplete COC Not Received	pH 7
8. Were all of the samples listed on the COC received?	<input checked="" type="checkbox"/>			Sample Received, Not on COC Sample on COC, Not Received COC; No Date/Time; Client Contacted	
9. Is the date/time of sample collection noted?	<input checked="" type="checkbox"/>				
10. Was the sampler identified on the COC?	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	Sampler Not Listed on COC	
11. Is the client and project name/# identified?	<input checked="" type="checkbox"/>			COC Incorrect/Incomplete	
12. Are tests/parameters listed for each sample?	<input checked="" type="checkbox"/>			COC No tests on COC	pH test strip LIMS number: 850490
13. Is the matrix of the samples noted?	<input checked="" type="checkbox"/>			COC Incorrect/Incomplete	
14. Was COC relinquished? (Signed/Dated/Timed)	<input checked="" type="checkbox"/>			COC Incorrect/Incomplete	
15. Were samples received within holding time?	<input checked="" type="checkbox"/>				Box 16A: pH Preservation Box 18A: Residual Chlorine
16. Were samples received with correct chemical preservative (excluding Encore)?				Holding Time - Receipt pH Adjusted, pH Included (See box 16A) Incorrect Preservative	Preservative: LIMS Number: Exp Date: Analyst: Date: Time:
17. Were VOA samples received without headspace?	<input checked="" type="checkbox"/>			Headspace (VOA only) Residual Chlorine	
18. Did you check for residual chlorine, if necessary? (e.g. 1613B, 1668) Chlorine test strip LIMS container number: <u>85L904</u>	<input checked="" type="checkbox"/>				
19. For 1613B water samples is pH<9?	<input checked="" type="checkbox"/>				
20. For rad samples was sample activity info. Provided?	<input checked="" type="checkbox"/>			If no, notify lab to adjust Project missing info	
Project #: <u>19001517</u> PM Instructions:					

Sample Receiving Associate: Dan Hunt Date: 2/4/26
QA026R34.doc, 10/24/25



Eurofins Michigan

38855 Hills Tech Dr. Suite 600
Farmington Hills, MI 48331
Phone: 810-229-2763 Fax: 810-229-0000

Chain of Custody Record



Environment Testing

Client Information (Sub Contract Lab)		Sampler: N/A		Lab PM: Witas, Mariah J		Carrier Tracking No(s): N/A		COC No: 190-44334.1																					
Client Contact: Shipping/Receiving		Phone: N/A		E-Mail: Mariah.Witas@et.eurofinsus.com		State of Origin: Michigan		Page: Page 1 of 1																					
Company: Eurofins Environment Testing North Centr				Accreditations Required (See note): N/A				Job #: 190-38998-1																					
Address: 180 S. Van Buren Avenue, Barberton, OH, 44203		Due Date Requested: 2/16/2026		Analysis Requested						Preservation Codes:																			
City: Barberton		TAT Requested (days): N/A								Field Filtered Sample (Yes or No)		Perform MS/MSD (Yes or No)		Other: N/A															
State, Zip: OH, 44203		PO #: N/A								8081B/3510C_L1VALDRIN		8270E/3510C_L1VINITROSODIMETHYLAMINE LV1		F106															
Phone: 330-497-9396(Tel) 330-497-0772(Fax)		WO #: N/A								Total Number of containers																			
Email: N/A		Project #: 19001517																											
Project Name: Republic Industrial & Energy Solutions - F039		SSOW#: N/A		Sample Identification - Client ID (Lab ID)		Sample Date		Sample Time		Sample Type (C=comp, G=grab)		Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air)		Preservation Code:		Special Instructions/Note:													
Site: N/A				F039 Jan 2026 Comp (190-38998-1)		1/30/26		Eastern		G		Water		X		X		4		Nitrosodimethylamine in the analyte list									
<p>Note: Since laboratory accreditations are subject to change, Eurofins Environment Testing North Central, LLC places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/tests/matrix being analyzed, the samples must be shipped back to the Eurofins Environment Testing North Central, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Environment Testing North Central, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Environment Testing North Central, LLC.</p>																													
Possible Hazard Identification										Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)																			
Unconfirmed										<input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months																			
Deliverable Requested: I, II, III, IV, Other (specify)					Primary Deliverable Rank: 2					Special Instructions/QC Requirements:																			
Empty Kit Relinquished by:					Date:					Time:					Method of Shipment:														
Relinquished by:					Date/Time: 2/3/26 14:10					Company:					Received by: CHRIS ROAN					Date/Time: 2/4/26 8:00					Company: EC				
Relinquished by:					Date/Time:					Company:					Received by:					Date/Time:					Company:				
Relinquished by:					Date/Time:					Company:					Received by:					Date/Time:					Company:				
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No.:		Page 14 of 18										Cooler Temperature(s) °C and Other Remarks:															

1
2
3
4
5
6
7
8
9

Eurofins - Cleveland Sample Receipt Form/Narrative Login # _____

Barberton Facility

Client Eurofins Site Name _____

Cooler Received on 2/4/26 Opened on 2/4/26

Cooler unpacked by:
CHRIS ROAN

FedEx 1st Grd Exp UPS FAS Waypoint Client Drop Off Eurofins Courier Other _____

Receipt After-hours Drop-off Date/Time _____ Storage Location _____

Eurofins Cooler # EC Foam Box Client Cooler Box Other _____

Packing material used Bubble Wrap Foam Plastic Bag None Other _____

COOLANT: Wet Ice Blue Ice Dry Ice Water None

1 Cooler temperature upon receipt See Multiple Cooler Form

IR GUN # _____ (CR) _____ (C) Observed Cooler Temp. _____ °C Corrected Cooler Temp _____ °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 2

-Were the seals on the outside of the cooler(s) signed & dated? Yes No NA

-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No NA

-Were tamper/custody seals intact and uncompromised? Yes No NA

3 Shippers' packing slip attached to the cooler(s)? Yes No

4. Did custody papers accompany the sample(s)? Yes No

5 Were the custody papers relinquished & signed in the appropriate place? Yes No

6 Was/were the person(s) who collected the samples clearly identified on the COC? Yes No

7 Did all bottles arrive in good condition (Unbroken)? Yes No

8 Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No

9 For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? Yes No

10 Were correct bottle(s) used for the test(s) indicated? Yes No

11 Sufficient quantity received to perform indicated analyses? Yes No

12 Are these work share samples and all listed on the COC? Yes No

If Yes, Questions 13-17 have been checked at the originating laboratory

13 Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HCC567196

14 Were VOAs on the COC? Yes No

15 Were air bubbles >6 mm in any VOA vials? ~~Yes~~ Larger than this

16 Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # _____ Yes No

17 Was a LLHg or Me Hg trip blank present? Yes No

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____

Concerning _____

Labeled by: _____
Labels Verified by: _____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES additional next page

19. SAMPLE CONDITION

Sample(s) _____ were received after the recommended holding time had expired.

Sample(s) _____ were received in a broken container

Sample(s) _____ were received with bubble >6 mm in diameter (Notify PM)

20. SAMPLE PRESERVATION

Sample(s) _____ were further preserved in the laboratory

Time preserved _____ Preservative(s) added/Lot number(s) _____

VOA Sample Preservation - Date/Time VOAs Frozen _____

Isotope Dilution Summary

Client: Republic Industrial and Energy Solutions
Project/Site: Republic Industrial & Energy Solutions - F039

Job ID: 190-38998-1

Method: 8290A - Dioxins and Furans (HRGC/HRMS)

Matrix: Water

Prep Type: Total/NA

Percent Isotope Dilution Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	TCDD	HxCDD	HxDD	OCDD	OCDF
		(40-135)	(40-135)	(40-135)	(40-135)	(40-135)
190-38998-1	F039 Jan 2026 Comp	61	53	71	61	52
LCS 140-110486/7-A	Lab Control Sample	68	60	68	60	57
MB 140-110486/8-A	Method Blank	72	66	78	60	57

Surrogate Legend

TCDD = 13C-2,3,7,8-TCDD

HxCDD = 13C-1,2,3,4,7,8-HxCDD

HxDD = 13C-1,2,3,6,7,8-HxCDD

OCDD = 13C-OCDD

OCDF = 13C-OCDF