



5/19/2026

VIA FEDERAL EXPRESS

Tera Fong, Director
Water Division
US EPA, Region 5
UIC Section, (WP-16J)
77 West Jackson Boulevard
Chicago, Illinois 60604-3590

SUBJECT: Well #1-12, UIC PERMIT MI-163-1W-C010 and Well #2-12, UIC Permit MI-163-1W-C011
Republic Industrial and Energy Solutions, LLC. Class 1 Hazardous
Wayne County, Michigan
April Monthly Report

In accordance with the Class 1 Hazardous Underground Injection Well Permits MI-163-1W-C010 and MI-163-1W-C011, Republic Industrial and Energy Solutions, LLC (RIES) located in Wayne County, Michigan is submitting its Monthly Report demonstrating compliance with permit requirements. The attached information is provided in the same sequence as required by both subject permits in Part II D.1. (a-i) and Part III Attachment A, Part III Attachment E(G)(2) and E(I).

I certify under penalty of law that this document and all attachments were prepared under my supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry into the person or persons who manage the system, or those directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Should you have any questions regarding this report, please contact me at [krevels@republicservices.com](mailto:kreveles@republicservices.com) or (734) 664-6075.

Sincerely,

A handwritten signature in black ink, appearing to read "Kristina Revels".

Kristina Revels
Environmental Compliance Manager

Enclosures



Sustainability in Action

TABLE OF CONTENTS

Summary.....	1
Average Injection Rate.....	2
Well 1 Data.....	4
Well 2 Data.....	9
Annulus System.....	14
Corrosion Monitoring.....	19
Maintenance.....	23
Injection Fingerprints.....	25
F039 Results.....	191



Sustainability in Action

Summary

Wells #1-12 and #2-12 were operated in accordance with the requirements of MI-163-1W-C010 and MI-163-1W-C011, during the reporting month. A summary table of the total monthly and year-to-date volumes of fluids injected into the wells is provided below.

Year	Month	Well #1-12	Well #2-12	Per Month	Cumulative
2025	May	925,240	904,804	1,830,044	8,094,096
2025	June	470,712	1,097,272	1,567,984	9,662,080
2025	July	0	1,587,120	1,587,120	11,249,200
2025	August	373,528	549,768	923,296	12,172,496
2025	September	951,788	299,208	1,250,996	13,423,492
2025	October	516,307	605,832	1,122,139	14,545,631
2025	November	238,380	648,114	886,494	15,432,125
2025	December	284,572	599,933	884,505	16,316,630
2026	January	729,517	701,594	1,431,111	17,747,741
2026	February	635,316	629,728	1,265,044	19,012,785
2026	March	1,071,275	1,003,882	2,075,156	21,087,941
2026	April	1,276,941	1,223,756	2,500,697	23,588,638



Sustainability in Action

UIC Permit Condition Part II.D.1. (d):

Average Injection Rate

Calculation of Average Injection Rate

CURRENT REPORTING YEAR 2026

CURRENT REPORTING MONTH April

Date (month, year) of the first injection into either well at the Citrin Road Facility November 2013

CURRENT MONTH (all volumes in gallons)

	Injected Waste	Injected Non-Waste	Total injected
MI-163-1W-C010, Well #1-12			
Current Month	1,276,941	0	1,276,941
Since facility first injected			80,776,725
MI-163-1W-C011, Well #2-12			
Current Month	1,223,756	0	1,223,756
Since facility first injected			66,816,971
		Lifetime Combined	147,593,695

Conversion factors

365.25 days per year ÷ 12 months per year = 30.4375 days per month

30.4375 days per month × 1440 minutes per day = 43,830 minutes per month

Calculations

Whole number of months¹ of injection 149

149 lifetime number of months of injection X 43,830 minutes/month
= 6530670 minutes of injection

Lifetime combined injected volume 147,593,695 ÷ 6530670 minutes of injection
= 22.6 gpm average injection rate

¹ Calculated from November 30, 2013, to April 30, 2026, for a total of 149 months.



Sustainability in Action

UIC Permit Condition Part II.D.1. (b):

Well #1-12, Permit MI-163-1W-C010 Data

Date	Injection Pressure (psig)	Annulus Tank Level (inches)		Annulus Pressure (psig)		Injection pH	Flow Rate (gpm)	Differential Pressure (psig)
	Max.	Min.	Max.	Min.	Max.	Average	Average	Min.
4/1/2026	324.18	6.1	6.2	649.8	806.3	0.41	34.27	433.35
4/2/2026	310.09	6.1	6.2	614.1	818.4	0.29	44.41	393.71
4/3/2026	334.07	6.1	6.2	612.0	859.7	0.88	38.60	385.09
4/4/2026	81.06	6.1	6.2	654.3	712.5	n/a	0.00	573.83
4/5/2026	62.48	6.1	6.2	711.6	713.6	n/a	0.00	649.63
4/6/2026	352.23	6.1	6.2	599.3	779.6	0.75	48.14	313.86
4/7/2026	349.94	6.1	6.2	581.8	751.9	0.65	38.25	322.56
4/8/2026	332.83	6.1	6.2	504.4	776.4	0.30	22.92	324.83
4/9/2026	342.33	6.1	6.2	525.3	758.3	0.33	34.36	372.90
4/10/2026	326.55	6.1	6.2	578.8	742.2	0.35	35.57	341.79
4/11/2026	100.29	6.1	6.2	649.5	686.7	n/a	0.00	549.19
4/12/2026	82.35	6.1	6.2	685.8	690.2	n/a	0.00	603.71
4/13/2026	337.03	6.1	6.2	591.6	763.5	0.65	38.17	353.71
4/14/2026	328.30	6.1	6.2	622.1	758.1	0.25	35.34	389.31
4/15/2026	372.74	6.1	6.2	650.3	786.7	0.24	49.95	368.21
4/16/2026	362.80	6.1	6.2	682.2	830.6	0.35	42.85	423.41
4/17/2026	310.52	6.1	6.2	666.9	790.2	0.30	43.02	448.47
4/18/2026	106.05	6.1	6.2	677.8	702.2	n/a	0.00	591.29
4/19/2026	85.89	6.1	6.2	671.8	678.6	n/a	0.00	591.57
4/20/2026	334.06	6.1	6.2	604.9	783.9	0.43	35.84	379.15
4/21/2026	389.68	6.1	6.2	595.2	802.9	0.32	48.65	322.79
4/22/2026	324.40	6.1	6.2	611.3	814.2	0.36	33.14	373.58
4/23/2026	390.91	6.1	6.2	656.1	825.5	0.30	44.54	359.61
4/24/2026	415.58	6.1	6.2	663.0	867.5	0.67	38.10	421.33
4/25/2026	116.31	6.1	6.2	666.2	705.3	n/a	0.00	569.65
4/26/2026	96.27	6.1	6.2	657.8	666.7	n/a	0.00	568.39
4/27/2026	342.64	6.1	6.2	638.8	803.0	0.23	43.99	396.55
4/28/2026	349.05	6.1	6.2	652.5	873.3	0.33	40.15	414.71
4/29/2026	358.29	6.1	6.2	650.8	794.5	0.24	46.47	417.44
4/30/2026	370.74	6.1	6.2	661.4	972.2	0.35	50.83	390.04

Well 1 Trends

Flow Totalizer
39,712.00 gal

Injection Pres..
139.42 psi

Annulus Press..
586.94 psi

Annulus Tank ..
26.82 gal

Suction Pressu..
0.72 psi


Injection Rate
-0.33

Density
16.681

pH
7.31 pH

H₂
0 Hz

Filter Pot Pres..
2.02 psi



— Injection Pressure — Annulus Pressure — Suction Pressure — Density — Injection Rate — FP Pressure — H₂ — AT-1 Volume — pH

4/1/26 12 AM - 4/15/26 11 PM



Well 1 Trends

Flow Totalizer 39,712.00 gal

Injection Pres.. 134.75 psi

Annulus Press.. 585.25 psi

Annulus Tank .. 26.73 gal

Suction Pressu.. 0.72 psi


Injection Rate -0.33 gal/hr

Density 16.680 lb/gal

pH 7.31 pH

Hz 0 Hz


Filter Pot Pres.. 2.03 psi



— Injection Pressure — Annulus Pressure — Suction Pressure — Density — Injection Rate — FP Pressure — Hz — AT-1 Volume — pH

4/16/26 12 AM - 4/30/26 11 PM







Sustainability in Action

UIC Permit Condition Part II.D.1. (b):

Well #2-12, Permit MI-163-1W-C011 Data



Injection Well 2-12

April 2026

Date	Injection Pressure (psig)	Annulus Tank Level (inches)		Annulus Pressure (psig)		Injection pH	Flow Rate (gpm)	Differential Pressure (psig)
	Max.	Min.	Max.	Min.	Max.	Average	Average	Min.
4/1/2026	380.50	24.1	24.3	910.3	1081.0	7.65	31.23	665.42
4/2/2026	358.59	24.1	24.2	889.4	1084.5	7.25	40.19	622.67
4/3/2026	374.22	24.2	24.4	879.2	1131.0	7.48	34.99	617.91
4/4/2026	95.16	24.2	24.3	919.1	990.6	7.58	-0.19	823.96
4/5/2026	67.51	24.1	24.2	990.5	995.7	7.63	-0.18	923.30
4/6/2026	417.36	24.1	24.2	874.1	1068.2	7.12	46.19	544.36
4/7/2026	408.73	24.1	24.2	859.9	1035.9	6.15	37.03	555.23
4/8/2026	377.58	24.1	24.2	783.3	1070.6	5.47	22.74	563.09
4/9/2026	391.52	24.2	24.3	820.2	1054.3	5.65	32.68	617.37
4/10/2026	387.23	24.2	24.3	863.3	1035.3	4.69	34.91	583.77
4/11/2026	112.81	24.1	24.2	930.5	984.5	0.03	-0.20	817.69
4/12/2026	86.13	24.1	24.3	984.5	991.1	0.10	-0.20	898.54
4/13/2026	390.81	24.2	24.4	883.6	1073.0	5.32	37.02	610.19
4/14/2026	375.62	24.3	24.4	917.4	1063.2	7.26	31.24	651.58
4/15/2026	425.56	24.3	24.4	946.6	1101.8	7.30	47.89	631.00
4/16/2026	418.47	24.3	24.4	982.5	1152.2	7.30	41.22	686.82
4/17/2026	359.06	24.3	24.3	971.6	1107.2	7.11	41.50	713.42
4/18/2026	117.23	24.2	24.3	995.0	1005.1	6.98	-0.18	887.80
4/19/2026	89.63	24.1	24.2	992.8	995.3	7.01	-0.19	905.42
4/20/2026	383.78	24.1	24.2	917.6	1099.6	7.05	33.71	655.69
4/21/2026	438.62	24.1	24.3	910.1	1131.9	7.15	46.93	602.60
4/22/2026	375.73	24.2	24.4	927.7	1145.7	7.16	31.13	653.28
4/23/2026	446.12	24.3	24.4	974.6	1156.5	7.31	43.08	641.82
4/24/2026	452.62	24.3	24.4	986.0	1203.1	7.29	36.73	710.54
4/25/2026	133.78	24.2	24.3	1002.6	1032.0	7.24	-0.20	897.36
4/26/2026	102.65	24.1	24.2	998.0	1003.0	7.14	-0.20	899.69
4/27/2026	394.66	24.1	24.3	972.3	1150.1	7.20	43.51	693.34
4/28/2026	400.09	24.2	24.3	987.9	1223.1	7.25	39.78	714.35
4/29/2026	409.89	24.2	24.3	993.4	1151.2	7.27	45.96	724.61
4/30/2026	418.76	24.2	24.3	1004.0	1324.2	7.27	50.49	695.09

Well 2 Trends

Flow Totalizer

35,052.00 gal

Injection Pres..
299.34 psi

Annulus Press..
1,016.85 psi

Annulus Tank ..
106.60 gal

Suction Pressu..
0.70 psi


Injection Rate
0.00 gal/min

Density
16.68 lb/gal

pH
7.31 pH

Hz
-0 Hz

Filter Pot Press..
2.00 psi



4/1/26 12 AM - 4/15/26 11 PM



Well 2 Trends

Flow Totalizer

35.052.00 gal

Injection Pres..

182.14 psi

Annulus Press..

965.84 psi

Annulus Tank ..

106.59 gal

Suction Pressu..

0.70 psi

Injection Rate

0.00 gal/min

Density

16.68 lb/gal

pH


7.30 pH

Hz

-0 Hz

Filter Pot Press..


2.02 psi



— Injection Pressure — Annulus Pressure — Suction Pressure — Density — Injection Rate — FP Pressure — Hz — AT-2 Volume — pH

4/16/26 12 AM - 4/30/26 11 PM







Sustainability in Action

UIC Permit Condition Part II.D.1. (e):

Annulus System



WELL 1-12
ANNULUS SYSTEM

April 2026

Current Month, Additions and Removals			
DAY	Volume Added (gal)	Volume Removed (gal)	Composition
1	-	-	
2	-	-	
3	-	-	
4	-	-	
5	-	-	
6	-	-	
7	-	-	
8	-	-	
9	-	-	
10	-	-	
11	-	-	
12	-	-	
13	-	-	
14	-	-	
15	-	-	
16	-	-	
17	-	-	
18	-	-	
19	-	-	
20	-	-	
21	-	-	
22	-	-	
23	-	-	
24	-	-	
25	-	-	
26	-	-	
27	-	-	
28	-	-	
29	-	-	
30	-	-	

Cumulative Additions and Subtractions: 0



WELL 1-12
ANNULUS SYSTEM

April 2026

Last 12 months, Additions and Removals			
MONTH YEAR	Volume Added (gal)	Volume Removed (gal)	Comments
Apr-26	-	-	
Mar-26	-	-	
Feb-26	-	-	
Jan-26	5	-	
Dec-25	5	-	
Nov-25	-	-	
Oct-25	4.97	-	
Sep-25	-	-	
Aug-25	-	-	
Jul-25	-	-	
Jun-25	-	-	
May-25	-	-	

Cumulative Additions and Subtractions: 14.97



WELL 2-12
ANNULUS SYSTEM

April 2026

Current Month, Additions and Removals			
DAY	Volume Added (gal)	Volume Removed (gal)	Composition
1	-	-	
2	-	-	
3	-	-	
4	-	-	
5	-	-	
6	-	-	
7	-	-	
8	-	-	
9	-	-	
10	-	-	
11	-	-	
12	-	-	
13	-	-	
14	-	-	
15	-	-	
16	-	-	
17	-	-	
18	-	-	
19	-	-	
20	-	-	
21	-	-	
22	-	-	
23	-	-	
24	-	-	
25	-	-	
26	-	-	
27	-	-	
28	-	-	
29	-	-	
30	-	-	
31	-	-	

Cumulative Additions and Subtractions:

0



WELL 2-12
ANNULUS SYSTEM

April 2026

Last 12 months, Additions and Removals			
MONTH YEAR	Volume Added (gal)	Volume Removed (gal)	Comments
Apr-26	-	-	
Mar-26	-	-	
Feb-26	-	-	
Jan-26	5	-	
Dec-25	-	-	
Nov-25	-	-	
Oct-25	-	-	
Sep-25	-	-	
Aug-25	-	-	
Jul-25	-	-	
Jun-25	-	-	
May-25	-	-	

Cumulative Additions and Subtractions: 5



Sustainability in Action

UIC Permit Condition Part II.D.1. (g):

Corrosion Monitoring

CORROSION MONITORING

COUPON IMAGE & VISUAL DESCRIPTION

Inspection/Evaluation Date: April 17, 2026

Fiberglass Coupon



Result: 15.8784 grams

Image Date and Time: 04/17/26 13:35pm

Location of Sample: SST-1

Sampling Method: Grab Sample

Sampler: AS

Description:

The coupon is red in color. The surface is smooth and worn. There appears to be signs of pitting. There are no visible signs of cracks or swelling

CORROSION MONITORING

COUPON IMAGE & VISUAL DESCRIPTION

Inspection/Evaluation Date: April 17, 2026

Hastelloy Coupon



Result: 13.3152 grams

Image Date / Time: 04/17/26 13:35pm

Location of Sample: SST-1

Sampling Method: Grab Sample

Sampler: AS

Description:

The coupon is gray with the id# C276 (6). Signs of wear around the anchor point. No signs of pitting.

CORROSION MONITORING

COUPON IMAGE & VISUAL DESCRIPTION

Inspection/Evaluation Date: April 17, 2026

Stainless Steel Coupon



Result: 9.2901 grams

Image Date / Time: 04/17/26 13:35pm

Location of Sample: SST-1

Sampling Method: Grab Sample

Sampler: AS

Description :

This coupon is gray/silver with id# s2046. There is slight corrosion near the eye hole where it connects to the anchor point. There is visible pitting on the surface with slight discoloration.



Sustainability in Action

UIC Permit Condition Part II.D.1. (h):

Maintenance

No reportable maintenance activities occurred during the period from April 1, 2026 through April 30, 2026.



Sustainability in Action

UIC Permit Condition Part II.D.1. (a):

Injection Fingerprints

Date	Injectate Specific Gravity Max.
4/1/2026	1.06
4/2/2026	1.08
4/3/2026	1.06
4/4/2026	-
4/5/2026	-
4/6/2026	1.06
4/7/2026	1.04
4/8/2026	1.10
4/9/2026	1.10
4/10/2026	1.10
4/11/2026	-
4/12/2026	-
4/13/2026	1.04
4/14/2026	1.04
4/15/2026	1.04
4/16/2026	1.06
4/17/2026	1.08
4/18/2026	-
4/19/2026	-
4/20/2026	1.06
4/21/2026	1.10
4/22/2026	1.10
4/23/2026	1.10
4/24/2026	1.06
4/25/2026	-
4/26/2026	-
4/27/2026	1.06
4/28/2026	1.06
4/29/2026	1.07
4/30/2026	1.06

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	09/01/20
Receiving ID#	EQ402601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	7:20
Time out	
Received by	DM
Sampled by	J. Haffey

0.9129
1.8936
0.9914

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	7140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.040
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	66.3
Conductivity	110.4
% Solids	4.156
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	DM

W/ I03312605

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/01/2026
Receiving ID#	204012602
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	11:09
Time out	
Received by	DM
Sampled by	J. Marshall

0,9115

1,9480

0,9941

LAB INFORMATION	
Compatible? (RT#)	SS1-2
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	7140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.020
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	61.7
Conductivity	115.3
% Solids	4.2402
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	DM

Y w/ I04012601

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04-01-2026
Receiving ID#	IC04012603
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	1254
Time out	
Received by	DM
Sampled by	Justin Colangelo

SST-1

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	>140
pH (S.U.)	0
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.016
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	66.9
Conductivity	25.30
% Solids	2.599
Turbidity	Yes No
Color	Colorless
TSS (%)	.01
Radiation Screen (as needed)	
Lab Signature/Initials	DM

0.9163

1.8810

0.9652

4 usl ± 04012602

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/01/26
Receiving ID#	I04012604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	1433
Time out	
Received by	Alexis Scalf
Sampled by	Justin Colangelo

SST-1

LAB INFORMATION	
Compatible? (RT#)	Y w/ I04012603
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	3140
pH (S.U.)	1
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	liquid
Stream Consistency	☒ Yes ☐ No
Oil in Sample?	Yes ☒ No
Temperature (F)	63.6
Conductivity	115.2
% Solids	3.813291
Turbidity	Yes ☒ No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	Alf Sf

0.9123
1.8960
0.9846

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/01/26
Receiving ID#	104012605
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	16:55
Time out	
Received by	Alexis Scaff
Sampled by	Colin H.

SST-1

LAB INFORMATION	
Compatible? (RT#)	Y w/ 104012604
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	2
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.06
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes (No)
Temperature (F)	64.1
Conductivity	184.1
% Solids	3.127089
Turbidity	Yes (No)
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AJ 87

0.9296
1.9443
0.9904

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/01/26
Receiving ID#	I0402606
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	1905
Time out	
Received by	Alex Scelf
Sampled by	Celin H

0.9282

1.9362

0.9737

SST-1

LAB INFORMATION	
Compatible? (RT#)	Y w/ I0402605
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	1
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.05
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	70.6
Conductivity	129.7
% Solids	2.349964
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	dy 5/

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/02/26
Receiving ID#	I04022601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	06:59
Time out	
Received by	DM
Sampled by	Jacob Line

0.9236

1.8331

1.0080

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	2140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.040
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.1
Conductivity	124.2
% Solids	4.276
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	DM

Y W/ I04012606

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/02/26
Receiving ID#	I04022602
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	9:22
Time out	
Received by	DM
Sampled by	J. Harrell

0.9208

1.8251

0.9973

LAB INFORMATION	
Compatible? (RT#)	SS1-2
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	7140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.060
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	63.8
Conductivity	117.9
% Solids	4.191
Turbidity	Yes No
Color	brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	DM

Y W/ I04022601

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/02/26
Receiving ID#	104022603
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	12:21
Time out	
Received by	DM
Sampled by	A. Warkyo

0.9234
1.3646
0.9588

LAB INFORMATION	
Compatible? (RT#)	SS-2
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.080
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	62.9
Conductivity	108.6
% Solids	2.594
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	DM

y w/ 104022602

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/02/26
Receiving ID#	204022604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	14:34
Time out	
Received by	Alexis Scaf
Sampled by	T. Russell

LAB INFORMATION	
Compatible? (RT#)	55T-1 Yw/204022603
PCBs (ppm) (Oily Waste Only)?	0.9174
TOC ppm (CC Waste Only)?	1.8959
Flash Point (F)	5140
pH (S.U.)	1
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.06
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes (No)
Temperature (F)	68.6
Conductivity	119.3
% Solids	3.940081
Turbidity	Yes (No)
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AH51

0.9174
1.8959
0.9921

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/02/26
Receiving ID#	I04022605
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	16:35
Time out	
Received by	Alexis Scott
Sampled by	Dallen M

LAB INFORMATION	
Compatible? (RT#)	SSF-1 Y.w./I04022604
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.07
Physical Description	Liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	71.3
Conductivity	253.9
% Solids	5.090853
Turbidity	Yes (No)
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	2457

0.9210
1.9427
1.0199

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/02/26
Receiving ID#	I04022606
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	1910
Time out	
Received by	Alvin Scalf
Sampled by	Justin Colangelo

SST-2

LAB INFORMATION	
Compatible? (RT#)	Y w/ I04022605
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.05
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	76.2
Conductivity	84.48
% Solids	3.606338
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AY 87

0.9262
1.9438
0.9963

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/02/26
Receiving ID#	IO4022607
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	2042
Time out	
Received by	Alexis Scott
Sampled by	Justin Colangelo

SST-1

LAB INFORMATION	
Compatible? (RT#)	Y w/ IO4022606
PCBs (ppm) (Oily Waste Only)?	N/A
TCC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	1
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.06
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	72.0
Conductivity	233.5
% Solids	4.406507
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	del sy

0.9275
1.9857
1.0150

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/02/26
Receiving ID#	I04022608
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	22:15
Time out	
Received by	DM
Sampled by	Duben M

0.9290

1.9661

1.0409

LAB INFORMATION	
Compatible? (RT#)	SST-1 V.W/I04022607
PCBs (ppm) (Oily Waste Only)?	N/A
TCC ppm (CC Waste Only)?	N/A
Flash Point (F)	>140
pH (S.U.)	0
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.05
Physical Description	Liquid
Stream Consistency	☒ Yes ☐ No
Oil in Sample?	Yes ☒ No
Temperature (F)	74.5
Conductivity	233.5 265.5
% Solids	5.691
Turbidity	☒ Yes ☐ No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	DM

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/03/26
Receiving ID#	I04032601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	6:57
Time out	
Received by	DM
Sampled by	J. Haffell

0.9289

1.9483

0.9948

LAB INFORMATION	
Compatible? (RT#)	SST-2
PCBs (ppm) (Oily Waste Only)?	N/A
TCC ppm (CC Waste Only)?	N/A
Flash Point (F)	7140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.020
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	70.4
Conductivity	96.97
% Solids	3.382
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	DM

Y w/ I 04022608

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/03/26
Receiving ID#	FO4032602
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	9:05
Time out	
Received by	DM
Sampled by	J. Haffell

0.9147

1.9588

1.0093

LAB INFORMATION	
Compatible? (RT#)	551-2
PCBs (ppm) (Oily Waste Only)?	N/A
TCC ppm (CC Waste Only)?	N/A
Flash Point (F)	5140
pH (S.U.)	0
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.020
Physical Description	Liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	72.8
Conductivity	277.2
% Solids	4.829
Turbidity	(Yes) No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	DM
Lab Signature/Initials	

Y w/ I 04032601

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/03/26
Receiving ID#	204032603
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	10:59
Time out	
Received by	DM
Sampled by	J. KOSTER

0.9177

1.9100

0.9682

LAB INFORMATION	
Compatible? (RT#)	SST-1
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	2140
pH (S.U.)	0
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.020
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.7
Conductivity	66.95
% Solids	2.643 2.68
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	DM

Y w/ 204032603

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/03/26
Receiving ID#	I04032604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	15:05
Time out	
Received by	1505 Alexis Scelf
Sampled by	Darren M.

LAB INFORMATION	
Compatible? (RT#)	SST-1 Y w/ I04032603
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	1
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.06
Physical Description	liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	72.7
Conductivity	283.5
% Solids	4.304361
Turbidity	Yes (No)
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	ALY81

0.9103
1.9306
0.9934

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/03/26
Receiving ID#	I04032605
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	16:49
Time out	
Received by	Alexis Scalf
Sampled by	Colin H

SST-1

LAB INFORMATION	
Compatible? (RT#)	Y w/ I04032604
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	1
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.006
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes (No)
Temperature (F)	73.7
Conductivity	295.2
% Solids	4.4377
Turbidity	Yes (No)
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	ALY-sp

0.9148
1.9109
0.9996

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/03/26
Receiving ID#	204032606
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	1850
Time out	
Received by	Alexis Scalf
Sampled by	Colin H

SST-2

LAB INFORMATION	
Compatible? (RT#)	Y w/ 204032605
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	7
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.05
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	73.7
Conductivity	95.24
% Solids	3.441128
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	2487

0.9148
1.9296
0.9812

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/07/26
Receiving ID#	I-4032607
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	21:16
Time out	
Received by	Alexis Scott
Sampled by	Colin H

SST - 2

LAB INFORMATION	
Compatible? (RT#)	Y w/ I-4032606
PCBs (ppm) (Oily Waste Only)?	N/A
TCC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	7
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.05
Physical Description	liquid
Stream Consistency	☒ Yes ☐ No
Oil in Sample?	☒ Yes ☒ No
Temperature (F)	66.0
Conductivity	93.13
% Solids	3.252452
Turbidity	Yes ☒ No ☐
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AMH

6.9148
1.9370
0.9778

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/06/26
Receiving ID#	I04062601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0606
Time out	
Received by	DM
Sampled by	Justin Colangelo

0.9141
1.9149
0.9766

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	>140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.020
Physical Description	Liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	61.0 F
Conductivity	94.73
% Solids	3.21
Turbidity	(Yes) No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	DM

Y w/ I04032607

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/06/26
Receiving ID#	I04062602
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	8:22
Time out	
Received by	DM
Sampled by	Mind Mint

SST-2

0.9233

1.8994

0.9775

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	2140
pH (S.U.)	7
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.000
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes (No)
Temperature (F)	61.0
Conductivity	78.95
% Solids	2.853
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	DM

Y w/ I04062601

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/06/26
Receiving ID#	IO4062403
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	10:03
Time out	
Received by	DM
Sampled by	Munt Munt

SST-2

0.9232

1.9387

0.9445

LAB INFORMATION	
Compatible? (RT#)	Y W/ IO4062602
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	7140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.040
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	62.2
Conductivity	77.42
% Solids	1.098
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	DM

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/06/26
Receiving ID#	I04062604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	11:59
Time out	
Received by	DM
Sampled by	Mark Mark

SST-1

0.9292

1.9350

1.0245

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TCO ppm (CC Waste Only)?	N/A
Flash Point (F)	
pH (S.U.)	1
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.020
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	65.8
Conductivity	270.3
% Solids	4.025
Turbidity	Yes No
Color	Colorless
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	DM

4 w/ I040626003

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04-06-26
Receiving ID#	204062605
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	11:09
Time out	
Received by	Alexis Scalf
Sampled by	Colin H

SST - 2

LAB INFORMATION	
Compatible? (RT#)	Y w/ 204062604
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	7
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.05
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.5
Conductivity	84.21
% Solids	2.666666666
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AS

0.9236
1.9317
0.9751

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/06/20
Receiving ID#	IC040626070
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	16:11
Time out	
Received by	Alexis Scalf
Sampled by	John H.

SST-2

LAB INFORMATION	
Compatible? (RT#)	X W/IC04062605
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.06
Physical Description	Liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	64.2
Conductivity	92.93
% Solids	3.187945
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AS

0.9255
1.9511
0.9877

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/06/2026
Receiving ID#	I04062607
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	17:51
Time out	
Received by	Alexis Scalf
Sampled by	J. MORSE

LAB INFORMATION	
Compatible? (RT#)	85-2 Y w I04062606
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	7
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.05
Physical Description	liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	71.9
Conductivity	99.18
% Solids	3.327813
Turbidity	Yes (No)
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AL87

0.9202
1.9322
0.9845

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/06/26
Receiving ID#	I 04062608
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	19:42
Time out	
Received by	Alexis Scalf
Sampled by	Colin H

SST-1

LAB INFORMATION	
Compatible? (RT#)	Y w/ I 04062607
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	1
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	72.9
Conductivity	55.69
% Solids	1.29 1.215028
Turbidity	Yes (No)
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AS

0.9231
1.8765
0.9459

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/06/26
Receiving ID#	T04062609
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	21:53
Time out	
Received by	Alexis Scaif
Sampled by	T. Haffell

SST-A

LAB INFORMATION	
Compatible? (RT#)	Y w/ T04062608
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.03
Physical Description	liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	72.6
Conductivity	122.0
% Solids	1.639636
Turbidity	Yes (No)
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AH 5/

1.0628
2.2505
1.0997

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/07/2026
Receiving ID#	I04072601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0539
Time out	
Received by	DM
Sampled by	Justin W. Welsch

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	7140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.020
Physical Description	Liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	68.0 F
Conductivity	93.99
% Solids	2.925
Turbidity	(Yes) No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	DM

1.0675

2.0615

1.1278

Y w/ I04062609

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04-07-2016
Receiving ID#	I04072601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0800
Time out	
Received by	DM
Sampled by	Justin Colangelo

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	> 140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.000
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	60.9 F
Conductivity	91.35
% Solids	3.452
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	DM

1,0546
2,0537
1.1255

Y W/ I04072601

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04-07-26
Receiving ID#	I04072603
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	11:35
Time out	
Received by	DM
Sampled by	Jacob Line

1.0699
2.0430
1.1680

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	2140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.040
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	64F
Conductivity	97.92
% Solids	4.801
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	DM

Y W/ I04072602

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	4-7-26
Receiving ID#	I04072604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	13:31
Time out	
Received by	DM
Sampled by	Mhul Mhul

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	7140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.020
Physical Description	Liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	62.5
Conductivity	77.61
% Solids	2.122
Turbidity	(Yes) No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	DM

1.0583

2.0443

1.1017

4 w/ I04072603

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/07/2026
Receiving ID#	±04072605
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	15:27
Time out	
Received by	Alexis Seelf
Sampled by	J. Russell

LAB INFORMATION	
Compatible? (RT#)	SS1-2
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	66.5
Conductivity	50.56
% Solids	1.49/949
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	Bel/27

VW/ ±04072604

1.0424
2.0309
1.0727

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	4/7/26
Receiving ID#	204072606
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	17:15
Time out	
Received by	Alexis Scelf
Sampled by	J. Harrell

LAB INFORMATION	
Compatible? (RT#)	SST-1 Y w/ 204072605
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	1
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.03
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	70.3
Conductivity	117.8
% Solids	1.394578
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AS

1.0403
2.0508
1.0689

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04-07-20
Receiving ID#	204072607
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	20:05
Time out	
Received by	Alexis Scalf
Sampled by	Colon H

SST-1

LAB INFORMATION	
Compatible? (RT#)	Y W / I04072606
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	1
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	Liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	70.4
Conductivity	154.4
% Solids	1.720178
Turbidity	Yes (No)
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AM SF

1.0599
2.0463
1.0951

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/08/20
Receiving ID#	I04082601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0655
Time out	
Received by	DM
Sampled by	Justin C. W. C.

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	2140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.000
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	65.5
Conductivity	34.95
% Solids	0.813
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	DM

1.0526

2.0300

1.0713

Y W/ I04072607

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/08/20
Receiving ID#	I04082602
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0854
Time out	
Received by	DM
Sampled by	Justin Colangelo

SGT-2

0.9262

1.7617

0.9485

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	2140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.000
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes (No)
Temperature (F)	62.8
Conductivity	45.45
% Solids	1.265
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	DM

Y W/I04082602

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/08/26
Receiving ID#	I04082603
Manifest #	Line
Land Ban Cert included	Yes No
EQT Approval #	
Generator	
Client	
Transporter	
Time in	13:18
Time out	
Received by	<i>DM</i>
Sampled by	J. McNeill

1.0648

2.0355

1.1710

LAB INFORMATION	
Compatible? (RT#)	SS-2
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	7140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.020
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	64.4 F
Conductivity	96.91
% Solids	5.217
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>DM</i>

Y w/ I04082603

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/08/2026
Receiving ID#	104082604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	19:56
Time out	
Received by	Alexis Scalf
Sampled by	Colin H

SST-1

LAB INFORMATION	
Compatible? (RT#)	Y w/ 104082603
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.10
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes (No)
Temperature (F)	71.8
Conductivity	211.0
% Solids	5.53222
Turbidity	Yes (No)
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AS

1.0619
2.0950
1.1778

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/08/2026
Receiving ID#	I04082605
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	22:02
Time out	
Received by	Alexis Scalf
Sampled by	Colin H.

SST-1

LAB INFORMATION	
Compatible? (RT#)	Y w/ I04082604
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	9
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.01
Physical Description	liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (NO)
Temperature (F)	63.8
Conductivity	40.94
% Solids	0.869779
Turbidity	Yes (NO)
Color	Colorless/Beige
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AY sf

1.0583
2.0350
1.0760

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/09/2026
Receiving ID#	10408260
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0722
Time out	
Received by	DM
Sampled by	JUSTIS WILSON

1.0628

2.0899

1.1657

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	7140
pH (S.U.)	7
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.040
Physical Description	Liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	67.8
Conductivity	130.6
% Solids	4.938
Turbidity	(Yes) No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	DM

y w/ 104082605

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/09/2026
Receiving ID#	I04092602
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	09:17
Time out	
Received by	DM
Sampled by	Jacob Line

1.0444
2.0626
1.1742

SST 2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	7.40
pH (S.U.)	7
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.080
Physical Description	Liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	66.0 f
Conductivity	141.9
% Solids	6.293
Turbidity	(Yes) No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	DM

Y w/ I04092601

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/09/2026
Receiving ID#	I04092603
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	11:57
Time out	
Received by	DM
Sampled by	Jack Line

1.0614

2.0403

1.2179

SST-1

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	7140
pH (S.U.)	0
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.060
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	71.9
Conductivity	144.3
% Solids	7.1070
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	DM

y w/I04092602

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/09/2026
Receiving ID#	204092604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	14:28
Time out	
Received by	Alvis Scott
Sampled by	J. Raffell

LAB INFORMATION	
Compatible? (RT#)	JST-2 YW/204092603
PCBs (ppm) (Oily Waste Only)?	NA
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.10
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	73.9
Conductivity	289.2
% Solids	6.106907
Turbidity	Yes No
Color	Green
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	Alvis

1.0487
2.0747
1.1754

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/09/2026
Receiving ID#	I04092605
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	17:52
Time out	
Received by	Alexis Scalf
Sampled by	J. Russell

LAB INFORMATION	
Compatible? (RT#)	SS-1 Y w/I04092604
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	1
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.10
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	72.7
Conductivity	404.5
% Solids	6.216203
Turbidity	Yes No
Color	Colorless
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	ALSY

1.0671
2.0527
1.1946

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/09/2026
Receiving ID#	204 692606
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	20:04
Time out	
Received by	Alexis Scalf
Sampled by	Colin H

SST-1

LAB INFORMATION	
Compatible? (RT#)	Y w/ T-04092605
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	5/40
pH (S.U.)	1
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.08
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	73.4
Conductivity	3336
% Solids	6.154893
Turbidity	Yes No
Color	Colorless
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AJH

1.0596
2.0569
1.1862

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/10/2026
Receiving ID#	204102601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0550
Time out	
Received by	Justis Coluzelo
Sampled by	Justis Coluzelo

SST-2

LAB INFORMATION	
Compatible? (RT#)	Y w/ I 64092606
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	5
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.10
Physical Description	light
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	70.7
Conductivity	151.2
% Solids	14.8
Turbidity	Yes No
Color	Light Brown
TSS (%)	20.1
Radiation Screen (as needed)	
Lab Signature/Initials	Jsc J

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/10/2026
Receiving ID#	104102602
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	9:30
Time out	
Received by	<i>DM</i>
Sampled by	<i>Munt dM A</i>

SST-2

1.0609

2.0649

1.1356

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	7140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.100
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	65.3
Conductivity	1180
% Solids	3.617
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>DM</i>

y w/ I 04102601

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/10/2026
Receiving ID#	I04102403
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	12:23
Time out	
Received by	DM
Sampled by	mm mt

SST-1

0.9256

1.9622

1.0746

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	2140
pH (S.U.)	0
Cyanides? (mg/L)	N/A
Sulfides? (ppm)?	N/A
Specific Gravity	1.020
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.1 F
Conductivity	95.36
% Solids	7.593
Turbidity	Yes No
Color	green
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	DM

Y w/ I04102602

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/10/2026
Receiving ID#	104102604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	14:57
Time out	
Received by	Alexis Scalf
Sampled by	Dalton M.

SST-2

LAB INFORMATION	
Compatible? (RT#)	Y w/ 104102603
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	7
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes (No)
Temperature (F)	71.8
Conductivity	110.9
% Solids	3.667597
Turbidity	Yes (No)
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AY 87

1.0712
2.1131
1.1487

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/10/2026
Receiving ID#	I04102605
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	17:23
Time out	
Received by	Alexis Scalf
Sampled by	J. Haffell

SST-1

LAB INFORMATION	
Compatible? (RT#)	Y w/ I04102604
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	1
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.06
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	75.4
Conductivity	73.30
% Solids	3.813619
Turbidity	Yes No
Color	Blue
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	BJ

1.0826
2.1161
1.1633

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/10/2026
Receiving ID#	104102606
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	20:01
Time out	
Received by	Alexis Scalf
Sampled by	J. Harrell

JST-1

LAB INFORMATION	
Compatible? (RT#)	Y w/ 104102605
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	1
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	Liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	72.4
Conductivity	99.11
% Solids	2.257401
Turbidity	Yes (No)
Color	Blue
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AL

1.0732
2.0909
1.1204

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/08/2026
Receiving ID#	I04102607
Manifest #	Line
Land Ban Cert included	Yes No
ECI Approval #	
Generator	
Client	
Transporter	
Time in	21:44
Time out	
Received by	Alexis Scalf
Sampled by	J. Harrell

LAB INFORMATION	
Compatible? (RT#)	SS1-1
PCBs (ppm) (Oily Waste Only)?	Y with I04102606
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	1
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	71.6
Conductivity	95.19
% Solids	2.705435
Turbidity	Yes (NO)
Color	Blue
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	Al 87

1.0770
2.0773
1.1332

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/13/2026
Receiving ID#	E0413760
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0628
Time out	
Received by	DM
Sampled by	Josh's Culuclo

0.9253

1.9450

0.9963

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	>140
pH (S.U.)	7
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.000
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	71.5 F
Conductivity	104.7
% Solids	3.450
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	DM

y w/ E04102607



RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/13/26
Receiving ID#	I04132602
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	08:53
Time out	
Received by	DM
Sampled by	Jacob Line

0.9274

1.9338

0.9968

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	7146
pH (S.U.)	7
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.000
Physical Description	Liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	64.7
Conductivity	103.5
% Solids	3.588
Turbidity	(Yes) No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	DM

Y w/ I04132601

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	08/13/26
Receiving ID#	I04132603
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	10:33
Time out	
Received by	<i>DM</i>
Sampled by	Justin Wilgels

0.9265

1.9366

0.9774

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	7140
pH (S.U.)	7
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.000
Physical Description	Liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	65.6 F
Conductivity	81.92
% Solids	2.62%
Turbidity	(Yes) No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>DM</i>

Y w/ I04132602

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/13/26
Receiving ID#	I04132604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	12:20
Time out	
Received by	DM
Sampled by	Jaob Line

~~0.9275~~

0.9275

1.9448

1.0034

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	7140
pH (S.U.)	7
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.040
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	66.1
Conductivity	76.75
% Solids	3.902
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	DM

Y w/I04132604³

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/13/26
Receiving ID#	204132605
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	16:00
Time out	
Received by	Alexis Scalf
Sampled by	Darren M.

SST-1

LAB INFORMATION	
Compatible? (RT#)	Y W/ 204132604
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	72.9
Conductivity	213.9
% Solids	2.8935
Turbidity	(Yes) (No)
Color	Green
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	ALY 81

1.0714
2.1012
1.1322

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	08/12/26
Receiving ID#	I0413206
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	19:23
Time out	
Received by	Alexis Scott
Sampled by	Colin A

SST -1

LAB INFORMATION	
Compatible? (RT#)	Y w/ I041320605
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	77.5
Conductivity	1162.2
% Solids	2.409
Turbidity	Yes No
Color	Green
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AS

1.0536
2.0671
1.1034

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/13/2026
Receiving ID#	204132607
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	21405
Time out	
Received by	Alexis Scalf
Sampled by	Dallen M.

SST-1

LAB INFORMATION	
Compatible? (RT#)	Y w/ 104132606
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	1
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	72.4
Conductivity	114.9
% Solids	2.5729
Turbidity	(Yes) No
Color	Blue/Green
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	Aly S

1.0623
2.0677
1.1155

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/14 /2026
Receiving ID#	I04142601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0559
Time out	
Received by	DM
Sampled by	Justin Wyszynski

1,0642

2,6680

1.1114

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	2140
pH (S.U.)	7
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.000
Physical Description	Liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	68.0
Conductivity	78.87
% Solids	2.572
Turbidity	(Yes) No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	DM

4 w/I 04132607

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/14/2026
Receiving ID#	104142602
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	10:16
Time out	
Received by	DM
Sampled by	Mart MA

SST-2

1,0618

2.1028

1.1159

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	7140
pH (S.U.)	7.61
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.020
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	66.0 F
Conductivity	86.02
% Solids	2.572
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	DM

Y w/ 104142602

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/14 /2026
Receiving ID#	I04142603
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	13:18
Time out	
Received by	DM
Sampled by	Jacob Line

1.0445
2.0392
1.0985

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	7140
pH (S.U.)	6.71
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.020
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	66.8
Conductivity	87.96
% Solids	2.648
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	DM

Y W/I04142602

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/14/2026
Receiving ID#	TO 4142604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	16:20
Time out	
Received by	Alexis Scott
Sampled by	Colin H

SST-2

LAB INFORMATION	
Compatible? (RT#)	Y w/ TO4142603
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	7.49
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	69.9
Conductivity	85.63
% Solids	2.239
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AHS

1.0445
2.0545
1.0905

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/14/2026
Receiving ID#	204142605
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	18:50
Time out	
Received by	Alexis Scalf
Sampled by	Dalton M.

SST-2

LAB INFORMATION	
Compatible? (RT#)	Y w/ 204142604
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	7.48
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.03
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	72.7
Conductivity	85.70
% Solids	2.64
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AS

1.0443
2.6190
1.0976

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/14/2026
Receiving ID#	504142606
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	20:42
Time out	
Received by	Alexis Scalf
Sampled by	J. HOSSELL

SST-2

LAB INFORMATION	
Compatible? (RT#)	Y w/ 504142605
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	7.50
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes No
Temperature (F)	70.7
Conductivity	84.87
% Solids	2.593
Turbidity	(Yes) No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AJ 8/

1.0587
2.0709
1.1124

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/15/2026
Receiving ID#	I04152601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	6:24
Time out	
Received by	DM
Sampled by	Mhul Mhul

1,0469

1.8925

1.1109

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	7140
pH (S.U.)	7
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.020
Physical Description	Liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	65.6
Conductivity	77.80
% Solids	3.381
Turbidity	(Yes) No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	DM

Y w/ I04142606

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/15/2026
Receiving ID#	I 04152602
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	8:12
Time out	
Received by	<i>[Signature]</i>
Sampled by	A. Warley

1.6543

1.9835

1.1068

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	7140
pH (S.U.)	7
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.020
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	65.1
Conductivity	79.04
% Solids	2.646
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

Y W/I 04152601

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/15/2026
Receiving ID#	I04152603
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	09:48
Time out	
Received by	DM
Sampled by	Jawb Line

1,0459

1,9406

1,0868

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	2140
pH (S.U.)	7
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.030
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	63.2 f
Conductivity	74.23
% Solids	2.107
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	DM

Y w/ I04152602

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/15/2026
Receiving ID#	704152604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	11:30
Time out	
Received by	DM
Sampled by	Jacob Line

1.0618

1.9427

1.0916

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	7140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.000
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	64.6
Conductivity	57.20
% Solids	1.518
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	DM

y w/ 704152603

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/15/2026
Receiving ID#	I04152605
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	13:25
Time out	
Received by	DM
Sampled by	Jacob Line

1.0665

2.0273

1.1115

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	7440
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.840
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	65.9 F
Conductivity	75.29
% Solids	2.219
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	DM

y w/ I04152605⁴

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/15/2026
Receiving ID#	104152606
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	15:20
Time out	
Received by	Alexis Scott
Sampled by	Dulhan M

551-2

LAB INFORMATION	
Compatible? (RT#)	Y w/ 104152605
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	69.7
Conductivity	85.94
% Solids	2.356
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AHST

1.0701
2.0877
1.1193

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/15/2026
Receiving ID#	T04152607
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	17:00
Time out	
Received by	Alexis Scott
Sampled by	Dillon M.

SST - 2

LAB INFORMATION	
Compatible? (RT#)	Y w/ T04152606
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	69.2
Conductivity	91.42
% Solids	3.732
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	448

1.0613
2.1033
1.1398

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/15/2026
Receiving ID#	I 04152608
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	19:18
Time out	
Received by	Alexis Scalf
Sampled by	J. Garrell

LAB INFORMATION	
Compatible? (RT#)	SS-2 YW/F04152607
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.9
Conductivity	86.91
% Solids	2.513
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AGS

1.0754
2.0932
1.1280

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/15/2026
Receiving ID#	104152609
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	21:05
Time out	
Received by	Alexis Scott
Sampled by	J. Garrett

LAB INFORMATION	
Compatible? (RT#)	SSS-2 Y 104152608
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	7
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.0
Conductivity	46.93
% Solids	0.863115
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AE/S

1.0596
2.0545
1.0761

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/16/2026
Receiving ID#	I04162601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0625
Time out	
Received by	
Sampled by	Justin W. Weyler

1.0698
2.0784
1.1233

SST-1

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	NIA
TOC ppm (CC Waste Only)?	NIA
Flash Point (F)	2140
pH (S.U.)	0
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.060
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.6 F
Conductivity	219.6
% Solids	2.574
Turbidity	Yes No
Color	Light green
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	

Y w/ I04162601

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/16/2026
Receiving ID#	± 04162602
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0828
Time out	
Received by	<i>[Signature]</i>
Sampled by	Justin Culbreth

0.9259

1.9510

1.0090

SST-1

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	71.40
pH (S.U.)	0
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.020
Physical Description	Liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	67.5
Conductivity	321.6
% Solids	4.259
Turbidity	(Yes) No
Color	Light green
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	DM

Y w/ I04162601

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/14/2026
Receiving ID#	104162603
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	10:19
Time out	
Received by	<i>Don</i>
Sampled by	<i>Mani Mat</i>

55T-1

0.9285

1.9673

1.0173

y w/ 104162602

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	7140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.000
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.2 F
Conductivity	308.4
% Solids	4.513
Turbidity	Yes No
Color	Light green
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>Don</i>

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/16/2026
Receiving ID#	164162604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	13:22
Time out	
Received by	Alexis Scaff
Sampled by	Jawblin

SST-2

LAB INFORMATION	
Compatible? (RT#)	Y w/ ICH162603
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	7
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.03
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	66.5
Conductivity	53.09
% Solids	1.406
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	Alt Sp

1.0702
2.0766
1.0994

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/16/2026
Receiving ID#	204162605
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	15:02
Time out	
Received by	Alexis Scaff
Sampled by	Dalton M.

SST-2

LAB INFORMATION	
Compatible? (RT#)	Y w/ I04162604
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	65.8
Conductivity	69.47
% Solids	1.861
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	BY SP

1.0558
2.0737
1.0944

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/16/2026
Receiving ID#	I04162606
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	17:00
Time out	
Received by	Alexis Scalf
Sampled by	Dallen M.

SST-2

LAB INFORMATION	
Compatible? (RT#)	Y w/ I04162605
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.7
Conductivity	77.16
% Solids	2.256 2.250
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	ALY 8/

1.0956
2.1067
1.1430

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/16/2026
Receiving ID#	204162607
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	19:26
Time out	
Received by	Alexis Seal
Sampled by	J. Morrell

SST-1

LAB INFORMATION	
Compatible? (RT#)	Y w/ 204162606
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	1
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.8
Conductivity	247.5
% Solids	3.262
Turbidity	Yes No
Color	Beige
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	Ally

1.0399
2.0595
1.1071

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/16/2026
Receiving ID#	I04162608
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	21:18
Time out	
Received by	Alexis Sealf
Sampled by	J. Harrell

LAB INFORMATION	
Compatible? (RT#)	SSS-1 Y w/ I04162607
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	1
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	Liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	67.6
Conductivity	178.0
% Solids	2.592
Turbidity	(Yes) No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	Del S

1.0805
2.0983
1.1349

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/17/2026
Receiving ID#	I04172601
Manifest #	Line
Land Ban Cert included	Yes No
EQT Approval #	
Generator	
Client	
Transporter	
Time in	0615
Time out	
Received by	<i>[Signature]</i>
Sampled by	Justin Colangelo

SST-2

LAB INFORMATION	
Compatible? (RT#)	-
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	7140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.020
Physical Description	Liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	63.0
Conductivity	96.58
% Solids	2.941
Turbidity	(Yes) No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

Y W/ I04162608

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/17/2026
Receiving ID#	I04172602
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0820
Time out	
Received by	DM
Sampled by	Justin Colorado

1,0518

2.0324

1,1008

SST-1

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	>140
pH (S.U.)	0
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.000
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	64.1 F
Conductivity	119.2
% Solids	2.410
Turbidity	Yes No
Color	Colorless
TSS (%)	0.25
Radiation Screen (as needed)	
Lab Signature/Initials	DM

Y w/ I04172601

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/17/2026
Receiving ID#	I04172603
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	10:09
Time out	
Received by	DM
Sampled by	Jacob Line

1.0705

2.0251

1.1437

SST-1

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	7140
pH (S.U.)	0
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.040
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	64.5 F
Conductivity	209.2
% Solids	3.614
Turbidity	Yes No
Color	Brown
TSS (%)	1.1
Radiation Screen (as needed)	
Lab Signature/Initials	DM

Y w/ I04172603

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/17/2026
Receiving ID#	104172604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	11:49
Time out	
Received by	Alexis Scott
Sampled by	Jaub Line

SST-1

LAB INFORMATION	
Compatible? (RT#)	Y w/ 104172603
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	
pH (S.U.)	10
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.05
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	64.8
Conductivity	118.0
% Solids	2.946
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	Alexis

1.0796
2.0945
1.1413

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/17/2026
Receiving ID#	IO4172605
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	1427
Time out	
Received by	Alexis Scelf
Sampled by	Justin Wenzel

SST-1

LAB INFORMATION	
Compatible? (RT#)	Y w/ IO4172604
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	2
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.06
Physical Description	Liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	67.9
Conductivity	142.9
% Solids	3.105
Turbidity	(Yes) No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	ALY

1.0818
2.1062
1.1472

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/17/2026
Receiving ID#	E04172606
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	17:25
Time out	
Received by	Alexis Scalf
Sampled by	Dallen M.

SST- 1

LAB INFORMATION	
Compatible? (RT#)	Y w/ E04172605
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	1
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.06
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	871.3
Conductivity	207.1
% Solids	4.281
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lap Signature/Initials	ALY

1.0758
2.0997
1.1657

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/17/2026
Receiving ID#	I04172607
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	18:30
Time out	
Received by	Alvin Scalf
Sampled by	Dalton M.

SST-1

LAB INFORMATION	
Compatible? (RT#)	Y w/ I04172606
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	10
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.08
Physical Description	Liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	69.8
Conductivity	232.9
% Solids	5.069
Turbidity	(Yes) No
Color	Green
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	ALY

1.0727
2.1246
1.1804

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/17/2026
Receiving ID#	I04172608
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	20:08
Time out	
Received by	Alexis Scelf
Sampled by	Dalton M.

JST-1

LAB INFORMATION	
Compatible? (RT#)	Y w/ I04172607
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	1
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.07
Physical Description	liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	68.9
Conductivity	179.2
% Solids	3.619
Turbidity	(Yes) No
Color	Milky
TSS (%)	0.25
Radiation Screen (as needed)	
Lab Signature/Initials	AS

1.0676
2.1086
1.1439

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/30 /2026
Receiving ID#	1041707601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0651
Time out	
Received by	<i>[Signature]</i>
Sampled by	Justin G. Lynch

SGT-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	NIA
TOC ppm (CC Waste Only)?	NIA
Flash Point (F)	7140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.020
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	57.2 F
Conductivity	99.87
% Solids	2.759
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

1 W/ I 04172608

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/00/2026
Receiving ID#	ID4202607
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	09:19
Time out	
Received by	DM
Sampled by	Jacob Line

1.0655
2.0994
1.1669

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	7140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.040
Physical Description	Liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	61.2
Conductivity	125.9
% Solids	4.829
Turbidity	(Yes) No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	DM

Y w/04202607

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/20/2026
Receiving ID#	E04202603
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	11:12
Time out	
Received by	<i>DM</i>
Sampled by	Jacob Line

1.0635

1.9684

1.1323

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	>140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.000
Physical Description	Liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	60.9 F
Conductivity	104.8
% Solids	3.495
Turbidity	(Yes) No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>DM</i>

Y w/ I 04202603

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/20/2026
Receiving ID#	I04202604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	12:52
Time out	
Received by	<i>DM</i>
Sampled by	<i>MM/MA</i>

SST-2

1.0692

2.0851

1.1323

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	7140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.000
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	62.4 f
Conductivity	97.88
% Solids	3.026
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>DM</i>

✓ w/ I04202603

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	4/20/26
Receiving ID#	104202605
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	15:30
Time out	
Received by	Alexis Scalf
Sampled by	Mimi M. A.

SST-1

LAB INFORMATION	
Compatible? (RT#)	Y w/ 104202604
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	1.0
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.06
Physical Description	liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	65.1
Conductivity	169.8
% Solids	2.716
Turbidity	(Yes) No
Color	milky
TSS (%)	2%
Radiation Screen (as needed)	
Lab Signature/Initials	Alexis

1.0558
2.0798
1.1123

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	4/20/26
Receiving ID#	I04202606
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	17:20
Time out	
Received by	Alexis Scalf
Sampled by	Dalton M.

SST-1

LAB INFORMATION	
Compatible? (RT#)	Y w/ I04202605
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	66.3
Conductivity	149.5
% Solids	2.708
Turbidity	(Yes) No
Color	Gray
TSS (%)	0.25
Radiation Screen (as needed)	
Lab Signature/Initials	DU 8/

1.0683
2.0641
1.1242

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	4/20/26
Receiving ID#	154202607
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0:38
Time out	
Received by	Alexis Scelf
Sampled by	Dalton M.

SST-1

LAB INFORMATION	
Compatible? (RT#)	Y w/ 154802606
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	3140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes (No)
Temperature (F)	65.9
Conductivity	92.02
% Solids	1.576
Turbidity	Yes No
Color	Brown
TSS (%)	27.
Radiation Screen (as needed)	
Lab Signature/Initials	AY EJ

1.0793
2.0620
1.1118

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/21/2026
Receiving ID#	I04212601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	1:43
Time out	
Received by	Alexis Scott
Sampled by	J. Harrell

LAB INFORMATION	
Compatible? (RT#)	55-1 Y W/ I04202607
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	2
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.06
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	65.5
Conductivity	235.0
% Solids	4.180
Turbidity	Yes No
Color	Gray/Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AJ 89

1.0569
2.0741
1.1436

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/21/2026
Receiving ID#	I04212602
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	3:14
Time out	
Received by	Alexis Scott
Sampled by	J. Morrell

LAB INFORMATION	
Compatible? (RT#)	SSI-2 Y.w/I04212601
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	3140
pH (S.U.)	7
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	65.6
Conductivity	95.82
% Solids	2.869
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	ALY

1.0532
2.0599
1.1123

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/21/2026
Receiving ID#	I04212603
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	05:06
Time out	
Received by	<i>[Signature]</i>
Sampled by	Colin H

1.0659
2.0340
1.1005

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	NIA
TOC ppm (CC Waste Only)?	NIA
Flash Point (F)	7140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.000
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes (No)
Temperature (F)	65.9 F
Conductivity	61.55
% Solids	1.701
Turbidity	Yes No
Color	Brown
TSS (%)	
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

Y W/ I04212602

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/21/2026
Receiving ID#	I 04212604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0643
Time out	
Received by	<i>[Signature]</i>
Sampled by	Justin Colangelo

1.0536

2.0064

1.0784

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TCC ppm (CC Waste Only)?	N/A
Flash Point (F)	>140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.020
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	62.6 F
Conductivity	49.86
% Solids	1.236
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

1 w/I04212603

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/21/2026
Receiving ID#	104212605
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0828
Time out	
Received by	Bm
Sampled by	Justin W. W. 10

1.0638

1.9960

1.0793

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	2140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.000
Physical Description	Light
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	59.4 F
Conductivity	33.69
% Solids	0.776
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	Bm

Y W/I 04212604

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/21/2026
Receiving ID#	104212606
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	15:22
Time out	
Received by	Alexis Scelf
Sampled by	J. Warrell

LAB INFORMATION	
Compatible? (RT#)	55-2 Yw/104212605
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	7
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	64.7
Conductivity	42.41
% Solids	0.809
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AL Sf

1.0728
2.0653
1.0895

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/21/2026
Receiving ID#	104212607
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	16:44
Time out	
Received by	Alexis Scott
Sampled by	Dalton M.

SST-2

LAB INFORMATION	
Compatible? (RT#)	FW/ 104212606
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	7
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	64.7
Conductivity	76.60
% Solids	2.130
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AP

1.0729
2.0751
1.1171

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/21/2026
Receiving ID#	IO4212608
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	18:20
Time out	
Received by	Alexis Scaff
Sampled by	Colin H

SST-2

LAB INFORMATION	
Compatible? (RT#)	Y w/ IO4212607
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	7
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	65.7
Conductivity	88.71
% Solids	2.6
Turbidity	(Yes) No
Color	Brown
TSS (%)	8.1
Radiation Screen (as needed)	
Lab Signature/Initials	dy 8/

1.0683
2.1002
1.1229

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/21/2026
Receiving ID#	104212609
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	21:11
Time out	
Received by	Alexis Scelf
Sampled by	J. Morrell

LAB INFORMATION	
Compatible? (RT#)	SSI-1
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.10
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	66.8
Conductivity	236.5
% Solids	5.836
Turbidity	Yes No
Color	Brown
TSS (%)	0.5
Radiation Screen (as needed)	
Lab Signature/Initials	AEV

Y w/ 104212608

1.0682
2.1367
1.1929

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/20/2026
Receiving ID#	E04227601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0550
Time out	
Received by	
Sampled by	Wishis Colangelo

1.0789
2.0472
1.2139

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	>140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.000
Physical Description	Liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	62.8
Conductivity	90.38
% Solids	6.594
Turbidity	(Yes) No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	

y w/ I 04227609

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	4/22/26
Receiving ID#	104222601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0818
Time out	
Received by	<i>[Signature]</i>
Sampled by	Justin W. [Signature]

SST-2

1,0620

2,0755

1,1108

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	7140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.000
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	64.3
Conductivity	93.75
% Solids	2.351
Turbidity	Yes No
Color	<i>[Signature]</i>
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

Y W/104222601

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	4/22/26
Receiving ID#	F04222603
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	10:20
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>mm/MA</i>

SST-2

1.0536
1.9675
1.1073

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	7140
pH (S.U.)	7
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.000
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	63.3
Conductivity	94.27
% Solids	2.719
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

Y W/I 0422602

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	4/22/26
Receiving ID#	I09222604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	14:15
Time out	
Received by	Alexis Self
Sampled by	Colin H

SST-1

LAB INFORMATION	
Compatible? (RT#)	Y w/ I04222603
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	2
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.10
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.9
Conductivity	127.7
% Solids	5.242
Turbidity	Yes No
Color	Green
TSS (%)	0.50
Radiation Screen (as needed)	
Lab Signature/Initials	ALY ST

1.0711
2.1384
1.1832

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	4/22/26
Receiving ID#	104222605
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	17:35
Time out	
Received by	Alexis Scaff
Sampled by	Colin H.

SST-2

LAB INFORMATION	
Compatible? (RT#)	Y w/ 104222604
PCBs (ppm) (Oily Waste Only)?	NA
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	7
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.06
Physical Description	liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	67.1
Conductivity	104.1
% Solids	3.126
Turbidity	(Yes) No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	dy sy

1.0720
2.1078
1.1379

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/22/2026
Receiving ID#	204222606
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	19:26
Time out	
Received by	Alexis Sealf
Sampled by	J. HARTILL

LAB INFORMATION	
Compatible? (RT#)	551-1 Y w/ 204222605
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	2
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.09
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	71.5
Conductivity	98.86
% Solids	4.885
Turbidity	Yes No
Color	Green
TSS (%)	0.5
Radiation Screen (as needed)	
Lab Signature/Initials	Ally 81

2.1290
1.1694

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/23/2026
Receiving ID#	IO4232601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	04:20
Time out	
Received by	
Sampled by	Jack Line

1.0621
2.0912
1.2723

SST-1

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	>140
pH (S.U.)	0
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.100 1.100
Physical Description	Liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	65.2
Conductivity	109.2
% Solids	8.617
Turbidity	(Yes) No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	

1 w/ IO4232601

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/23/2026
Receiving ID#	I04232602
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	06:08
Time out	
Received by	<i>[Signature]</i>
Sampled by	Dallen M.

1.0745
2.1044
1.1509

LAB INFORMATION	
Compatible? (RT#)	SST-1
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	7146
pH (S.U.)	0
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.020
Physical Description	Liquid
Stream Consistency	☒ Yes ☐ No
Oil in Sample?	Yes ☒ No
Temperature (F)	64.8 F
Conductivity	1.10.1
% Solids	3.630
Turbidity	☒ Yes ☐ No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

Y w/I04232601

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/23/2026
Receiving ID#	I04232603
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	DM
Sampled by	UenwHocron

1.0705

2.0633

1.1253

SST-2


LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	>140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.040
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	62.3 F
Conductivity	85.13
% Solids	2.655
Turbidity	Yes No
Color	Brown
TSS (%)	0.6
Radiation Screen (as needed)	
Lab Signature/Initials	DM

Y W/ I04232602

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM


RECEIVING INFORMATION	
Date	04/23/2026
Receiving ID#	I04232604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	09:42
Time out	
Received by	
Sampled by	Jacob Line

1.0499

1.9541

1.0874

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	7140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.000
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	63.6 F
Conductivity	73.07
% Solids	9.919
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	

Y w/ I04232603

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/23/2026
Receiving ID#	I04232605
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	11:27
Time out	
Received by	<i>[Signature]</i>
Sampled by	Dalton H.

1.0504

1.9245

1.0925

SST-2

LAB INFORMATION	
Compatible? (RT#)	RT#
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	7140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.020
Physical Description	Liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	65.5
Conductivity	66.93
% Solids	2.187
Turbidity	(Yes) No
Color	Brown
TSS (%)	1.6
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

Y w/I04232604

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/23/2026
Receiving ID#	204232606
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	14:20
Time out	
Received by	Alexis Scott
Sampled by	Colin A

SST-1

LAB INFORMATION	
Compatible? (RT#)	Y w/ I04232605
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	2
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.06
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.6
Conductivity	116.4
% Solids	4.311
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	ALY

1.0635
2.1225
1.1550

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/23/2026
Receiving ID#	104232607
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	1754
Time out	
Received by	Alexis Scalf
Sampled by	Justin Wiersel

SST 1

LAB INFORMATION	
Compatible? (RT#)	Y w/ 104232606
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	0
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	Liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	73.5
Conductivity	126.1
% Solids	3.379
Turbidity	(Yes) No
Color	Brown
TSS (%)	0.5
Radiation Screen (as needed)	
Lab Signature/Initials	ALY

1.0700
2.0863
1.1805

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/23/2026
Receiving ID#	I04232608
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	20:59
Time out	
Received by	Alexis Scott
Sampled by	J. Russell


LAB INFORMATION	
Compatible? (RT#)	SSR-2 YW/I04232607
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	70.6
Conductivity	71.78
% Solids	1.99
Turbidity	(Yes) No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AS

1.0723
2.0744
1.1036

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/24/2026
Receiving ID#	I04242601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	
Sampled by	Uenhoum

1.0679

1.8824

1.1085

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	>140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.040
Physical Description	Liquid
Stream Consistency	☒ Yes ☐ No
Oil in Sample?	Yes ☒ No
Temperature (F)	64.1 F
Conductivity	90.47
% Solids	2.156
Turbidity	☒ Yes ☐ No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	DM

✓ w/ I0423 608

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/24/2026
Receiving ID#	LC04242602
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0946
Time out	
Received by	DM
Sampled by	Justin Winters

1.0800
2.0689
1.1390

SS1-2


LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	7100
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.000
Physical Description	Liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	65.2
Conductivity	95.72
% Solids	2.851
Turbidity	(Yes) No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	DM

Y W/I 04242601

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/21/2026
Receiving ID#	E04242603
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	1147
Time out	
Received by	
Sampled by	Jush's Colusco

1.0689
2.0563
1.1187

SST-1


LAB INFORMATION	
Compatible? (RT#)	
PCBs (opm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	7140
pH (S.U.)	0
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.000
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.4
Conductivity	121.7
% Solids	2.421
Turbidity	Yes No
Color	Brown
TSS (%)	1.0
Radiation Screen (as needed)	
Lab Signature/Initials	

Y w/ I04242603

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/24/2026
Receiving ID#	I04242604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	1336
Time out	
Received by	
Sampled by	Josh's Coloselo

1,0699

1,9777

1,1194

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	2140
pH (S.U.)	7
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.020
Physical Description	Liquid
Stream Consistency	☒ Yes ☐ No
Oil in Sample?	Yes ☒ No
Temperature (F)	66.9
Conductivity	104.3
% Solids	2.502
Turbidity	☒ Yes ☐ No
Color	Brown
TSS (%)	1.0
Radiation Screen (as needed)	
Lab Signature/Initials	

Y w/ I04242603

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/24/2026
Receiving ID#	I04242605
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	15:32
Time out	
Received by	J. Harrell
Sampled by	D. Mullins

SST-2

LAB INFORMATION	
Compatible? (RT#)	SST-2 y w/ I04242604
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	7.0
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	66.5
Conductivity	112.0
% Solids	6.58 %
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J. Harrell

1.0777
2.2463
1.1428

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/24/2026
Receiving ID#	104242606
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	17:23
Time out	
Received by	J. MARTEL
Sampled by	J. MARTEL

SST-1

LAB INFORMATION	
Compatible? (RT#)	SST-1 y w 104242605
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	<0.1
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.06
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	69.4
Conductivity	132.1
% Solids	1.147-2.23%
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J. MARTEL

1.0769
2.9436
1.1424

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/24/2026
Receiving ID#	I 04242607
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	21:34
Time out	
Received by	J. Morris
Sampled by	Colin H

LAB INFORMATION	
Compatible? (RT#)	SS-1 yw
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	7140
pH (S.U.)	7.50
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.7
Conductivity	45.23
% Solids	1944 %
Turbidity	Yes No
Color	
TSS (%)	20.0 %
Radiation Screen (as needed)	
Lab Signature/Initials	J. Morris

I 04242606

1.0797
2.3506
1.1254

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/27/2026
Receiving ID#	E04272601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0608
Time out	
Received by	DM
Sampled by	Justis Wilgels

1,0695

2,0061

1,1280

SST-1

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	7140
pH (S.U.)	0
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.020
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	59.4 F
Conductivity	94.92
% Solids	2.916
Turbidity	Yes No
Color	Brown
TSS (%)	0.5
Radiation Screen (as needed)	
Lab Signature/Initials	

Y W/E04242607

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/27/2026
Receiving ID#	204272607
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0831
Time out	
Received by	
Sampled by	Justin Waseid

SST-1

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	>140
pH (S.U.)	0
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.000
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	60.1 F
Conductivity	65.85
% Solids	2.211
Turbidity	Yes No
Color	Brown
TSS (%)	1.0
Radiation Screen (as needed)	
Lab Signature/Initials	

1.0737

1.9396

1.1166

Y w/ 204272607

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/27/2026
Receiving ID#	I04272603
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	10:21
Time out	
Received by	<i>Don</i>
Sampled by	Jawbline

1.0705

2.0671

1.1597

SST-1

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	7140
pH (S.U.)	0
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.000
Physical Description	Liquid
Stream Consistency	☒ Yes ☐ No
Oil in Sample?	☒ Yes ☐ No
Temperature (F)	62.1
Conductivity	303.7
% Solids	4.315
Turbidity	☒ Yes ☐ No
Color	gray
TSS (%)	1.0
Radiation Screen (as needed)	
Lab Signature/Initials	<i>Don</i>

Y W/I04272602

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/27/2026
Receiving ID#	I04272604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	12:37
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>[Signature]</i>

SST-2

1.0415

2.0102

1.0999

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	>140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.020
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	64.2
Conductivity	97.97
% Solids	2.905
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	DM

YW/ I04272603

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/27/2026
Receiving ID#	204272605
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	1430
Time out	
Received by	Alexis Scalf
Sampled by	Clara Chandler

SST-2

LAB INFORMATION	
Compatible? (RT#)	Y w/ 204272605
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	64.6
Conductivity	95.57
% Solids	13.049
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AS

1.0780
2.0774
1.349

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/27/2026
Receiving ID#	I04272606
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	16:20
Time out	
Received by	Alvis Scott
Sampled by	Dalton H.

SST-2

LAB INFORMATION	
Compatible? (RT#)	Y w/ I04272605
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes (No)
Temperature (F)	73.6
Conductivity	92.30
% Solids	2.507
Turbidity	(Yes) No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AS

1.0461
2.0059
1.1164

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/27/2026
Receiving ID#	I04272607
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	18:07
Time out	
Received by	Alexis Scelf
Sampled by	Dalton M.

JST-2

LAB INFORMATION	
Compatible? (RT#)	Y W / I04272606
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	7
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	72.6
Conductivity	93.45
% Solids	2.804
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	ALP

1.0671
2.0502
1.1246

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/27/2026
Receiving ID#	I04272608
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	20:53
Time out	
Received by	Alexis Scaf
Sampled by	Dallen M.

LAB INFORMATION	
Compatible? (RT#)	SSF-P Y w/I04272607
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	2
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.06
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.0
Conductivity	265.8
% Solids	3.89
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AS

1.0671
2.0741
1.1478

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/28/2026
Receiving ID#	104282601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	05:45
Time out	
Received by	<i>[Signature]</i>
Sampled by	Jacob Line

SST-1

1.0738
2.0890
1.1453

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	7140
pH (S.U.)	0
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.000
Physical Description	Liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	67.5
Conductivity	326.5
% Solids	3.422
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

4 w/104272608

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/28/2026
Receiving ID#	104282601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0757
Time out	
Received by	
Sampled by	Justin Coluzelo

1.0705

2.1112

1.1881

SST-1

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	7140
pH (S.U.)	0
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.066
Physical Description	Liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	65.5 F
Conductivity	222.8
% Solids	5.570
Turbidity	(Yes) No
Color	Brown
TSS (%)	0.25
Radiation Screen (as needed)	
Lab Signature/Initials	DM

Y w/104282601

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/28/2026
Receiving ID#	104282603
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	10:00
Time out	
Received by	DM
Sampled by	Mand M

SST-2

1.0634

2.0769

1.1271

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	>140
pH (S.U.)	7
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.020
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	65.3
Conductivity	94.03
% Solids	3.067
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	

1 w/ I 04282602

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/28/2026
Receiving ID#	104282604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	11:49
Time out	
Received by	<i>[Signature]</i>
Sampled by	Jacob Line

1.0588

1.9927

[Signature]

1.1131

SST-2

LAB INFORMATION	
Compatible? (RT#)	Y W/T 04282603
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	7140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.000
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	65.8 F
Conductivity	89.73
% Solids	2.724
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/28/2026
Receiving ID#	IO4282605
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	13:37
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>[Signature]</i>

SST-2

1.0698

2.0718

1.1250

LAB INFORMATION	
Compatible? (RT#)	
PCBs (opm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	7140
pH (S.U.)	7
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.000
Physical Description	Liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	66.2
Conductivity	87.56
% Solids	2.464
Turbidity	(Yes) No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

Y W/ IO4282608

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/28/2026
Receiving ID#	1282605
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	16:24
Time out	
Received by	Alexis Scott
Sampled by	Dalton M.

SST-2

LAB INFORMATION	
Compatible? (RT#)	Y w/ 104282605
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	66.7
Conductivity	87.48
% Solids	2.593
Turbidity	(Yes) No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AY S

1.0667
2.0896
1.1209

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/28/2026
Receiving ID#	104282607
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	10:18
Time out	
Received by	Alexis Scaff
Sampled by	J. Russell

LAB INFORMATION	
Compatible? (RT#)	951-1
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	1
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.05
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.8
Conductivity	177.3
% Solids	3.316
Turbidity	Yes No
Color	Brown
TSS (%)	0.25
Radiation Screen (as needed)	
Lab Signature/Initials	Alexis

Y w/ 104282606

1.0527
2.0780
1.1216

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/28/2026
Receiving ID#	I04282608
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	21:51
Time out	
Received by	Alexis Scaif
Sampled by	J. Harrell

SST-1

LAB INFORMATION	
Compatible? (RT#)	X w/ I04282607
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	1
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.06
Physical Description	liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	65.9
Conductivity	81.53
% Solids	2.374
Turbidity	Yes No
Color	Brown
TSS (%)	0.25
Radiation Screen (as needed)	
Lab Signature/Initials	A48

1.0667
2.0893
1.1163

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/29/2026
Receiving ID#	LC04292601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0607
Time out	
Received by	<i>DM</i>
Sampled by	Justin Gulseb

1.0805
2.1169
1.1895

SST-1

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
CC ppm (CC Waste Only)?	N/A
Flash Point (F)	7140
pH (S.U.)	0
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.040
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	61.9 F
Conductivity	77.12
% Solids	38.47%
Turbidity	Yes No
Color	Brown
TSS (%)	1.0
Radiation Screen (as needed)	
Lab Signature/Initials	<i>DM</i>

✓ w/ LC04282608

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/29/2026
Receiving ID#	104292602
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	07:50
Time out	
Received by	DM
Sampled by	Jacob Line

1.0785
2.1229
1.1790

SST-1

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	> 140
pH (S.U.)	0
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.040
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	59.5
Conductivity	125.4
% Solids	4.734
Turbidity	Yes No
Color	Brown
TSS (%)	1.0
Radiation Screen (as needed)	
Lab Signature/Initials	DM

Y w/ 104292601

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/29/2026
Receiving ID#	I04292603
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	10:04
Time out	
Received by	
Sampled by	Justin Culver

1.0834
2.0986
1.1370

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	7140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.000
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	62.8
Conductivity	90.30
% Solids	2.554
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	

4 W/I-042902

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/29/2026
Receiving ID#	I04292604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	11:50
Time out	
Received by	<i>[Signature]</i>
Sampled by	Jacob Line

1.0652
2.0739
1.1245

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	>140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.020
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	62.7
Conductivity	95.74
% Solids	2.859
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

Y W/I04292603

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/29/2026
Receiving ID#	IO4292605
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	13:28
Time out	
Received by	DM
Sampled by	Jacob Line

1.0707

2.0362

1.1346

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	7140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.020
Physical Description	Liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	62.4
Conductivity	100.7
% Solids	3.138
Turbidity	(Yes) No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	Am

1 w/I 04292604

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/29/2026
Receiving ID#	E04292605
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	15:37
Time out	
Received by	Alexis Scelf
Sampled by	Dalton M

LAB INFORMATION	
Compatible? (RT#)	SST-2
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	7
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	62.4
Conductivity	102.3
% Solids	3.0805
Turbidity	(Yes) No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AM S

YW/E04292605

1.0832
2.1100
1.1482

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/29/2026
Receiving ID#	I04292407
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	17:24
Time out	
Received by	Alexis Scof
Sampled by	mm/ma

SST-2

LAB INFORMATION	
Compatible? (RT#)	Y W/ I04292606
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	7
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	64.3
Conductivity	202.0
% Solids	3.218
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	Ally

1.0678
2.0975
1.1353

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/29/2026
Receiving ID#	IO4292608
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	1913
Time out	
Received by	Alexis Scott
Sampled by	Dalton M.

SST-1

LAB INFORMATION	
Compatible? (RT#)	Y w/ IO4292607
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	2
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.07
Physical Description	Liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	68.7
Conductivity	148.4
% Solids	2.788
Turbidity	(Yes) No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	ALY SP

1.0633
2.0979
1.1218

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/29/2026
Receiving ID#	104292609
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	21:50
Time out	
Received by	Alexis Scalf
Sampled by	Colin H

SST-2

LAB INFORMATION	
Compatible? (RT#)	Y w/104292608
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	66.2
Conductivity	78.02
% Solids	2.352
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	Ali S

1.0681
2.0655
1.1167

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/30/2026
Receiving ID#	I 04302601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0550
Time out	
Received by	<i>[Signature]</i>
Sampled by	Justin Caluselo

1.0838

2.1013

1.1569

SST-1


LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	7140
pH (S.U.)	0
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.000
Physical Description	Liquid
Stream Consistency	☒ Yes ☐ No
Oil in Sample?	Yes ☐ No ☒
Temperature (F)	61.6 F
Conductivity	147.5
% Solids	3.478
Turbidity	Yes ☐ No ☒
Color	Colorless
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

Y W/I 04292609

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM


RECEIVING INFORMATION	
Date	04/30/2026
Receiving ID#	I04302602
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	8:11
Time out	
Received by	
Sampled by	M. Werlyx

1.0615

2.0899

1.1548

SST-1

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	>140
pH (S.U.)	0
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.000
Physical Description	Liquid
Stream Consistency	☒ Yes ☐ No
Oil in Sample?	Yes ☒ No
Temperature (F)	58.7 F
Conductivity	257.3
% Solids	4.464
Turbidity	☒ Yes ☐ No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	

Y w/ I04300601

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/30/2026
Receiving ID#	I04302603
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	10:00
Time out	
Received by	DM
Sampled by	Jacob Line

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TCC ppm (CC Waste Only)?	N/A
Flash Point (F)	7140
pH (S.U.)	8
Cyanides? (mg/L)	Neg
Sulfides? (ppm)?	Neg
Specific Gravity	1.000
Physical Description	Liqu: 2
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	62.8
Conductivity	57.72
% Solids	1.474
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	am

Y W/ I04308602

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/30 /2026
Receiving ID#	I04302604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	11:47
Time out	
Received by	DM
Sampled by	Jacobline

1,0743

2,0585

1,1078

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	2mb
pH (S.U.)	8
Cyanides? (mg/L)	1
Sulfides? (ppm)?	
Specific Gravity	1.000
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	62.9
Conductivity	58.18
% Solids	1.627
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lap Signature/Initials	DM

I04302603

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	04/30/2026
Receiving ID#	I04302605
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	13:47
Time out	
Received by	DM
Sampled by	Mind Mutt

6ST-1

1.0618

2.0840

1.1652

LAB INFORMATION	
Compatible? (RT#)	Y w/ I04302604
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	7140
pH (S.U.)	0
Cyanides? (mg/L)	0
Sulfides? (ppm)?	
Specific Gravity	1.040
Physical Description	Liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	61.3 F
Conductivity	344.6
% Solids	4.961
Turbidity	(Yes) No
Color	Brown
TSS (%)	1.0
Radiation Screen (as needed)	
Lab Signature/Initials	DM

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	4/30/26
Receiving ID#	I04302606
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	16:45
Time out	
Received by	J. Maffrelli
Sampled by	Mind Muff

SST-1

LAB INFORMATION	
Compatible? (RT#)	Y w/ I04302605
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	<1.0
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	65.7
Conductivity	213.2
% Solids	2.92
Turbidity	Yes No
Color	Colorless
TSS (%)	0.5 %
Radiation Screen (as needed)	
Lab Signature/Initials	J. Maffrelli

1.0414

2.3080

1.1088

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	4/30/26
Receiving ID#	104302607
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	18:33
Time out	
Received by	Alvis Scalf
Sampled by	J. Harrell

SST-1

LAB INFORMATION	
Compatible? (RT#)	Y w/ 104302606
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	0
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.06
Physical Description	liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	65.4
Conductivity	250.7
% Solids	2.455
Turbidity	(Yes) No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AY 81

1.0572
2.0774
1.1082

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	4/30/26
Receiving ID#	L04302608
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	21:42
Time out	
Received by	Alexis Scalf
Sampled by	J. HARRIS

SST-1

LAB INFORMATION	
Compatible? (RT#)	Y w/ L04302607
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.06
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	65.6
Conductivity	343.5
% Solids	3.709
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	Jul 9

1.0548
2.1135
1.1332

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	4/30/26
Receiving ID#	I04302609
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	23:06
Time out	
Received by	Alexis Sealf
Sampled by	Dalton M.

SST -2

LAB INFORMATION	
Compatible? (RT#)	Y w/ I04302608
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	64.8
Conductivity	74.51
% Solids	2.113
Turbidity	Yes No
Color	Brown
TSS (%)	0.25
Radiation Screen (as needed)	
Lab Signature/Initials	AS

1.0865
2.1009
1.1309

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	4/30/26
Receiving ID#	IO4302610
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	24:51
Time out	
Received by	Alexis Scalf
Sampled by	Alexis Scalf

SST-2

LAB INFORMATION	
Compatible? (RT#)	Y w/ IO4302609
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	64.1
Conductivity	88.49
% Solids	2.578
Turbidity	Yes No
Color	Brown
TSS (%)	0.25
Radiation Screen (as needed)	
Lab Signature/Initials	Al S

1.0559
2.0714
1.1093



Sustainability in Action

UIC Permit Condition Part II.D.1. (i):

F039 Results

ANALYTICAL REPORT

PREPARED FOR

Attn: Kristina Revels
Republic Industrial and Energy Solutions
28470 Citrin Dr
Romulus, Michigan 48174

Generated 5/15/2026 4:51:14 PM

JOB DESCRIPTION

Monthly Injectate Analysis

JOB NUMBER

190-39718-1

Eurofins Michigan

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Generated
5/15/2026 4:51:14 PM

Authorized for release by
Nicole Kalis, Project Manager I
Nicole.Kalis@et.eurofinsus.com
Designee for
Debbie Olszowka, Project Manager II
Debbie.Olszowka@et.eurofinsus.com
(513)733-5700



Table of Contents

Cover Page	1
Table of Contents	3
Sample Summary	4
Case Narrative	5
Client Sample Results	6
QC Sample Results	9
Definitions/Glossary	12
Chain of Custody	13
Isotope Dilution Summary	22

Sample Summary

Client: Republic Industrial and Energy Solutions
Project/Site: Monthly Injectate Analysis

Job ID: 190-39718-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
190-39718-1	APRIL INJECTATE COMP 2026	Water	05/05/26 06:00	05/05/26 12:02	Michigan
190-39718-2	APRIL INJECTATE COMP 2026	Water	05/05/26 06:00	05/05/26 12:02	Michigan
190-39718-3	APRIL INJECTATE COMP 2026	Water	05/05/26 06:00	05/05/26 12:02	Michigan

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9

Case Narrative

Client: Republic Industrial and Energy Solutions
Project: Monthly Injectate Analysis

Job ID: 190-39718-1

Job ID: 190-39718-1

Eurofins Michigan

Job Narrative 190-39718-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The samples were received on 5/5/2026 12:02 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 2.8°C.

GC/MS Semi VOA

Method 8270E: The following sample formed emulsions during the extraction procedure: APRIL INJECTATE COMP 2026 (190-39718-1). The emulsions were broken up using centrifugation.

Method 8270E: The extract would not separate through centrifugation for the acidic vial. A portion of the emulsion was filtered and concentrated to 1 mL.

APRIL INJECTATE COMP 2026 (190-39718-1)

Method 8270E: The following sample was diluted due to the nature of the sample matrix: APRIL INJECTATE COMP 2026 (190-39718-1). Elevated reporting limits (RLs) are provided.

Method 8270E: Surrogate recovery for the following sample was outside control limits: APRIL INJECTATE COMP 2026 (190-39718-1). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8270E: The laboratory control sample for preparation batch 480-774966 and analytical batch 480-775167 recovered outside control limits for the following analyte(s): Tetraethyl lead. Tetraethyl lead has been identified as a poor performing analyte when analyzed using this method; therefore, re-extraction/re-analysis was not performed.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Pesticides

Method 8081B: The following sample required a dilution due to the nature of the sample matrix: APRIL INJECTATE COMP 2026 (190-39718-2). Because of this dilution, the surrogate spike concentration in the sample was reduced to a level where the recovery calculation does not provide useful information. Elevated reporting levels (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Dioxin

Method 8290A: An Isotope Dilution Analyte (IDA) recovery associated with the following sample is below the method recommended limit: APRIL INJECTATE COMP 2026 (190-39718-3). Generally, data quality is not considered affected if the IDA signal-to-noise ratio is greater than 10:1, which is achieved for all IDA in the sample(s).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Michigan

Client Sample Results

Client: Republic Industrial and Energy Solutions
Project/Site: Monthly Injectate Analysis

Job ID: 190-39718-1

Client Sample ID: APRIL INJECTATE COMP 2026

Lab Sample ID: 190-39718-1

Date Collected: 05/05/26 06:00

Matrix: Water

Date Received: 05/05/26 12:02

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzidine	<11		11	ug/L		05/08/26 10:14	05/12/26 14:58	10
Nitrosodimethylamine	<5.6		5.6	ug/L		05/08/26 10:14	05/12/26 14:58	10
Tetraethyl lead	<5.6	*-	5.6	ug/L		05/08/26 10:14	05/12/26 14:58	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Phenol-d5 (Surr)	32	S1-	33 - 120	05/08/26 10:14	05/12/26 14:58	10
Nitrobenzene-d5 (Surr)	65		60 - 143	05/08/26 10:14	05/12/26 14:58	10
2-Fluorophenol (Surr)	44		26 - 120	05/08/26 10:14	05/12/26 14:58	10
2,4,6-Tribromophenol (Surr)	51	I	27 - 138	05/08/26 10:14	05/12/26 14:58	10
p-Terphenyl-d14 (Surr)	11	S1-	52 - 154	05/08/26 10:14	05/12/26 14:58	10
2-Fluorobiphenyl (Surr)	10	S1-	53 - 139	05/08/26 10:14	05/12/26 14:58	10

Client Sample Results

Client: Republic Industrial and Energy Solutions
Project/Site: Monthly Injectate Analysis

Job ID: 190-39718-1

Client Sample ID: APRIL INJECTATE COMP 2026

Lab Sample ID: 190-39718-2

Date Collected: 05/05/26 06:00

Matrix: Water

Date Received: 05/05/26 12:02

Method: SW846 8081B - Organochlorine Pesticides (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Aldrin	<0.51		0.51	ug/L		05/07/26 10:06	05/08/26 15:05	10
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl	0	S1-	10 - 137			05/07/26 10:06	05/08/26 15:05	10
Tetrachloro-m-xylene	70	p	10 - 120			05/07/26 10:06	05/08/26 15:05	10

Client Sample Results

Client: Republic Industrial and Energy Solutions
Project/Site: Monthly Injectate Analysis

Job ID: 190-39718-1

Client Sample ID: APRIL INJECTATE COMP 2026

Lab Sample ID: 190-39718-3

Date Collected: 05/05/26 06:00

Matrix: Water

Date Received: 05/05/26 12:02

Method: SW846 8290A - Dioxins and Furans (HRGC/HRMS)

Analyte	Result	Qualifier	RL	EDL	Unit	D	Prepared	Analyzed	Dil Fac
2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD)	<9.4		9.4		pg/L		05/08/26 12:51	05/14/26 01:22	1
Total TCDD	<9.4		9.4		pg/L		05/08/26 12:51	05/14/26 01:22	1
1,2,3,4,7,8-HxCDD	<47		47		pg/L		05/08/26 12:51	05/14/26 01:22	1
1,2,3,6,7,8-HxCDD	<47		47		pg/L		05/08/26 12:51	05/14/26 01:22	1
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin	<47		47		pg/L		05/08/26 12:51	05/14/26 01:22	1
Total HxCDD	<47		47		pg/L		05/08/26 12:51	05/14/26 01:22	1
1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin	330		94		pg/L		05/08/26 12:51	05/14/26 01:22	1
1,2,3,4,6,7,8,9-Octachlorodibenzofuran	<94		94		pg/L		05/08/26 12:51	05/14/26 01:22	1
Isotope Dilution	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C-2,3,7,8-TCDD	42		40 - 135				05/08/26 12:51	05/14/26 01:22	1
13C-1,2,3,4,7,8-HxCDD	43		40 - 135				05/08/26 12:51	05/14/26 01:22	1
13C-1,2,3,6,7,8-HxCDD	44		40 - 135				05/08/26 12:51	05/14/26 01:22	1
13C-OCDD	43		40 - 135				05/08/26 12:51	05/14/26 01:22	1
13C-OCDF	33	*5-	40 - 135				05/08/26 12:51	05/14/26 01:22	1

QC Sample Results

Client: Republic Industrial and Energy Solutions
Project/Site: Monthly Injectate Analysis

Job ID: 190-39718-1

Method: 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Lab Sample ID: LB 480-774794/1-E

Matrix: Water

Analysis Batch: 775167

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 774966

Analyte	LB Result	LB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzidine	<1.1		1.1	ug/L		05/08/26 10:14	05/12/26 12:56	1
Nitrosodimethylamine	<0.56		0.56	ug/L		05/08/26 10:14	05/12/26 12:56	1
Tetraethyl lead	<0.56		0.56	ug/L		05/08/26 10:14	05/12/26 12:56	1

Surrogate	LB %Recovery	LB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Phenol-d5 (Surr)	50		33 - 120	05/08/26 10:14	05/12/26 12:56	1
Nitrobenzene-d5 (Surr)	118		60 - 143	05/08/26 10:14	05/12/26 12:56	1
2-Fluorophenol (Surr)	81		26 - 120	05/08/26 10:14	05/12/26 12:56	1
2,4,6-Tribromophenol (Surr)	108		27 - 138	05/08/26 10:14	05/12/26 12:56	1
p-Terphenyl-d14 (Surr)	106		52 - 154	05/08/26 10:14	05/12/26 12:56	1
2-Fluorobiphenyl (Surr)	101		53 - 139	05/08/26 10:14	05/12/26 12:56	1

Lab Sample ID: MB 480-774966/1-A

Matrix: Water

Analysis Batch: 775167

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 774966

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzidine	<1.1		1.1	ug/L		05/08/26 10:14	05/12/26 10:24	1
Nitrosodimethylamine	<0.57		0.57	ug/L		05/08/26 10:14	05/12/26 10:24	1
Tetraethyl lead	<0.57		0.57	ug/L		05/08/26 10:14	05/12/26 10:24	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Phenol-d5 (Surr)	54		33 - 120	05/08/26 10:14	05/12/26 10:24	1
Nitrobenzene-d5 (Surr)	114		60 - 143	05/08/26 10:14	05/12/26 10:24	1
2-Fluorophenol (Surr)	79		26 - 120	05/08/26 10:14	05/12/26 10:24	1
2,4,6-Tribromophenol (Surr)	106		27 - 138	05/08/26 10:14	05/12/26 10:24	1
p-Terphenyl-d14 (Surr)	122		52 - 154	05/08/26 10:14	05/12/26 10:24	1
2-Fluorobiphenyl (Surr)	125		53 - 139	05/08/26 10:14	05/12/26 10:24	1

Lab Sample ID: LCS 480-774966/2-A

Matrix: Water

Analysis Batch: 775167

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 774966

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzidine	5.71	2.56		ug/L		45	5 - 120
Nitrosodimethylamine	5.71	1.82		ug/L		32	10 - 120
Tetraethyl lead	5.71	0.280	J *	ug/L		5	10 - 200

Surrogate	LCS %Recovery	LCS Qualifier	Limits
Phenol-d5 (Surr)	58		33 - 120
Nitrobenzene-d5 (Surr)	117		60 - 143
2-Fluorophenol (Surr)	78		26 - 120
2,4,6-Tribromophenol (Surr)	109		27 - 138
p-Terphenyl-d14 (Surr)	120		52 - 154
2-Fluorobiphenyl (Surr)	116		53 - 139

Eurofins Michigan

QC Sample Results

Client: Republic Industrial and Energy Solutions
Project/Site: Monthly Injectate Analysis

Job ID: 190-39718-1

Method: 8081B - Organochlorine Pesticides (GC)

Lab Sample ID: MB 240-700880/1-A

Matrix: Water

Analysis Batch: 701058

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 700880

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Aldrin	<0.013		0.013	ug/L		05/07/26 10:05	05/08/26 13:20	1
Surrogate	%Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl	66		10 - 137			05/07/26 10:05	05/08/26 13:20	1
Tetrachloro-m-xylene	63		10 - 120			05/07/26 10:05	05/08/26 13:20	1

Lab Sample ID: LCS 240-700880/2-A

Matrix: Water

Analysis Batch: 701058

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 700880

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits	
Aldrin	0.250	0.229		ug/L		92	23 - 139	
Surrogate	%Recovery	LCS Qualifier	Limits					
DCB Decachlorobiphenyl	75		10 - 137					
Tetrachloro-m-xylene	70		10 - 120					

Method: 8290A - Dioxins and Furans (HRGC/HRMS)

Lab Sample ID: MB 140-113749/6-A

Matrix: Water

Analysis Batch: 113928

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 113749

Analyte	MB Result	MB Qualifier	RL	EDL	Unit	D	Prepared	Analyzed	Dil Fac
2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD)	<10		10		pg/L		05/08/26 12:51	05/13/26 23:21	1
Total TCDD	<10		10		pg/L		05/08/26 12:51	05/13/26 23:21	1
1,2,3,4,7,8-HxCDD	<50		50		pg/L		05/08/26 12:51	05/13/26 23:21	1
1,2,3,6,7,8-HxCDD	<50		50		pg/L		05/08/26 12:51	05/13/26 23:21	1
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin	<50		50		pg/L		05/08/26 12:51	05/13/26 23:21	1
Total HxCDD	<50		50		pg/L		05/08/26 12:51	05/13/26 23:21	1
1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin	<100		100		pg/L		05/08/26 12:51	05/13/26 23:21	1
1,2,3,4,6,7,8,9-Octachlorodibenzofuran	<100		100		pg/L		05/08/26 12:51	05/13/26 23:21	1
Isotope Dilution	%Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C-2,3,7,8-TCDD	79		40 - 135				05/08/26 12:51	05/13/26 23:21	1
13C-1,2,3,4,7,8-HxCDD	84		40 - 135				05/08/26 12:51	05/13/26 23:21	1
13C-1,2,3,6,7,8-HxCDD	83		40 - 135				05/08/26 12:51	05/13/26 23:21	1
13C-OCDD	82		40 - 135				05/08/26 12:51	05/13/26 23:21	1
13C-OCDF	63		40 - 135				05/08/26 12:51	05/13/26 23:21	1

Eurofins Michigan

QC Sample Results

Client: Republic Industrial and Energy Solutions
Project/Site: Monthly Injectate Analysis

Job ID: 190-39718-1

Method: 8290A - Dioxins and Furans (HRGC/HRMS) (Continued)

Lab Sample ID: LCS 140-113749/5-A

Matrix: Water

Analysis Batch: 113928

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 113749

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD)	200	189		pg/L		95	77 - 127
1,2,3,4,7,8-HxCDD	1000	1010		pg/L		101	73 - 123
1,2,3,6,7,8-HxCDD	1000	1010		pg/L		101	72 - 127
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin	1000	1000		pg/L		100	76 - 126
1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin	2000	1970		pg/L		98	75 - 125
1,2,3,4,6,7,8,9-Octachlorodibenzofuran	2000	2020		pg/L		101	68 - 132

Isotope Dilution	LCS %Recovery	LCS Qualifier	Limits
13C-2,3,7,8-TCDD	72		40 - 135
13C-1,2,3,4,7,8-HxCDD	86		40 - 135
13C-1,2,3,6,7,8-HxCDD	79		40 - 135
13C-OCDD	87		40 - 135
13C-OCDF	69		40 - 135

Definitions/Glossary

Client: Republic Industrial and Energy Solutions
Project/Site: Monthly Injectate Analysis

Job ID: 190-39718-1

Qualifiers

GC/MS Semi VOA

Qualifier	Qualifier Description
*-	LCS and/or LCSD is outside acceptance limits, low biased.
I	Value is EMPC (estimated maximum possible concentration).
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
S1-	Surrogate recovery exceeds control limits, low biased.

GC Semi VOA

Qualifier	Qualifier Description
p	The %RPD between the primary and confirmation column/detector is >40%. The lower value has been reported.
S1-	Surrogate recovery exceeds control limits, low biased.


Dioxin

Qualifier	Qualifier Description
*5-	Isotope dilution analyte is outside acceptance limits, low biased.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

[illegible]



Environment Testing
TestAmerica

☐ SDS or Known Hazard Information Supplied by Client

☐ Discrepancies

☐ Short Hold

☐ Rush ☐ 24 Hr ☐ 2-Day ☐ 3-Day ☐ 5-Day ☐ Other:

Client ID: REIS

Work Order #: 190-39718

Receipt Evaluation Performed by: Initials: DH Date: 5/5 Time: 1620

Cooler / Sample Receipt

After hours receipt: complete gray

areas. Place cooler in walk-in, place

form in Receiving box. Date: _____ Time: _____

Method of Shipment:

Walk-In Client Eurofins TA Field/Courier

Other Client / 3rd Party Courier: _____

FedEx Tracking #: _____

UPS Tracking #: _____

Other: _____

Shipping Container Type:

☒ Cooler ☐ Box

☐ None ☐ Other: _____

Packing Materials:

☒ Plastic Bags ☐ Foam

☒ Bubble Wrap ☐ Paper

☐ Packing Peanuts ☐ None

☐ Other: _____

Custody Seals Intact:

☐ Yes ☐ No

☒ NA (not used or required)

Cooling Materials:

☒ Ice (Solid) ☐ Ice (Melted)

☐ Blue Ice ☐ None

☐ Other: _____

Bacteriological Samples	Temp Corrected (°C)	Frozen?	Rec'd Within 2 Hrs?	Sample Flagged?
		Yes No	Yes No	Yes No

Received on same day sampled? Yes No

Additional Sheets Required? Yes No

Receipt Temperatures

Thermometer ID Observed (°C) Corrected (°C) Temp Blank Sample Temp Acceptable Cooler ID Affected Samples

CP313204 2.8 2.8 _____ Y N _____
CLE-IR-001 2.8 2.8 _____ Y N _____
 _____ _____ _____ _____ Y N _____

Receipt Questions**	Y	N	NA	"No" answers require additional comment
CoC present and ETA receipt signature, date, and time properly documented?	☒			
Containers and Labels in good condition? (unbroken, not leaking, appropriately filled, labels legible & attached)	☒			
Appropriate containers used and adequate volume provided?	☒			Preserved bottles checked for pH? <u>Yes</u> No
Number of sample containers match CoC?	☒			pH strip lot # _____
Samples received within hold?	☒			
Samples submitted for GRO and Volatiles analysis (8260, 624, 524) received without headspace?	☒		☒	
Was a Trip Blank received with VOA samples?			☒	
Were the samples free of any questionable physical conformities? (i.e.; field duplicates or multiple bottles of the same sample do not significantly vary in appearance - color, solid proportions, etc.)	☒			
Were the CoC bottle labels and all other items free of all other discrepancies or issues that would need to be addressed with the Project Manager and/or Client?	☒			
**May not be applicable if samples are not for compliance testing				*Excludes FOG, VOAs, TOC Vials, HEM

Client Contact Record

Contact Via: ☐ Phone ☐ Email ☐ Other: _____ Person Contacted: _____ Date/Time: _____

☐ Discrepancy allowance agreement is on record in the client project file

Discussion / Resolution

Any additional documentation and clarification from the client must be noted in the narrative and/or scanned into the CoC directory.

Reviewed by [Signature] Date: 5-5-26

WI-MI-010_020720

Temperature readings: _____

<u>Client Sample ID</u>	<u>Lab ID</u>	<u>Container Type</u>	<u>Container</u>		<u>Preservation</u>	<u>Preservation</u>
			<u>pH</u>	<u>Temp</u>	<u>Added</u>	<u>Lot Number</u>
APRIL INJECTATE COMP 2026	190-39718-A-1	Amber Glass 250ml - unpreserved	_____	_____	_____	_____
APRIL INJECTATE COMP 2026	190-39718-A-2	Amber Glass 250ml - unpreserved	_____	_____	_____	_____
APRIL INJECTATE COMP 2026	190-39718-B-2	Amber Glass 250ml - unpreserved	_____	_____	_____	_____
APRIL INJECTATE COMP 2026	190-39718-A-3	Amber Glass 1 liter - unpreserved	_____	_____	_____	_____
APRIL INJECTATE COMP 2026	190-39718-B-3	Amber Glass 1 liter - unpreserved	_____	_____	_____	_____

4

5

6

7

8

9

Chain of Custody Record

[illegible]

EUROFINS KNOXVILLE SAMPLE RECEIPT/CONDITION UPON RECEIPT ANOMALY CHECKLIST Log In Number:

Review Items	Yes	No	NA	If No, what was the problem?	Comments/Actions Taken
1. Are the shipping containers intact?	/			☐ Containers, Broken	<i>Custody seal intact</i>
2. Were ambient air containers received intact?			/	☐ Checked in lab	<i>Received at RT 0.2/CT 0.4</i>
3. The coolers/containers custody seal if present, is it intact?	/			☐ Yes ☐ NA	<i>SGR 517/26</i>
4. Is the cooler temperature within limits? (> freezing temp. of water to 6 °C, VOST: 10°C) Thermometer ID : <i>SC 76</i> Correction factor: <i>-0.3</i>	/			☐ Cooler Out of Temp, Client Contacted, Proceed/Cancel ☐ Cooler Out of Temp, Same Day Receipt	<i>FedEx PO # 8724 8769 1877</i>
5. Were all of the sample containers received intact?	/			☐ Containers, Broken	
6. Were samples received in appropriate containers?	/			☐ Containers, Improper; Client Contacted; Proceed/Cancel	
7. Do sample container labels match COC? (IDs, Dates, Times)	/			☐ COC & Samples Do Not Match ☐ COC Incorrect/Incomplete ☐ COC Not Received	
8. Were all of the samples listed on the COC received?	/			☐ Sample Received, Not on COC ☐ Sample on COC, Not Received	
9. Is the date/time of sample collection noted?	/			☐ COC; No Date/Time; Client Contacted	
10. Was the sampler identified on the COC?			/	☐ Sampler Not Listed on COC	Labeling Verified by: _____ Date: _____
11. Is the client and project name/# identified?	/			☐ COC Incorrect/Incomplete	pH test strip LIMS number: _____
12. Are tests/parameters listed for each sample?	/			☐ COC No tests on COC	
13. Is the matrix of the samples noted?	/			☐ COC Incorrect/Incomplete	
14. Was COC relinquished? (Signed/Dated/Timed)	/			☐ COC Incorrect/Incomplete	Box 16A: pH Preservation Box 18A: Residual Chlorine
15. Were samples received within holding time?	/			☐ Holding Time - Receipt	Preservative: _____
16. Were samples received with correct chemical preservative (excluding Encore)?			/	☐ pH Adjusted, pH Included (See box 16A) ☐ Incorrect Preservative	LIMS Number: _____
17. Were VOA samples received without headspace?			/	☐ Headspace (VOA only)	Exp Date: _____
18. Did you check for residual chlorine, if necessary? (e.g. 1613B, 1668) Chlorine test strip LIMS container number: _____			/	☐ Residual Chlorine	Analyst: _____
19. For 1613B water samples is pH<9?			/		Date: _____
20. For rad samples was sample activity info. Provided?			/	☐ If no, notify lab to adjust ☐ Project missing info	Time: _____
Project #: _____ PM Instructions: _____					

Sample Receiving Associate: *Paula Luna* Date: *5/7/26*

QA026R34.doc, 10/24/25

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9

Eurofins - Cleveland Sample Receipt Form/Narrative		Login #
Barberton Facility		Cooler unpacked by
Client F v/m	Site Name	CHRIS Roka
Cooler Received on 5/14/26	Opened on 5/16/26	
FedEx: 1 st Grd Exp UPS FAS Waypoint	Client Drop Off	Eurofins Courier Other
Receipt After-hours Drop-off Date/Time		
Storage Location		
Eurofins Cooler # 42	Roam Box	Client Cooler Box Other
Packing material used Bubble Wrap	Roam Plastic Bag	None Other
COOLANT: Water	Blue Ice	Dry Ice Water None
1 Cooler temperature upon receipt ☒ See Multiple Cooler Form		
IR GUN # 1 (CF 0.2 °C) Observed Cooler Temp 1 °C Corrected Cooler Temp. 2 °C		
2 Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 2 ☒ Yes ☒ No ☒ NA		
-Were the seals on the outside of the cooler(s) signed & dated? ☒ Yes ☒ No ☒ NA		
-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? ☒ Yes ☒ No ☒ NA		
-Were tamper/custody seals intact and uncompromised? ☒ Yes ☒ No ☒ NA		
3 Shippers' packing slip attached to the cooler(s)? ☒ Yes ☒ No ☒ NA		
4 Did custody papers accompany the sample(s)? ☒ Yes ☒ No ☒ NA		
5 Were the custody papers relinquished & signed in the appropriate place? ☒ Yes ☒ No ☒ NA		
6 Was/were the person(s) who collected the samples clearly identified on the COC? ☒ Yes ☒ No ☒ NA		
7 Did all bottles arrive in good condition (Unbroken)? ☒ Yes ☒ No ☒ NA		
8 Could all bottle labels (ID/Date/Time) be reconciled with the COC? ☒ Yes ☒ No ☒ NA		
9 For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? ☒ Yes ☒ No ☒ NA		
10 Were correct bottle(s) used for the test(s) indicated? ☒ Yes ☒ No ☒ NA		
11 Sufficient quantity received to perform indicated analyses? ☒ Yes ☒ No ☒ NA		
12. Are these work share samples and all listed on the COC? ☒ Yes ☒ No ☒ NA		
If yes, Questions 13-17 have been checked at the originating laboratory		
13 Were all preserved sample(s) at the correct pH upon receipt? ☒ Yes ☒ NA pH Strip Lot# HC574455		
14. Were VOAs on the COC? ☒ Yes ☒ No ☒ NA		
15 Were air bubbles >6 mm in any VOA vials? ☒ Larger than this ☒ Yes ☒ No ☒ NA		
16 Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # ☒ Yes ☒ No ☒ NA		
17 Was a LL Hg or Me Hg trip blank present? ☒ Yes ☒ No ☒ NA		
Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____		
Concerning _____		
18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES ☐ additional next page		Labeled by Labels Verified by:
19 SAMPLE CONDITION		
Sample(s) _____ were received after the recommended holding time had expired		
Sample(s) _____ were received in a broken container		
Sample(s) _____ were received with bubble >6 mm in diameter (Notify PM)		
20. SAMPLE PRESERVATION		
Sample(s) _____ were further preserved in the laboratory		
Time preserved _____ Preservative(s) added/Lot number(s): _____		
VOA Sample Preservation - Date/Time VOAs Frozen. _____		

Tests that are not checked for pH by Receiving:
VOAs
Oil and Grease
TOC

[illegible]

Isotope Dilution Summary

Client: Republic Industrial and Energy Solutions
Project/Site: Monthly Injectate Analysis

Job ID: 190-39718-1

Method: 8290A - Dioxins and Furans (HRGC/HRMS)
Matrix: Water

Prep Type: Total/NA

		Percent Isotope Dilution Recovery (Acceptance Limits)							
Lab Sample ID	Client Sample ID	TCDD (40-135)	HxCDD (40-135)	HxDD (40-135)	OCDD (40-135)	OCDF (40-135)			
190-39718-3	APRIL INJECTATE COMP 2026	42	43	44	43	33 *5-			
LCS 140-113749/5-A	Lab Control Sample	72	86	79	87	69			
MB 140-113749/6-A	Method Blank	79	84	83	82	63			
Surrogate Legend									
TCDD = 13C-2,3,7,8-TCDD									
HxCDD = 13C-1,2,3,4,7,8-HxCDD									
HxDD = 13C-1,2,3,6,7,8-HxCDD									
OCDD = 13C-OCDD									
OCDF = 13C-OCDF									