



4/30/2026

VIA FEDERAL EXPRESS

Tera Fong, Director
Water Division
US EPA, Region 5
UIC Section, (WP-16J)
77 West Jackson Boulevard
Chicago, Illinois 60604-3590

SUBJECT: Well #1-12, UIC PERMIT MI-163-1W-C010 and Well #2-12, UIC Permit MI-163-1W-C011
Republic Industrial and Energy Solutions, LLC. Class 1 Hazardous
Wayne County, Michigan
March Monthly Report

In accordance with the Class 1 Hazardous Underground Injection Well Permits MI-163-1W-C010 and MI-163-1W-C011, Republic Industrial and Energy Solutions, LLC (RIES) located in Wayne County, Michigan is submitting its Monthly Report demonstrating compliance with permit requirements. The attached information is provided in the same sequence as required by both subject permits in Part II D.1. (a-i) and Part III Attachment A, Part III Attachment E(G)(2) and E(I).

I certify under penalty of law that this document and all attachments were prepared under my supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry into the person or persons who manage the system, or those directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Should you have any questions regarding this report, please contact Kristina Revels at kreveles@republicservices.com or (734) 664-6075.

Sincerely,

A handwritten signature in cursive script that reads "Winston Wright".

Winston Wright
ES General Manager

Enclosures



Sustainability in Action

Summary

Wells #1-12 and #2-12 were operated in accordance with the requirements of MI-163-1W-C010 and MI-163-1W-C011, during the reporting month. A summary table of the total monthly and year-to-date volumes of fluids injected into the wells is provided below.

Year	Month	Well #1-12	Well #2-12	Per Month	Cumulative
2025	April	1,049,644	1,109,776	2,159,420	6,264,052
2025	May	925,240	904,804	1,830,044	8,094,096
2025	June	470,712	1,097,272	1,567,984	9,662,080
2025	July	0	1,587,120	1,587,120	11,249,200
2025	August	373,528	549,768	923,296	12,172,496
2025	September	951,788	299,208	1,250,996	13,423,492
2025	October	516,307	605,832	1,122,139	14,545,631
2025	November	238,380	648,114	886,494	15,432,125
2025	December	284,572	599,933	884,505	16,316,630
2026	January	729,517	701,594	1,431,111	17,747,741
2026	February	635,316	629,728	1,265,044	19,012,785
2026	March	1,071,275	1,003,882	2,075,156	21,087,941



Sustainability in Action

UIC Permit Condition Part II.D.1. (d):

Average Injection Rate

Calculation of Average Injection Rate

CURRENT REPORTING YEAR 2026

CURRENT REPORTING MONTH March

Date (month, year) of the first injection into either well at the Citrin Road Facility November 2013

CURRENT MONTH (all volumes in gallons)

	Injected Waste	Injected Non-Waste	Total injected
MI-163-1W-C010, Well #1-12			
Current Month	1,071,275	0	1,071,275
Since facility first injected			79,499,783
MI-163-1W-C011, Well #2-12			
Current Month	1,003,882	0	1,003,882
Since facility first injected			65,593,215
		Lifetime Combined	145,092,998

Conversion factors

365.25 days per year ÷ 12 months per year = 30.4375 days per month

30.4375 days per month × 1440 minutes per day = 43,830 minutes per month

Calculations

Whole number of months¹ of injection 148

148 lifetime number of months of injection X 43,830 minutes/month
= 6486840 minutes of injection

Lifetime combined injected volume 145,092,998 ÷ 6486840 minutes of injection
= 22.4 gpm average injection rate

¹ Calculated from November 30, 2013, to March 31, 2026, for a total of 148 months.



Sustainability in Action

UIC Permit Condition Part II.D.1. (b):


Well #1-12, Permit MI-163-1W-C010 Data



Injection Well 1-12

March 2026

Date	Injection Pressure (psig)	Annulus Tank Level (inches)		Annulus Pressure (psig)		Injection pH	Flow Rate (gpm)	Differential Pressure (psig)
	Max.	Min.	Max.	Min.	Max.	Average	Average	Min.
3/1/2026	-7.27	6.1	6.2	830.9	838.5	n/a	0.00	838.23
3/2/2026	355.24	6.1	6.2	656.0	903.5	0.24	45.88	411.60
3/3/2026	332.28	6.1	6.2	639.2	879.7	0.38	36.93	409.52
3/4/2026	309.29	6.1	6.2	646.6	898.2	0.45	35.12	433.09
3/5/2026	376.86	6.1	6.2	695.6	895.5	0.36	37.26	414.90
3/6/2026	395.88	6.1	6.2	643.7	864.8	0.47	27.37	389.58
3/7/2026	20.56	6.1	6.3	726.4	804.4	n/a	0.00	707.33
3/8/2026	8.73	6.1	6.3	803.8	810.8	n/a	0.00	795.04
3/9/2026	343.42	6.2	6.3	679.0	875.6	0.27	28.37	455.27
3/10/2026	366.11	6.2	6.3	683.3	857.0	0.32	39.33	471.52
3/11/2026	375.32	6.1	6.3	684.6	867.9	0.22	31.32	480.30
3/12/2026	294.15	6.1	6.2	705.4	864.0	0.35	19.53	503.67
3/13/2026	329.66	6.1	6.2	676.7	870.9	0.28	16.19	533.64
3/14/2026	-12.32	6.1	6.2	768.9	774.4	n/a	0.00	782.94
3/15/2026	-11.84	6.1	6.3	773.7	778.1	n/a	0.00	786.39
3/16/2026	312.41	6.1	6.3	650.6	867.9	0.25	30.98	471.32
3/17/2026	314.63	6.1	6.2	635.3	828.0	0.20	27.20	408.12
3/18/2026	338.15	6.0	6.2	577.1	813.8	0.21	49.08	327.40
3/19/2026	365.56	6.1	6.2	587.0	800.1	0.35	47.80	313.81
3/20/2026	394.42	6.1	6.3	574.9	795.5	0.29	56.40	281.95
3/21/2026	403.20	6.1	6.2	638.0	799.4	0.49	14.73	356.52
3/22/2026	54.23	6.1	6.2	738.4	749.9	n/a	0.00	684.20
3/23/2026	363.07	6.1	6.2	640.7	827.4	0.38	32.59	389.58
3/24/2026	299.46	6.1	6.2	542.9	806.0	0.30	21.29	340.26
3/25/2026	263.24	6.1	6.2	558.0	768.2	0.23	33.02	369.12
3/26/2026	337.26	6.1	6.3	615.5	838.4	0.39	38.84	393.84
3/27/2026	327.10	6.0	6.2	573.4	833.5	0.45	25.31	396.71
3/28/2026	106.26	6.1	6.2	706.0	737.5	n/a	0.00	599.76
3/29/2026	87.36	6.1	6.2	736.8	740.5	n/a	0.00	649.99
3/30/2026	327.68	6.1	6.3	609.8	809.1	0.62	29.88	416.99
3/31/2026	326.71	6.1	6.3	641.1	893.8	0.46	26.98	458.02



- ↑

☒ IW1 Flow Rate (GPM)


☒ AT1 Volume (Gal)


☒ Totalizer (Gal)

☒ IW1 Annulus Pressure (PSI)

☒ IW1 INJ Pressure (PSI)

☒ IW1 Ph







Sustainability in Action

UIC Permit Condition Part II.D.1. (b):


Well #2-12, Permit MI-163-1W-C011 Data





Injection Well 2-12

March 2026

Date	Injection Pressure (psig)	Annulus Tank Level (inches)		Annulus Pressure (psig)		Injection pH	Flow Rate (gpm)	Differential Pressure (psig)
	Max.	Min.	Max.	Min.	Max.	Average	Average	Min.
3/1/2026	-8.30	24.1	24.2	984.7	997.1	n/a	0.00	993.28
3/2/2026	406.87	24.0	24.2	816.2	1064.0	7.66	44.03	522.68
3/3/2026	371.91	24.1	24.3	793.2	1045.0	7.71	35.59	519.58
3/4/2026	364.63	24.2	24.3	802.5	1068.4	7.64	33.81	542.13
3/5/2026	435.29	24.2	24.3	857.5	1065.8	7.74	34.79	532.98
3/6/2026	451.13	24.2	24.3	809.4	1039.4	7.87	24.85	513.74
3/7/2026	29.46	24.3	24.4	891.9	984.2	n/a	0.00	862.57
3/8/2026	12.42	24.3	24.4	984.4	995.5	n/a	0.00	972.15
3/9/2026	393.93	24.3	24.5	853.5	1066.7	7.82	27.32	596.84
3/10/2026	421.19	24.4	24.5	875.2	1048.1	7.83	35.86	608.85
3/11/2026	430.29	24.3	24.5	873.3	1067.7	7.84	28.60	623.06
3/12/2026	334.38	24.2	24.3	898.3	1065.7	7.75	18.31	662.64
3/13/2026	365.44	24.2	24.2	867.2	1071.8	7.66	15.30	699.02
3/14/2026	-12.68	24.0	24.2	976.0	982.2	n/a	0.00	989.23
3/15/2026	-12.72	24.1	24.4	982.2	988.7	n/a	0.00	995.34
3/16/2026	351.35	24.3	24.4	858.0	1086.8	7.55	27.97	643.84
3/17/2026	362.86	24.1	24.3	845.3	1044.7	7.51	25.32	578.08
3/18/2026	341.27	24.0	24.2	779.1	1032.4	0.57	39.30	526.44
3/19/2026	401.25	24.2	24.3	803.5	1015.4	0.34	46.32	496.96
3/20/2026	447.50	24.3	24.4	792.2	1013.4	0.29	56.29	451.18
3/21/2026	451.23	24.2	24.4	850.6	1026.0	0.49	14.63	541.05
3/22/2026	61.34	24.2	24.3	965.6	984.7	n/a	0.00	904.24
3/23/2026	402.34	24.1	24.2	869.4	1069.5	0.38	30.96	590.54
3/24/2026	331.91	24.1	24.3	774.3	1046.8	0.30	21.22	532.15
3/25/2026	314.40	24.2	24.4	788.9	1006.9	0.23	32.85	559.01
3/26/2026	376.44	24.3	24.5	851.1	1085.3	0.39	37.13	586.16
3/27/2026	380.69	24.2	24.4	824.4	1086.7	0.17	24.29	592.22
3/28/2026	116.03	24.2	24.2	943.5	992.5	0.00	0.00	827.52
3/29/2026	91.77	24.2	24.3	992.5	1000.0	6.53	0.00	901.05
3/30/2026	384.08	24.2	24.4	860.3	1070.1	6.15	28.51	624.56
3/31/2026	371.40	24.3	24.4	887.8	1165.2	7.00	25.40	675.05









Sustainability in Action

UIC Permit Condition Part II.D.1. (e):

Annulus System



WELL 1-12
ANNULUS SYSTEM

March 2026

Current Month, Additions and Removals			
DAY	Volume Added (gal)	Volume Removed (gal)	Composition
1	-	-	
2	-	-	
3	-	-	
4	-	-	
5	-	-	
6	-	-	
7	-	-	
8	-	-	
9	-	-	
10	-	-	
11	-	-	
12	-	-	
13	-	-	
14	-	-	
15	-	-	
16	-	-	
17	-	-	
18	-	-	
19	-	-	
20	-	-	
21	-	-	
22	-	-	
23	-	-	
24	-	-	
25	-	-	
26	-	-	
27	-	-	
28	-	-	
29	-	-	
30	-	-	
31	-	-	

Cumulative Additions and Subtractions:

0



**WELL 1-12
ANNULUS SYSTEM**

March 2026

Last 12 months, Additions and Removals			
MONTH YEAR	Volume Added (gal)	Volume Removed (gal)	Comments
Mar-26	-	-	
Feb-26	-	-	
Jan-26	5	-	
Dec-25	5	-	
Nov-25	-	-	
Oct-25	4.97	-	
Sep-25	-	-	
Aug-25	-	-	
Jul-25	-	-	
Jun-25	-	-	
May-25	-	-	
Apr-25	-	-	

Cumulative Additions and Subtractions: 14.97



WELL 2-12
ANNULUS SYSTEM

March 2026

Current Month, Additions and Removals			
DAY	Volume Added (gal)	Volume Removed (gal)	Composition
1	-	-	
2	-	-	
3	-	-	
4	-	-	
5	-	-	
6	-	-	
7	-	-	
8	-	-	
9	-	-	
10	-	-	
11	-	-	
12	-	-	
13	-	-	
14	-	-	
15	-	-	
16	-	-	
17	-	-	
18	-	-	
19	-	-	
20	-	-	
21	-	-	
22	-	-	
23	-	-	
24	-	-	
25	-	-	
26	-	-	
27	-	-	
28	-	-	
29	-	-	
30	-	-	
31	-	-	

Cumulative Additions and Subtractions:

0



**WELL 2-12
ANNULUS SYSTEM**

March 2026

Last 12 months, Additions and Removals			
MONTH YEAR	Volume Added (gal)	Volume Removed (gal)	Comments
Mar-26	-	-	
Feb-26	-	-	
Jan-26	5	-	
Dec-25	-	-	
Nov-25	-	-	
Oct-25	-	-	
Sep-25	-	-	
Aug-25	-	-	
Jul-25	-	-	
Jun-25	-	-	
May-25	-	-	
Apr-25	-	-	

Cumulative Additions and Subtractions: 5



Sustainability in Action

UIC Permit Condition Part II.D.1. (g):

Corrosion Monitoring

**CORROSION MONITORING
COUPON IMAGE & VISUAL DESCRIPTION**

Inspection/Evaluation Date: March 23, 2026

Fiberglass Coupon



Result: 15.9718 grams

Image Date and Time: 03/23/26 8:56am

Location of Sample: SST-1

Sampling Method: Grab Sample

Sampler: DRR


Description:

The coupon is red in color. The surface is smooth and worn. There appears to be signs of pitting. There are no visible signs of cracks or swelling.

**CORROSION MONITORING
COUPON IMAGE & VISUAL DESCRIPTION**

Inspection/Evaluation Date: March 23, 2026

Hastelloy Coupon



Result: 13.3152 grams

Image Date / Time: 03/23/26 9:04am

Location of Sample: SST-1

Sampling Method: Grab Sample

Sampler: DRR

Description:

The coupon is gray with the id# C276 (6). There are no signs of corrosion or pitting. The surface is smooth.

**CORROSION MONITORING
COUPON IMAGE & VISUAL DESCRIPTION**

Inspection/Evaluation Date: March 23, 2026

Stainless Steel Coupon



Result: 9.2881 grams
Image Date / Time: 03/23/26 9:08am
Location Of Sample: SST-1
Sampling Method: Grab Sample
Sampler: DRR

Description:

This coupon is gray/silver with id# s2046. There is slight corrosion near the eye hole where it connects to the anchor point. There is visible pitting on the surface with slight discoloration.



Sustainability in Action

UIC Permit Condition Part II.D.1. (h):

Maintenance

Date Identified	Description	Reason for Repair/Maintenance	Component Fail/Potential to Fail	Outcome	Life Expectancy of repaired Injection/Annulus components	Date of Completion
3/18/2026	Replaced dampener bleeder valve	Preventative	Potential for failure	New valve installed	1-2 Years	3/18/2026



Sustainability in Action

UIC Permit Condition Part II.D.1. (a):

Injection Fingerprints

Date	Injectate Specific Gravity Max.
3/1/2026	-
3/2/2026	1.10
3/3/2026	1.10
3/4/2026	1.08
3/5/2026	1.08
3/6/2026	1.10
3/7/2026	-
3/8/2026	-
3/9/2026	1.10
3/10/2026	1.10
3/11/2026	1.10
3/12/2026	1.10
3/13/2026	1.10
3/14/2026	-
3/15/2026	-
3/16/2026	1.10
3/17/2026	1.09
3/18/2026	1.10
3/19/2026	1.10
3/20/2026	1.06
3/21/2026	1.06
3/22/2026	-
3/23/2026	1.04
3/24/2026	1.06
3/25/2026	1.04
3/26/2026	1.02
3/27/2026	1.08
3/28/2026	-
3/29/2026	-
3/30/2026	1.10
3/31/2026	1.06

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/02/26
Receiving ID#	I03022601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	06:05
Time out	
Received by	<i>J. AR</i>
Sampled by	<i>Jacob Line</i>

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	7.60
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.10
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.1
Conductivity	156.8 mS
% Solids	11.77
Turbidity	Yes No
Color	
TSS (%)	20.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>J. AR</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/02/26
Receiving ID#	203022607
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	07:55
Time out	
Received by	J. Sh
Sampled by	J. Jacob Line

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	7.47
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.10
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.4
Conductivity	154.4 mS
% Solids	0.14
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J. Sh

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/ 02/26
Receiving ID#	703022603
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	09:40
Time out	
Received by	J. A. [Signature]
Sampled by	Jacob Line

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	7.47
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.09
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	59.8
Conductivity	124.5 mS
% Solids	8.20
Turbidity	Yes No
Color	
TSS (%)	<0.5
Radiation Screen (as needed)	
Lab Signature/Initials	J. A. [Signature]

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/02/26
Receiving ID#	103022604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	11:29
Time out	
Received by	<i>J. AD</i>
Sampled by	<i>A. W. X</i>

SST.2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F) <i>J.T.</i>	<i>7.68</i>
pH (S.U.)	<i>7.66</i>
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	<i>1.06</i>
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	<i>64.2</i>
Conductivity	<i>84.32</i>
% Solids	<i>4.65</i>
Turbidity	Yes No
Color	
TSS (%)	<i>20.1</i>
Radiation Screen (as needed)	
Lab Signature/Initials	<i>J. AD</i>

>140

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/02/26
Receiving ID#	103022605
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	13:19
Time out	
Received by	J. Allen
Sampled by	Dalton M.

SST-1

LAB INFORMATION	
Compatible? (RT#)	SST-1
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	1.11
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.07
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.2
Conductivity	115.0 uS
% Solids	8.96
Turbidity	Yes No
Color	
TSS (%)	20.10
Radiation Screen (as needed)	
Lab Signature/Initials	J. Allen

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/02/26
Receiving ID#	1030226060
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	15:12
Time out	
Received by	Alexis Scalf
Sampled by	Alexis Scalf

LAB INFORMATION	
Compatible? (RT#)	155-2
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	7.77
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.05
Physical Description	liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	56.2
Conductivity	64.69
% Solids	3.17
Turbidity	Yes (No)
Color	Brown
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	Am S

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/02/26
Receiving ID#	103022607
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	18:56 16:30
Time out	
Received by	Alexis Scott
Sampled by	J. KATZ

LAB INFORMATION	
Compatible? (RT#)	SSR 2
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	240
pH (S.U.)	7.82
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	62.7
Conductivity	53.33
% Solids	4.16
Turbidity	Yes No
Color	Brown
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AY

RECEIVING & APPROVAL FORM



RECEIVING INFORMATION	
Date	03/02/26
Receiving ID#	503 022608
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	20:21
Time out	
Received by	Alexis Scalf
Sampled by	J. K. R. P. 11

LAB INFORMATION	
Compatible? (RT#)	SST - 2
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	7.79
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.03
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	65.7
Conductivity	46.50
% Solids	1.80
Turbidity	Yes No
Color	Brown
TSS (%)	50.1
<u>Radiation Screen (as needed)</u>	
Lab Signature/Initials	ALJ

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/03/26
Receiving ID#	203032601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0623
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>[Signature]</i> Rushis Calogelo
SSI-2	
LAB INFORMATION	
Compatible? (RT#)	<i>[Checkmark]</i>
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	7.73
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	69.0
Conductivity	44.33
% Solids	2.26
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/03/26
Receiving ID#	I03032602
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	9:02
Time out	
Received by	
Sampled by	

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	7.72
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.05
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	59.5
Conductivity	52.44 mS
% Solids	2.15
Turbidity	Yes No
Color	
TSS (%)	10.1
Radiation Screen (as needed)	
Lab Signature/Initials	

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/03/26
Receiving ID#	E03032603
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	11:43
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>[Signature]</i>

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	2.63
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.06
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	60.9
Conductivity	82.71 mS
% Solids	4.19
Turbidity	Yes No
Color	
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/03/26
Receiving ID#	163032604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	13:51
Time out	
Received by	Alexis Scalf
Sampled by	John H.

LAB INFORMATION	
Compatible? (RT#)	SST-2
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	7.909
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.03
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	59.6
Conductivity	80.99
% Solids	2.59
Turbidity	Yes No
Color	Brown
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	Asy

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/03/26
Receiving ID#	F03032605
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	16:16
Time out	
Received by	Alexis Scaif
Sampled by	Mary M. M. M.

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	7.57
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.05
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	63.8
Conductivity	86.68
% Solids	8.51
Turbidity	Yes No
Color	Brown
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	Ly S

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/03/26
Receiving ID#	203032606
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	19:19
Time out	
Received by	Alexis Scelf
Sampled by	Deaton H.

LAB INFORMATION	
Compatible? (RT#)	SSF-1
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	0.98
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.09
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.7
Conductivity	135.3
% Solids	7.62
Turbidity	Yes No
Color	Color 655
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	Ref Ep

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/03/26
Receiving ID#	IA3032106 7
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	21:20
Time out	
Received by	Alexis Scott
Sampled by	John H.

LAB INFORMATION	
Compatible? (RT#)	JST-1
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	0.68
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.10
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes (No)
Temperature (F)	68.1
Conductivity	191.7
% Solids	6.27
Turbidity	Yes (No)
Color	Brown
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AY ST



RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/04/26
Receiving ID#	I03042601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	06:10
Time out	
Received by	J. A. [Signature]
Sampled by	Jacob [Signature]

SST-2

LAB INFORMATION	
Compatible? (RT#)	✓
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	7.54
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.07
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	64.6
Conductivity	95.11 mS
% Solids	5.62
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J. A. [Signature]

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/04/26
Receiving ID#	1030412602
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0842
Time out	
Received by	
Sampled by	Justin Colangelo
SST-2	
LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	7.59
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.07
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	59.6
Conductivity	96.56 uS
% Solids	5.53
Turbidity	Yes No
Color	
TSS (%)	50.1
Radiation Screen (as needed)	
Lab Signature/Initials	

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/04/26
Receiving ID#	103042603
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	10:38
Time out	
Received by	J. A. H.
Sampled by	Jaob Line

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	7.43
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.07
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	59.6
Conductivity	100.2 mS
% Solids	4.19
Turbidity	Yes No
Color	
TSS (%)	2.2
Radiation Screen (as needed)	
Lab Signature/Initials	J. A. H.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/04/26
Receiving ID#	203042604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	1214
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>[Signature]</i> Josh's Colangelo
SST-2	
LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	7.10
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.07
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	64.6
Conductivity	111.9 <i>mg</i>
% Solids	6.47
Turbidity	Yes No
Color	
TSS (%)	10.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/04/26
Receiving ID#	I03042605
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	16:08
Time out	
Received by	Alexis Scalf
Sampled by	Alexis Scalf

LAB INFORMATION	
Compatible? (RT#)	SST-1
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	2.37
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.08
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes (No)
Temperature (F)	76.1
Conductivity	100.8
% Solids	6.15
Turbidity	Yes (No)
Color	Brown
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AS

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/ 4 /26
Receiving ID#	2030426 06
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	19:58
Time out	
Received by	Alexis Scalf
Sampled by	D. Dalton M.

LAB INFORMATION	
Compatible? (RT#)	SST-1
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	5.91
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.06
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	69.1
Conductivity	72.87
% Solids	3.87
Turbidity	Yes No
Color	Brown
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	dy ef

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/04/26
Receiving ID#	B03042607
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	21:30
Time out	
Received by	Alexis Self
Sampled by	Colin H.

LAB INFORMATION	
Compatible? (RT#)	55T-1
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	1.19
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.07
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes (No)
Temperature (F)	67.6
Conductivity	183.1
% Solids	2.29
Turbidity	Yes (No)
Color	Brown
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	ALH

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/05/26
Receiving ID#	I03052601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0539
Time out	
Received by	Justin Colangelo
Sampled by	Justin Colangelo

SST-1

LAB INFORMATION	
Compatible? (RT#)	Y
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	1.46
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.08
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	70.6
Conductivity	97.11
% Solids	5.23%
Turbidity	Yes No
Color	Brown
TSS (%)	0.25
Radiation Screen (as needed)	
Lab Signature/Initials	JSC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/05/26
Receiving ID#	I03052602
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	08:00
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>[Signature]</i>

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	7.71
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.06
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	63.3
Conductivity	72.82 mS
% Solids	3.45
Turbidity	Yes No
Color	
TSS (%)	50.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/05 /26
Receiving ID#	103052603
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	10:35
Time out	
Received by	<i>JAR</i>
Sampled by	<i>Guido Line</i>
SST-2	
LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	7.63
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.06
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	59.2
Conductivity	89.48
% Solids	0.20
Turbidity	Yes No
Color	
TSS (%)	50
Radiation Screen (as needed)	
Lab Signature/Initials	<i>JAR</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/05/26
Receiving ID#	203052604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	12:22
Time out	
Received by	J. Alh
Sampled by	Jacob Line

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	7140
pH (S.U.)	7.59
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.07
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	58.6
Conductivity	8738 mS
% Solids	1.90
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J. Alh

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/05/26
Receiving ID#	103052605
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	16:00
Time out	
Received by	Alexis Scott
Sampled by	Patricia Miller

LAB INFORMATION	
Compatible? (RT#)	SST -2
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	<140
pH (S.U.)	7.77
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	61.7
Conductivity	44.07
% Solids	0.85
Turbidity	Yes No
Color	Brown
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	Ally St

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/05/26
Receiving ID#	I03052606
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	18 40
Time out	
Received by	Alexis Scalf
Sampled by	Colin H

LAB INFORMATION	
Compatible? (RT#)	55T-2
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	7.78
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.01
Physical Description	liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	72.1
Conductivity	35.48
% Solids	1.55
Turbidity	Yes (No)
Color	Brown
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AHSf

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/08/26
Receiving ID#	103052607
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	21:00
Time out	
Received by	Alexis Scaif
Sampled by	Dalton M.

LAB INFORMATION	
Compatible? (RT#)	35T-1
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	1.07
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.06
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	72.7
Conductivity	112.6
% Solids	4.28
Turbidity	Yes No
Color	Brown
TSS (%)	20.1
Radiation Screen (as needed)	
Lab Signature/Initials	Ally 57

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING INFORMATION	
Date	03/06 /26
Receiving ID#	D0306 2601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0605
Time out	
Received by	
Sampled by	Justin Coleman

55T-1

Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	314
pH (S.U.)	1.08
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.10
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	65.1
Conductivity	134.0 μS
% Solids	5.29
Turbidity	Yes No
Color	
TSS (%)	40.1
Radiation Screen (as needed)	
Lab Signature/Initials	A N



RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/06/26
Receiving ID#	303062467
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	08:26
Time out	
Received by	<i>J. Ash</i>
Sampled by	<i>Jaob Line</i> SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2110
pH (S.U.)	2.89
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.06
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	62.8
Conductivity	24.09 us
% Solids	1.15
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>J. Ash</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/06/26
Receiving ID#	PO3062603
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	10:10
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>[Signature]</i>

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	7.85
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	59.3
Conductivity	22.94 mS
% Solids	< 61
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/26/26
Receiving ID#	IO3062604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	13:39
Time out	
Received by	Alexis Scaff
Sampled by	Dallon M.

LAB INFORMATION	
Compatible? (RT#)	SST-1
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	1.08
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.08
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.2
Conductivity	130.3
% Solids	5.24
Turbidity	Yes No
Color	Brown
TSS (%)	50.1
Radiation Screen (as needed)	
Lab Signature/Initials	AY 57

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/06/26
Receiving ID#	203062605
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	20:07
Time out	
Received by	Alexis Scalf
Sampled by	J. Russell

LAB INFORMATION	
Compatible? (RT#)	SST - 1
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	1.51
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.10
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	74.6
Conductivity	101.9
% Solids	4.62
Turbidity	Yes No
Color	Green
TSS (%)	0.25
Radiation Screen (as needed)	
Lab Signature/Initials	AS

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/09/26
Receiving ID#	I03092601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	06:10
Time out	
Received by	<i>J. A. [Signature]</i>
Sampled by	<i>J. A. [Signature]</i>

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	7.98
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.03
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	59.0
Conductivity	20.91 <i>ms</i>
% Solids	1.09
Turbidity	Yes No
Color	
TSS (%)	50.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>J. A. [Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/ 9- /26
Receiving ID#	I03092602
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	6:57
Time out	
Received by	J. Al
Sampled by	J. A. Warkip

SST.2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	8.04
Cyanides? (mg/L)	
Sulfides? (ppm)?	1.50
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	61.3
Conductivity	23.47 us
% Solids	1.69
Turbidity	Yes No
Color	
TSS (%)	20.1
Radiation Screen (as needed)	
Lab Signature/Initials	J. A. Warkip

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/09/26
Receiving ID#	103092603
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	09:36
Time out	
Received by	<i>J. Ahn</i>
Sampled by	<i>Dark Line</i>

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	7.99
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	58.3
Conductivity	35.104 mS
% Solids	2.07
Turbidity	Yes No
Color	
TSS (%)	20.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>J. Ahn</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/09/26
Receiving ID#	TD3092604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	11:31
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>[Signature]</i>

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	7.75
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.06
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	61.0
Conductivity	64.54 mS
% Solids	3.55
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/09/26
Receiving ID#	293092605
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	19:45
Time out	
Received by	Arvis Scaif
Sampled by	J. J. J. J. J.

LAB INFORMATION	
Compatible? (RT#)	55T-1
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	7140
pH (S.U.)	0.91
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.10
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	71.0
Conductivity	167.8
% Solids	7.92
Turbidity	Yes No
Color	Green
TSS (%)	20.1
Radiation Screen (as needed)	
Lab Signature/Initials	J. J. J. J. J.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/10/26
Receiving ID#	703102401
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	05:50
Time out	
Received by	<i>J. Sh</i>
Sampled by	Jacob Line

SST-1

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	0.91
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.09
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.3
Conductivity	149.2 μ S
% Solids	6.38
Turbidity	Yes No
Color	
TSS (%)	20.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>J. Sh</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/10/26
Receiving ID#	703102602
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	09:45
Time out	
Received by	<i>J. A. R.</i>
Sampled by	<i>Jack Line</i>

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	7.71
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.07
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	63.8
Conductivity	81.97 mS
% Solids	3.96
Turbidity	Yes No
Color	
TSS (%)	20.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>J. A. R.</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/10/26
Receiving ID#	T03102603
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	11:34
Time out	
Received by	<i>[Signature]</i>
Sampled by	Justin Colangelo

SST-1

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	1.53
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.10
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	66.0
Conductivity	103.0 μ m
% Solids	7.74
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/18/26
Receiving ID#	203102604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	13:32
Time out	
Received by	<i>[Signature]</i>
Sampled by	J. Harrell

LAB INFORMATION	
Compatible? (RT#)	SSI-2
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	7.70
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.07
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	64.5
Conductivity	81.40 mS
% Solids	4.55
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/10/26
Receiving ID#	E0362605
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	15:37
Time out	
Received by	Alexis Scalf
Sampled by	J. Nothel

LAB INFORMATION	
Compatible? (RT#)	SS-2
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	7.84
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes (No)
Temperature (F)	65.8
Conductivity	50.50
% Solids	2.64
Turbidity	Yes (No)
Color	Brown
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	Ali 5/

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/10/26
Receiving ID#	I03102606
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	10:24
Time out	
Received by	Alexis Scalf
Sampled by	J. Farrell

LAB INFORMATION	
Compatible? (RT#)	551-2
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	140
pH (S.U.)	7.79
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	106.3
Conductivity	38.05
% Solids	0.92
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	MSF

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/10/26
Receiving ID#	203102607
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	21:04
Time out	
Received by	Alexis Scalf
Sampled by	J. Harrell

LAB INFORMATION	
Compatible? (RT#)	SST-2
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	7.87
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.03
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes (No)
Temperature (F)	105.8
Conductivity	34.30
% Solids	0.97
Turbidity	Yes (No)
Color	Brown
TSS (%)	10.1
Radiation Screen (as needed)	
Lab Signature/Initials	ALY SJ

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/11 - 126
Receiving ID#	503112601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	05:30
Time out	
Received by	J. A. L.
Sampled by	Jacob Line

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	8.06
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	59.5
Conductivity	33.34 mS
% Solids	2.65
Turbidity	Yes No
Color	
TSS (%)	50.1
Radiation Screen (as needed)	
Lab Signature/Initials	J. A. L.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/11/26
Receiving ID#	103112602
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0709
Time out	
Received by	J. Ash
Sampled by	Justin L. Lugo

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	8.09
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	60.9
Conductivity	30.51 mS
% Solids	1.67
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J. Ash

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/ 11 /26
Receiving ID#	703112403
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	08:53
Time out	
Received by	<i>J. Ash</i>
Sampled by	<i>Jaqueline</i>

SST-2

LAB INFORMATION	
Compatible? (RT#)	✓
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	7140
pH (S.U.)	7.83
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	61.4
Conductivity	52-08 ms
% Solids	3.43
Turbidity	Yes No
Color	
TSS (%)	20.1
Radiation Screen (as needed)	<i>J. Ash</i>
Lab Signature/Initials	

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/11/26
Receiving ID#	F03112604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	12:17
Time out	
Received by	Alexis Scott
Sampled by	Mind Murt

SST-1

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	0.41
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.10
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	104.2
Conductivity	210.4
% Solids	9.22
Turbidity	Yes No
Color	Green
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AS

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/11/26
Receiving ID#	103112605
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	14:51
Time out	
Received by	Alexis Scalf
Sampled by	J. MOORE

SST-1

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	0.67
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.09
Physical Description	liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	63.2
Conductivity	318.0
% Solids	7.45
Turbidity	Yes (No)
Color	Colorless
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AL/SF

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/11 - /26
Receiving ID#	203112606
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	21:18
Time out	
Received by	Alexis Scalf
Sampled by	J. Rodden

LAB INFORMATION	
Compatible? (RT#)	SS1-1
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	0.49
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.10
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes (No)
Temperature (F)	62.1
Conductivity	157.8
% Solids	2.84
Turbidity	Yes (No)
Color	Green
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AHJ

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/12/26
Receiving ID#	70322401
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	05:51
Time out	
Received by	J. Ash
Sampled by	Jaob Line

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	7.77
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.07
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	53.8
Conductivity	105.1 us
% Solids	5.92
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J. Ash

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/12/26
Receiving ID#	203122603
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0809
Time out	
Received by	J. Dhr
Sampled by	Dushis Culmely
SST-2	
LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	7.28
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.09
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	53.9
Conductivity	107.0 μ S
% Solids	6.72
Turbidity	Yes No
Color	
TSS (%)	20.1
Radiation Screen (as needed)	
Lab Signature/Initials	J. Dhr

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/12/26
Receiving ID#	I03/22608
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	12:53
Time out	
Received by	Alexis Scalf
Sampled by	Alexis Scalf

LAB INFORMATION	
Compatible? (RT#)	SST-1
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	0.53
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.10
Physical Description	liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	59.4
Conductivity	161.5
% Solids	8.00
Turbidity	Yes (No)
Color	Green
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	Asy

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/12/26
Receiving ID#	I 03122604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	20:25
Time out	
Received by	Alexis Scaff
Sampled by	J. Russell

SST-1

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	0.58
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.10
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes (No)
Temperature (F)	73.9
Conductivity	148.4
% Solids	2.47
Turbidity	Yes (No)
Color	Colorless
TSS (%)	50.1
Radiation Screen (as needed)	
Lab Signature/Initials	Ally

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/13 - /26
Receiving ID#	I03137601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0543
Time out	
Received by	Justin Colangelo
Sampled by	Justin Colangelo

SST-1

LAB INFORMATION	
Compatible? (RT#)	Y
PCBs (ppm) (Oily Waste Only)?	NIA
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	0.55
Cyanides? (mg/L)	230
Sulfides? (ppm)?	220
Specific Gravity	1.10
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	70.3
Conductivity	148.4
% Solids	7.11%
Turbidity	Yes No
Color	Light Brown
TSS (%)	20.1
Radiation Screen (as needed)	Neg
Lab Signature/Initials	Jsc [Signature]

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/13/26
Receiving ID#	103132602
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0837
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>[Signature]</i> Austin Colangelo

SST-1

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	0.66
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	5.22 1.13 1.10
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.4
Conductivity	165.2
% Solids	10.94
Turbidity	Yes No
Color	
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/13/26
Receiving ID#	203132603
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	14:21
Time out	
Received by	Alexis Scott
Sampled by	J. Morrell

SST-1

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	0.86
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.07
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	104.9
Conductivity	276.6
% Solids	5.75
Turbidity	Yes No
Color	colorless
TSS (%)	10.1
Radiation Screen (as needed)	
Lab Signature/Initials	BJ sf


FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/16/26
Receiving ID#	I03162601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0555
Time out	
Received by	
Sampled by	Justin W. Angelo

SST-1

LAB INFORMATION	
Compatible? (RT#)	Y
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	0.70
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.10
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	74.4 ~ 5
Conductivity	160.5
% Solids	9.27
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/16/26
Receiving ID#	EO31626C2
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	11:07
Time out	
Received by	J. Ash
Sampled by	M. Ash

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	7.57
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.08
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	64.3
Conductivity	123.0 μ S
% Solids	12.71
Turbidity	Yes No
Color	
TSS (%)	20.1
Radiation Screen (as needed)	
Lab Signature/Initials	J. Ash

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/16/26
Receiving ID#	103162603
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	13:44
Time out	
Received by	J. A. L.
Sampled by	Jacob Line

SST-1

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	21.00
pH (S.U.)	6.70
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.10
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	65.3
Conductivity	156.3 mS
% Solids	9.57
Turbidity	Yes No
Color	
TSS (%)	
Radiation Screen (as needed)	
Lab Signature/Initials	J. A. L.

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/16/26
Receiving ID#	I03162604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	17:00
Time out	
Received by	Alexis Scott
Sampled by	J. HOFFERLI

LAB INFORMATION	
Compatible? (RT#)	SSF-1
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	0.62
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.10
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes (No)
Temperature (F)	68.6
Conductivity	156.0
% Solids	6.35
Turbidity	Yes (No)
Color	Brown
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	Alis

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/18/26
Receiving ID#	103162605
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	20:56
Time out	
Received by	Alexis Scalf
Sampled by	J. Marshall

LAB INFORMATION	
Compatible? (RT#)	551-1
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	0.67
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.10
Physical Description	liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	70.9
Conductivity	154.7
% Solids	4.46
Turbidity	Yes (No)
Color	Brown
TSS (%)	20.1
Radiation Screen (as needed)	
Lab Signature/Initials	AMJ

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/16/26
Receiving ID#	203162606
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	23:02
Time out	
Received by	J. Harrell
Sampled by	J. Harrell

LAB INFORMATION	
Compatible? (RT#)	SS1-2
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	0.61
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.08
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.3
Conductivity	204.9
% Solids	<0.1
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J. Harrell

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/17/26
Receiving ID#	E03172601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	05:30
Time out	
Received by	<i>[Signature]</i>
Sampled by	<i>[Signature]</i>


SST-2

LAB INFORMATION	
Compatible? (RT#)	Y
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140
pH (S.U.)	7.36
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.08
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.0
Conductivity	130.9 μ S
% Solids	9.30
Turbidity	Yes No
Color	
TSS (%)	< 0.1
Radiation Screen (as needed)	
Lab Signature/Initials	<i>[Signature]</i>


FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/17/26
Receiving ID#	IO3172602
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	08:22
Time out	
Received by	
Sampled by	Jacobline

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140F
pH (S.U.)	7.62
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.056
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	17.4
Conductivity	102.8 ms
% Solids	3.9037
Turbidity	N/A
Color	Brown
TSS (%)	1%
Radiation Screen (as needed)	
Lab Signature/Initials	

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/17/26
Receiving ID#	P03172603
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	10:09
Time out	
Received by	
Sampled by	Mum/Mark

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	> 140F
pH (S.U.)	7.58
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.040
Physical Description	15-62 DR 3/17
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	61.8F 60.08F DR 3/17
Conductivity	101.2
% Solids	2.943 %
Turbidity	N/A Yes No
Color	Brown
TSS (%)	< 1%
Radiation Screen (as needed)	
Lab Signature/Initials	

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/17/26
Receiving ID#	103172604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	11:52
Time out	
Received by	
Sampled by	Jaukline

1.0685
1.0436
2.0923
1.1648

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140F
pH (S.U.)	7.69 7.73 DR 3/17
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.020
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	60.6 F
Conductivity	99.37
% Solids	4.601 %
Turbidity	Yes No
Color	Brown
TSS (%)	0.1% 1.2% .1%
Radiation Screen (as needed)	
Lab Signature/Initials	

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/17/26
Receiving ID#	I03172605
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	14:26
Time out	
Received by	Alexis Scalf
Sampled by	Mar/ Muts

SST-1

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	0.61
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.09
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes (No)
Temperature (F)	65.1
Conductivity	346.3
% Solids	3.740
Turbidity	Yes (No)
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AY SJ

1.0665
2.0896
1.1455

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/18/26
Receiving ID#	103182601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	10:28
Time out	
Received by	DR
Sampled by	A. W. L. x

1.0512

2.0653

1.1098

SST-2

LAB INFORMATION	
Compatible? (RT# SST-2)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	
pH (S.U.)	7.48
Cyanides? (mg/L)	N/A
Sulfides? (ppm)?	N/A
Specific Gravity	1.086
Physical Description	Liquid
Stream Consistency	N/A Yes No
Oil in Sample?	Yes (No)
Temperature (F)	57.1
Conductivity	95.06
% Solids	2.722
Turbidity	N/A Yes No
Color	Brown
TSS (%)	
Radiation Screen (as needed)	
Lab Signature/Initials	DR

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/18/26
Receiving ID#	103182607
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0700
Time out	
Received by	
Sampled by	Justin Colangelo

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140F
pH (S.U.)	7.47
Cyanides? (mg/L)	N/A
Sulfides? (ppm)?	N/A
Specific Gravity	1.060
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	54.1 F
Conductivity	99.56 mS
% Solids	0.1% 2.727%
Turbidity	N/A Yes No
Color	Brown
TSS (%)	0.927% < 1%
Radiation Screen (as needed)	
Lab Signature/Initials	

1.0756

2.0975

1.1370

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/18/26
Receiving ID#	F03182601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0430
Time out	
Received by	Justis Celuzelo
Sampled by	Justis Celuzelo

SST-1

LAB INFORMATION	
Compatible? (RT#)	Y
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	0.67
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.10
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes (No)
Temperature (F)	55
Conductivity	407.3
% Solids	9.78
Turbidity	Yes No
Color	light Brown
TSS (%)	0.25%
Radiation Screen (as needed)	
Lab Signature/Initials	JSC

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/18/26
Receiving ID#	203182604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	12:14
Time out	
Received by	DR
Sampled by	Mhmt Mhmt

1.0517

2.6805

1.1700

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	> 140F
pH (S.U.)	7.35
Cyanides? (mg/L)	N/A
Sulfides? (ppm)?	N/A
Specific Gravity	1.060
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes (No)
Temperature (F)	61.9
Conductivity	97.50
% Solids	3.273
Turbidity	N/A Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	N/A
Lab Signature/Initials	DR

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/18/26
Receiving ID#	203182685
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	Alexis Scaff
Sampled by	Colm H

SST-1

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	2.38
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.10
Physical Description	Liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	76.9
Conductivity	394.4
% Solids	27.70
Turbidity	Yes (No)
Color	Colorless/Ten
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	Ally

1.0478
~~5.5245~~
 2.0296
 1.610

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/18 - 126
Receiving ID#	203182606
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	1700
Time out	
Received by	Alexis Scaff
Sampled by	Colin H

LAB INFORMATION	
Compatible? (RT#)	SST 2
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	5.29
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.06
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	63.80
Conductivity	88.55
% Solids	3.03496
Turbidity	Yes No
Color	Brown
TSS (%)	40.1
Radiation Screen (as needed)	
Lab Signature/Initials	44 SF

1.0688
2.0824
1.1320

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/18/26
Receiving ID#	203182607
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	20:00
Time out	
Received by	J. Hassell
Sampled by	Dalton M.

LAB INFORMATION	
Compatible? (RT#)	SST-2
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	7140
pH (S.U.)	7.14 6.05
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.10
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	59.0
Conductivity	95.47
% Solids	3.710503
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	J. Hassell

1.0821
2.3932
1.1709

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/18/26
Receiving ID#	503182608
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	21:51
Time out	
Received by	Alexis Self
Sampled by	J. McFell

LAB INFORMATION	
Compatible? (RT#)	55-2
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	5.24
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.06
Physical Description	liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	61.5
Conductivity	87.71
% Solids	3.029559
Turbidity	Yes (No)
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AH 5/

1.07.46
2.0366
1.1363

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/19/26
Receiving ID#	±03192607
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0705
Time out	
Received by	DR
Sampled by	Justin Colombo

1.0667
2.0965
1.1273
321

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	> 140F
pH (S.U.)	8.5
Cyanides? (mg/L)	N/A
Sulfides? (ppm)?	N/A
Specific Gravity	1.080
Physical Description	Brown Liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	64.4F
Conductivity	77.39ms
% Solids	3.1194
Turbidity	N/A Yes No
Color	Brown
TSS (%)	.1%
Radiation Screen (as needed)	
Lab Signature/Initials	DR

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/19/26
Receiving ID#	I03192601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0445
Time out	
Received by	Justis Colangelo
Sampled by	Justis Colangelo

SST-1

LAB INFORMATION	
Compatible? (RT#)	Y
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	3110
pH (S.U.)	0.80
Cyanides? (mg/L)	NA
Sulfides? (ppm)?	NA
Specific Gravity	1.10
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.6
Conductivity	402.0
% Solids	12.19
Turbidity	Yes No
Color	Light Brown
TSS (%)	0.1
Radiation Screen (as needed)	Neg
Lab Signature/Initials	JSC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/19/26
Receiving ID#	IO3192603
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	9:53
Time out	
Received by	DR
Sampled by	M. T. M. A.

1.0600

2.0640

1.1210

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	≥ 140 F
pH (S.U.)	7.39
Cyanides? (mg/L)	N/A
Sulfides? (ppm)?	N/A
Specific Gravity	1.040
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	43.6 F
Conductivity	26.52 ms
% Solids	2.9554
Turbidity	N/A Yes No
Color	Brown
TSS (%)	0.1%
Radiation Screen (as needed)	
Lab Signature/Initials	DR

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/ - 7/26
Receiving ID#	I03192604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	10:54
Time out	
Received by	DR
Sampled by	mm/ma

1.0608
2.0622
1.1227

SST-2

LAB INFORMATION	
Compatible? (RT#)	4 w/ I03192603
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	>140F
pH (S.U.)	8.5
Cyanides? (mg/L)	N/A
Sulfides? (ppm)?	N/A
Specific Gravity	1.040
Physical Description	Liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	64.7F
Conductivity	85.36
% Solids	3.0016
Turbidity	N/A Yes No
Color	Brown
TSS (%)	.1%
Radiation Screen (as needed)	N/A
Lab Signature/Initials	DR

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/19/26
Receiving ID#	103192605
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	12:17
Time out	
Received by	Alexis Scalf
Sampled by	Alexis Scalf

SST-2

LAB INFORMATION	
Compatible? (RT#)	SST-2
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	9.04
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.05
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	59.5
Conductivity	20.87
% Solids	8.050158
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AY SF

1.06418
2.0894
1.233

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/19/26
Receiving ID#	FC3192606
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	14:09
Time out	
Received by	Alexis Scafe
Sampled by	M. M. M.

SST-2

1.0776

2.0789

1.1313

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	>140F
pH (S.U.)	7.26
Cyanides? (mg/L)	N/A
Sulfides? (ppm)?	N/A
Specific Gravity	1.060
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	70.3
Conductivity	69.97
% Solids	2.583
Turbidity	N/A Yes No
Color	Brown
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	Ally S

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/19/26
Receiving ID#	503192607
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	16:56
Time out	
Received by	
Sampled by	J. Harrell

LAB INFORMATION	
Compatible? (RT#)	SST-1 - Compatible
PCBs (ppm) (Oily Waste Only)?	1.0777
TOC ppm (CC Waste Only)?	103192606Z - 1126
Flash Point (F)	>140
pH (S.U.)	<0.1
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.06
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes (No)
Temperature (F)	67.3
Conductivity	2600.3
% Solids	3.766333
Turbidity	Yes No
Color	Colorless
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	ALH

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/17/26
Receiving ID#	203192668
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	20:50
Time out	
Received by	Alexis Scalf
Sampled by	Colin H

SST-1

LAB INFORMATION	
Compatible? (RT#)	Compatible w/ 103192607
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	<0.1
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes (No)
Temperature (F)	72.5
Conductivity	218.3
% Solids	2.949179
Turbidity	Yes (No)
Color	Colorless
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AY SP

1.0425
2.0582
1.1032

1.2454

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/19/26
Receiving ID#	203192609
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	23:17
Time out	
Received by	T. Marrell
Sampled by	T. Marrell

1.0865
2.3319
1.1531

LAB INFORMATION	
Compatible? (RT#)	SS1-2
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	7140
pH (S.U.)	6.26
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.05
Physical Description	
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	62.6
Conductivity	76.66
% Solids	5.3477%
Turbidity	Yes No
Color	
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	T. Marrell

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/20/26
Receiving ID#	E03202603
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0818
Time out	
Received by	DR
Sampled by	Josh's Colangelo

1.0570

2.0666

1.1101

SST-2

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	
pH (S.U.)	7.37
Cyanides? (mg/L)	N/A
Sulfides? (ppm)?	N/A
Specific Gravity	1.060
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.5F
Conductivity	61.57
% Solids	2.569
Turbidity	N/A Yes No
Color	Brown
TSS (%)	.1%
Radiation Screen (as needed)	Neg
Lab Signature/Initials	DR

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/20/26
Receiving ID#	I03202604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	10:09
Time out	
Received by	DR
Sampled by	Jacob Line

1.0695
2.0617
~~2.3130~~ 1.1105

SST-1

LAB INFORMATION	
Compatible? (RT#)	Y w/ I03202604
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	>140F
pH (S.U.)	8.0
Cyanides? (mg/L)	N/A
Sulfides? (ppm)?	N/A
Specific Gravity	1.040 1.060
Physical Description	Liquid
Stream Consistency	<u>Yes</u> No
Oil in Sample?	Yes <u>No</u>
Temperature (F)	62.9F
Conductivity	72.06 ms
% Solids	2.279
Turbidity	N/A Yes No
Color	Brown
TSS (%)	.1%
Radiation Screen (as needed)	NEG
Lab Signature/Initials	DR

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/20/26
Receiving ID#	103202606
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	13:40
Time out	
Received by	Alexis Scalf
Sampled by	Jacob Line

SST-2

LAB INFORMATION	
Compatible? (RT#)	Compatible w/ 103202606
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	7.47
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	70.4
Conductivity	69.95
% Solids	2.241762
Turbidity	Yes No
Color	Brown
TSS (%)	20.1
Radiation Screen (as needed)	
Lab Signature/Initials	ALY SY

103202606 .0704
2.0698
1.1168

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/20/26
Receiving ID#	I03202607
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	1534
Time out	
Received by	Alexis Scott
Sampled by	Colin H

JST-2

LAB INFORMATION	
Compatible? (RT#)	Compatible w/I03202606
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	340
pH (S.U.)	7.74
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	69.9
Conductivity	67.58
% Solids	1.627469
Turbidity	Yes (No)
Color	Brown
TSS (%)	60.1
Radiation Screen (as needed)	
Lab Signature/Initials	by 51

1.0703
2.0707
1.1040

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/20/26
Receiving ID#	203202608
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	18:58
Time out	
Received by	Alexis Scott
Sampled by	J. Vaffelli

LAB INFORMATION	
Compatible? (RT#)	SSI-2 Compatible w/ I03202607
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	7.72
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.9
Conductivity	64.65
% Solids	2.122/06
Turbidity	Yes No
Color	Brown
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AY SJ

1.0739
2.0687
1.1178

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/20/26
Receiving ID#	I03202609
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	20:04
Time out	
Received by	Alexis Scott
Sampled by	J. Harrell

LAB INFORMATION	
Compatible? (RT#)	SS1-2 - Compatible w/ I03202608
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	7.74
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes No
Temperature (F)	70.7
Conductivity	65.56
% Solids	0.447972
Turbidity	Yes (No)
Color	Brown
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	Asy

1.0821
2.0537
1.0913

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/20/26
Receiving ID#	I03202610
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	21:58
Time out	
Received by	Alexis Scalf
Sampled by	Colin H

SST-2

LAB INFORMATION	
Compatible? (RT#)	Compatible w/ I03202609
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	7.69
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.03
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	65.7
Conductivity	55.58
% Solids	5.207783
Turbidity	Yes No
Color	Brown
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	MSF

1.0826
2.0815
1.191

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/21/26
Receiving ID#	I63212603
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	11:55
Time out	12:16
Received by	<i>Muel Muel</i>
Sampled by	<i>Muel Muel</i>

SST-1

LAB INFORMATION	
Compatible? (RT#)	Y
PCBs (ppm) (Oily Waste Only)?	NA
TOC ppm (CC Waste Only)?	
Flash Point (F)	7140
pH (S.U.)	-0.08
Cyanides? (mg/L)	NA
Sulfides? (ppm)?	NA
Specific Gravity	1.04
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	62.7
Conductivity	200
% Solids	4.73684%
Turbidity	Yes No
Color	Clear
TSS (%)	40.1%
Radiation Screen (as needed)	NA
Lab Signature/Initials	<i>Muel Muel</i>

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/21/26
Receiving ID#	103212602
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	07:14
Time out	
Received by	Justin Colangelo
Sampled by	Jacob Line

SST-2

LAB INFORMATION	
Compatible? (RT#)	LCT
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	7140
pH (S.U.)	9.91
Cyanides? (mg/L)	NA
Sulfides? (ppm)?	NA
Specific Gravity	1.04
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	61.1
Conductivity	46.55
% Solids	2.43%
Turbidity	Yes No
Color	Black
TSS (%)	2.01
Radiation Screen (as needed)	N/A
Lab Signature/Initials	JSV

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/31/26
Receiving ID#	203212601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0521
Time out	
Received by	Josh's Colangelo
Sampled by	Josh's Colangelo

SST-2

LAB INFORMATION	
Compatible? (RT#)	✓
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>1210
pH (S.U.)	7.71
Cyanides? (mg/L)	N/A
Sulfides? (ppm)?	N/A
Specific Gravity	1.06
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	63.1
Conductivity	46.55
% Solids	3%
Turbidity	Yes No
Color	Black
TSS (%)	20.1
Radiation Screen (as needed)	N/A
Lab Signature/Initials	see p

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/23/26
Receiving ID#	I03232603
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	1314
Time out	1358
Received by	DR
Sampled by	Justin Colombo

1.0477

1.0483

2.0713

1.1227

SST-1

LAB INFORMATION	
Compatible? (RT#)	Injection 7 I03212603
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	>140R
pH (S.U.)	-1.26
Cyanides? (mg/L)	N/A
Sulfides? (ppm)?	N/A
Specific Gravity	1.020
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	67.4F
Conductivity	213.5
% Solids	25% 3.591
Turbidity	Yes No
Color	Brown
TSS (%)	25%
Radiation Screen (as needed)	Neg
Lab Signature/Initials	DR

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/23 /26
Receiving ID#	I03232602
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0945
Time out	1005
Received by	DR
Sampled by	USW14040

1.0688

2.0806

1.0967

SST-2

LAB INFORMATION	
Compatible? (RT#)	Injection Y w/ I03232601
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	8.02140F
pH (S.U.)	8.03
Cyanides? (mg/L)	N/A
Sulfides? (ppm)?	N/A
Specific Gravity	1.020
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	54.3F
Conductivity	44.28
% Solids	1.340
Turbidity	Yes No
Color	Brown
TSS (%)	.11.
Radiation Screen (as needed)	Yes
Lab Signature/Initials	DR

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/23/26
Receiving ID#	103232601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0705
Time out	
Received by	DR
Sampled by	Justin C. W. W.

1.0516

1.1965

1.0660

SST-2

LAB INFORMATION	
Compatible? (RT#)	Y W/103232603
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	>140F
pH (S.U.)	8.00
Cyanides? (mg/L)	N/A
Sulfides? (ppm)?	N/A
Specific Gravity	1.020
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	63.7F
Conductivity	32.17
% Solids	1.213
Turbidity	Yes No
Color	Brown
TSS (%)	<1%
Radiation Screen (as needed)	Neg
Lab Signature/Initials	DR

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/23/26
Receiving ID#	203232604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	15:18
Time out	
Received by	Alexis Scott
Sampled by	Colin H.

SST-1

LAB INFORMATION	
Compatible? (RT#)	Y w/ 203232603
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	540
pH (S.U.)	0.20
Cyanides? (mg/L)	<30
Sulfides? (ppm)?	20.1
Specific Gravity	1.04
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	62.1
Conductivity	68.66
% Solids	2.50695
Turbidity	Yes No
Color	Blue/Green
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	Aut Sp

1.0734
2.0862
1.1257

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/23/26
Receiving ID#	I03232605
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	20:25
Time out	
Received by	Alexis Scaif
Sampled by	Colin H

SST-1

LAB INFORMATION	
Compatible? (RT#)	Y W/ I03232604
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	0.74
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.02
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	72.3
Conductivity	37.36
% Solids	1.94939 1.954939
Turbidity	Yes No
Color	Green/Blue
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AM SF

1.0450
2.0461
1.0850

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/ 23/26
Receiving ID#	I03232606
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	21:47
Time out	
Received by	Alexis Scaff
Sampled by	Dalton M.

LAB INFORMATION	
Compatible? (RT#)	SST-1 -Compatible w/ I03232605
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	0.03
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	73.6
Conductivity	175.5
% Solids	3.289
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	By SF

1.0654
2.0827
1.1339

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/24/26
Receiving ID#	203242603
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	14:25
Time out	
Received by	Alexis Scalf
Sampled by	J. MacPell

SST-2

LAB INFORMATION	
Compatible? (RT#)	Y W/103242603
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	>140
pH (S.U.)	8.0
Cyanides? (mg/L)	N/A
Sulfides? (ppm)?	N/A
Specific Gravity	1.04
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	65.2
Conductivity	106.9 mS
% Solids	3.678105
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	ABY

1.0547
2.0690
1.1308

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/24/26
Receiving ID#	103242602
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	10:36
Time out	
Received by	OR
Sampled by	J. HARTSELL

SST-2

LAB INFORMATION	
Compatible? (RT#)	Y W/ 103242602
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	>140F
pH (S.U.)	7.01
Cyanides? (mg/L)	N/A
Sulfides? (ppm)?	N/A
Specific Gravity	1.040
Physical Description	Light
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	61.9F
Conductivity	100.9
% Solids	3.347
Turbidity	(Yes) No
Color	Brown
TSS (%)	.1%
Radiation Screen (as needed)	NES
Lab Signature/Initials	OR

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/24/26
Receiving ID#	I03242601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	8:37
Time out	
Received by	OR
Sampled by	Munt Munt

1.0434
2.0559
1.1019

SST-2

LAB INFORMATION	
Compatible? (RT#)	44/I03232600
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	7140F
pH (S.U.)	7.06
Cyanides? (mg/L)	N/A
Sulfides? (ppm)?	N/A
Specific Gravity	1.040
Physical Description	Liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	64.8F
Conductivity	154.9
% Solids	4.019 2.415
Turbidity	Yes (No)
Color	Brown
TSS (%)	.1%
Radiation Screen (as needed)	neg
Lab Signature/Initials	OR

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/24/26
Receiving ID#	IO3242604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	2:05
Time out	
Received by	Alexis Scaff
Sampled by	Celia H

SST-1

LAB INFORMATION	
Compatible? (RT#)	Compatible w/ IO3242603
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	0.19
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.06
Physical Description	liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	68.9
Conductivity	160.8
% Solids	4.58432
Turbidity	Yes (No)
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	ALIS

1.0420
2.0701
1.1369

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/25/26
Receiving ID#	I03257601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0656
Time out	
Received by	DR
Sampled by	Justin Colurso

1.0713

2.1003

1.1518

SST-2

LAB INFORMATION	
Compatible? (RT#)	4 W/ I03242601
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	2140F
pH (S.U.)	7.53
Cyanides? (mg/L)	N/A
Sulfides? (ppm)?	N/A
Specific Gravity	1.040
Physical Description	Liquid
Stream Consistency	☒ Yes ☐ No
Oil in Sample?	Yes ☒ No
Temperature (F)	63.0F
Conductivity	109.3
% Solids	3.832
Turbidity	☒ Yes ☐ No
Color	Brown
TSS (%)	.11
Radiation Screen (as needed)	neg
Lab Signature/Initials	DR

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/25/26
Receiving ID#	I03252602
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	9:00
Time out	
Received by	
Sampled by	Mun/Mark

1.0700

2.0986

1.1425

SST-2

LAB INFORMATION	
Compatible? (RT#)	4 W/I3252602
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	7140F
pH (S.U.)	7.54
Cyanides? (mg/L)	N/A
Sulfides? (ppm)?	N/A
Specific Gravity	1.040
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	63.3F
Conductivity	122.3
% Solids	2.97g
Turbidity	Yes No
Color	Brown
TSS (%)	.17.
Radiation Screen (as needed)	
Lab Signature/Initials	

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/25/26
Receiving ID#	503252603
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	10:59
Time out	
Received by	DR
Sampled by	J. Harrell

1-0731
2-1070
1-1573

SST-2

LAB INFORMATION	
Compatible? (RT#)	9 W/ 103252602
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	140R
pH (S.U.)	7.66
Cyanides? (mg/L)	N/A
Sulfides? (ppm)?	N/A
Specific Gravity	1.000
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	64.5F
Conductivity	117.6 ms
% Solids	0.125 + 1573 - 3.994
Turbidity	Yes No
Color	Brown
TSS (%)	.17.
Radiation Screen (as needed)	Neg
Lab Signature/Initials	DR

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/25/26
Receiving ID#	I03252604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	12:43
Time out	
Received by	Alexis Scott
Sampled by	J. Koffel

LAB INFORMATION	
Compatible? (RT#)	SST-2 Compatible w/ I03252603
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	7.56
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	liquid
Stream Consistency	(yes) No
Oil in Sample?	Yes (NO)
Temperature (F)	71.5
Conductivity	125.4
% Solids	4.239592
Turbidity	Yes (NO)
Color	Brown
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	By SJ

1.0615
2.0969
1.1504

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/25/26
Receiving ID#	203252605
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	16:44
Time out	
Received by	Alexis Scaff
Sampled by	Colin H

SST - 1

LAB INFORMATION	
Compatible? (RT#)	Y w/ I03252604
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	0.39
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	Liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	72.6
Conductivity	211.5
% Solids	4.879094
Turbidity	Yes (No)
Color	Brown
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AY SF

1.0763
2.1008
1.1788

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/25/26
Receiving ID#	I03252606
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	20:34
Time out	
Received by	Alexis Scaif
Sampled by	Colin H

SST - 1

LAB INFORMATION	
Compatible? (RT#)	Y w/ I03252605
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	0.63
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.004
Physical Description	liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	73.6
Conductivity	330.3
% Solids	4.910248
Turbidity	Yes (No)
Color	Brown
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	4451

1.0718
2.1058
1.1752

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/26/26
Receiving ID#	103262601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	6.54
Time out	
Received by	DR
Sampled by	J. Haffel

1.6616
2.0980
1.1661

LAB INFORMATION	
Compatible? (RT#)	SST-2 Y/ W 103262604
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	214.6 F
pH (S.U.)	7.64
Cyanides? (mg/L)	N/A
Sulfides? (ppm)?	N/A
Specific Gravity	1.020
Physical Description	Liquid
Stream Consistency	☒ Yes ☐ No
Oil in Sample?	☐ Yes ☒ No
Temperature (F)	60.4 F
Conductivity	132.7 ms
% Solids	5.009
Turbidity	☒ Yes ☐ No
Color	Brown
TSS (%)	.1%
Radiation Screen (as needed)	NEG
Lab Signature/Initials	DR

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/26/26
Receiving ID#	503262602
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	8:28
Time out	
Received by	DR
Sampled by	T. Harrell

1.0400
2.0730
1.1254

LAB INFORMATION	
Compatible? (RT#)	SS-2
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	2140F
pH (S.U.)	7.64
Cyanides? (mg/L)	N/A
Sulfides? (ppm)?	N/A
Specific Gravity	1.020
Physical Description	Liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	63.9F
Conductivity	118.5
% Solids	4.119
Turbidity	(Yes) No
Color	Brown
TSS (%)	.1%
Radiation Screen (as needed)	Weg
Lab Signature/Initials	DR

44/I03262602

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION		
Date	03/26/26	1.0513
Receiving ID#	103262603	2.0790
Manifest #	Line	1.1385
Land Ban Cert included	Yes No	
EGT Approval #		
Generator		
Client		
Transporter		
Time in	10:10	
Time out		
Received by	DR	
Sampled by	J. Garfield	

LAB INFORMATION		
Compatible? (RT#)	SS1-2	w/ 103262602
PCBs (ppm) (Oily Waste Only)?	N/A	
TOC ppm (CC Waste Only)?	N/A	
Flash Point (F)	>140F	
pH (S.U.)	7.91	
Cyanides? (mg/L)	N/A	
Sulfides? (ppm)?	N/A	
Specific Gravity	1.000	
Physical Description	Liquid	
Stream Consistency	(Yes) No	
Oil in Sample?	Yes (No)	
Temperature (F)	69.7F	
Conductivity	98.47	
% Solids	13.25 4.194	
Turbidity	(Yes) No	
Color	Brown	
TSS (%)	1.0%	
Radiation Screen (as needed)	Yes	
Lab Signature/Initials	DR	

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/26/26
Receiving ID#	503262604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	12:30
Time out	
Received by	Alexis Scott
Sampled by	G. Hurrell

LAB INFORMATION	
Compatible? (RT#)	551-2 / with I03262603
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	2140
pH (S.U.)	7.52
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.0
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes NO
Temperature (F)	77.5
Conductivity	101.7
% Solids	3.119152
Turbidity	Yes (No)
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	A487

1.0678
2.0839
1.1328

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/26/26
Receiving ID#	203262605
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	15:09
Time out	
Received by	Alvis Scalf
Sampled by	Colm H

SST-1

LAB INFORMATION	
Compatible? (RT#)	Y w/ 203262604
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	5.11
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.0
Physical Description	Liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	73.1
Conductivity	405.8
% Solids	5.794321
Turbidity	Yes (No)
Color	Brown
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AYJ

1.0387
2.0848
1.1595

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/ 26 /26
Receiving ID#	I03262606
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	18:39
Time out	
Received by	Alexis Scalf
Sampled by	Dalton M.

LAB INFORMATION	
Compatible? (RT#)	55-1 Y with I03262605
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	3.62
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.0
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	69.3
Conductivity	332.5
% Solids	5.9396
Turbidity	Yes (No)
Color	Colorless
TSS (%)	50.1
Radiation Screen (as needed)	
Lab Signature/Initials	AY

1.0771
2.1348
1.2039

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/26/26
Receiving ID#	I 03262667
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	21:00
Time out	
Received by	Alexis Scalf
Sampled by	Colin H

SST-1

LAB INFORMATION	
Compatible? (RT#)	Y with I03262606
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	3.35
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.0
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes (No)
Temperature (F)	70.0
Conductivity	304.3
% Solids	6.224514
Turbidity	Yes (No)
Color	Colorless
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	Alf 87

1.0658
2.1335
1.1986

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/27/26
Receiving ID#	I03272601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	0737
Time out	
Received by	Alexis Scalf
Sampled by	Justin Colangelo

SST-2

LAB INFORMATION	
Compatible? (RT#)	Y w/ I03262607
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	140
pH (S.U.)	6
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.06
Physical Description	liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	70.4
Conductivity	105.9
% Solids	3.193342
Turbidity	Yes (No)
Color	Brown
TSS (%)	<0.1
Radiation Screen (as needed)	
Lab Signature/Initials	ALY

1.0539
2.0668
1.1199

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/27/26
Receiving ID#	I03272602
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	15:03
Time out	
Received by	Alexis Scalf
Sampled by	Cole H

SST - 1

LAB INFORMATION	
Compatible? (RT#)	Y with I03272601
PCBs (ppm) (Oily Waste Only)?	
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	1
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.06
Physical Description	liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (NO)
Temperature (F)	70.1
Conductivity	160.1
% Solids	3.94636
Turbidity	Yes (NO)
Color	Red/Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	6/5/

1.0574
2.0880
1.1398

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/27/26
Receiving ID#	203272602
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	16:39
Time out	
Received by	Alexis Scalf
Sampled by	Colin H

SST - 1

LAB INFORMATION	
Compatible? (RT#)	Y with 203272602
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	1
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.06
Physical Description	liquid
Stream Consistency	☒ Yes ☐ No
Oil in Sample?	Yes ☒ No
Temperature (F)	71.7
Conductivity	234.3
% Solids	4.289582
Turbidity	Yes ☒ No
Color	Red
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AS

1.0593
2.1051
1.1496

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/27/26
Receiving ID#	403272604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	19:44
Time out	
Received by	Alexis J. Self
Sampled by	Colm H

SST - 2

LAB INFORMATION	
Compatible? (RT#)	Y with I03272603
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	7
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.08
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes NO
Temperature (F)	64.9
Conductivity	135.6
% Solids	4.942197
Turbidity	Yes NO
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	ALY SJ

1.0477
2.0760
1.1503

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/27/26
Receiving ID#	203272605
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	21:05
Time out	
Received by	Alvis Scalf
Sampled by	Colin H

SST-1

LAB INFORMATION	
Compatible? (RT#)	Y w/ 203272604
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	1
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.06
Physical Description	liquid
Stream Consistency	(yes) No
Oil in Sample?	Yes (No)
Temperature (F)	51.2
Conductivity	275.7
% Solids	4.045518
Turbidity	Yes (No)
Color	pink
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	ALV

1.0379
2.0739
1.1218

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION		1.0671
Date	03/30/26	2.0872
Receiving ID#	I03302601	1.2056
Manifest #	Line	
Land Ban Cert included	Yes No	
EGT Approval #		
Generator		
Client		
Transporter		
Time in	7:59	
Time out		
Received by	DR	
Sampled by	T. Raffell	

LAB INFORMATION		yw/I0327605
Compatible? (RT#)	SSP-2	
PCBs (ppm) (Oily Waste Only)?	N/A	
TOC ppm (CC Waste Only)?	N/A	
Flash Point (F)	>140F	
pH (S.U.)	9.00	
Cyanides? (mg/L)	N/A	
Sulfides? (ppm)?	N/A	
Specific Gravity	OR 1.75 1.100	
Physical Description	Liquid	
Stream Consistency	(Yes) No	
Oil in Sample?	Yes (No)	
Temperature (F)	65.5F	
Conductivity	175.3 mS	
% Solids	6.600	
Turbidity	(Yes) No	
Color	Brown	
TSS (%)	01%	
Radiation Screen (as needed)	Neg	
Lab Signature/Initials	DR	

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/30/26
Receiving ID#	IO3302606
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	22:42
Time out	
Received by	Alexis Scalf
Sampled by	Dalton M.

SST-2

LAB INFORMATION	
Compatible? (RT#)	Y w/ IO3302605
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.08
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	66.2
Conductivity	131.5
% Solids	4.670527
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	Alt 87

1.0552
2.0897
1.1528

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/30/26
Receiving ID#	103302602
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	10:10
Time out	
Received by	DR
Sampled by	J. Harrell

1.0595
C.0127
1.1468

LAB INFORMATION	
Compatible? (RT#)	SS1-2
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	2140F
pH (S.U.)	8.6
Cyanides? (mg/L)	N/A
Sulfides? (ppm)?	N/A
Specific Gravity	1.100
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	47.0F
Conductivity	128.8ms
% Solids	4.337
Turbidity	Yes No
Color	Brown
TSS (%)	0.25%
Radiation Screen (as needed)	
Lab Signature/Initials	DR

OR 3/30
4 w/ 103302602

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/30/26
Receiving ID#	I03302603
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	11:48
Time out	
Received by	DM
Sampled by	A. War/4

1.0519

2.0881

1.1503

LAB INFORMATION	
Compatible? (RT#)	SS7-2
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	7140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.060
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	63.7 f
Conductivity	119.2
% Solids	4.712
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	DM

Y W/ I03302602

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/30/26
Receiving ID#	I03302604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	1400
Time out	
Received by	Alexis Scaif
Sampled by	Justin Colangelo

SST - 1

LAB INFORMATION	
Compatible? (RT#)	Y w/ I03302603
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	1
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.06
Physical Description	liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	72.7
Conductivity	177.1
% Solids	3.153846
Turbidity	Yes (No)
Color	Tan
TSS (%)	20.1
Radiation Screen (as needed)	
Lab Signature/Initials	AS

1.0516
2.0800
1.1172

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/30/26
Receiving ID#	I03302605
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	1829
Time out	
Received by	Alexis Scalf
Sampled by	Justin Colangelo

SST-2

LAB INFORMATION	
Compatible? (RT#)	Y w/ I03302604
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.07
Physical Description	liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (NO)
Temperature (F)	72.8
Conductivity	116.9
% Solids	3.885539
Turbidity	Yes (NO)
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	By SF

1.0649
2.0898
1.1461

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/31/26
Receiving ID#	203312601
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	9:40
Time out	
Received by	DM
Sampled by	J. HARTSELL

1.0769

2.0726

1.1196

LAB INFORMATION	
Compatible? (RT#)	SS1-1
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	N/A
Flash Point (F)	7140
pH (S.U.)	0
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.040
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	69.9
Conductivity	56.92
% Solids	2.060
Turbidity	Yes No
Color	Brown
TSS (%)	.25
Radiation Screen (as needed)	
Lab Signature/Initials	DM

4 w/ 203302606

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/31/26
Receiving ID#	I03312607
Manifest #	Line
Land Ban Cert included	Yes No
EQT Approval #	
Generator	
Client	
Transporter	
Time in	1206
Time out	
Received by	DM
Sampled by	Justin Coluzelo

SST-1

LAB INFORMATION	
Compatible? (RT#)	
PCBs (ppm) (Oily Waste Only)?	NIA
TOC ppm (CC Waste Only)?	NIA
Flash Point (F)	7140
pH (S.U.)	0
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.010
Physical Description	Liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	72.9
Conductivity	57.64
% Solids	2.815
Turbidity	Yes No
Color	Brown
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	DM

y w/ I03312601

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/31/26
Receiving ID#	I03312603
Manifest #	Line
Land Ban Cert included	Yes No
EOT Approval #	
Generator	
Client	
Transporter	
Time in	14:01
Time out	
Received by	Alexis Scaff
Sampled by	J. Morrell

LAB INFORMATION	
Compatible? (RT#)	SST-1 Compatible w/ I03312602
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	1
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.016
Physical Description	liquid
Stream Consistency	Yes No
Oil in Sample?	Yes No
Temperature (F)	68.1
Conductivity	279.9
% Solids	2.895242
Turbidity	Yes No
Color	Brown
TSS (%)	0.25
Radiation Screen (as needed)	
Lab Signature/Initials	AS

0.9103
1.9273
0.9661

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/31/26
Receiving ID#	I03312604
Manifest #	Line
Land Ban Cert included	Yes No
EGT Approval #	
Generator	
Client	
Transporter	
Time in	1848
Time out	
Received by	Alexis Scalf
Sampled by	Justin Culmelo

SST-1

LAB INFORMATION	
Compatible? (RT#)	Y w/ I03312603
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	5140
pH (S.U.)	1
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.05
Physical Description	Liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	74.0
Conductivity	222.1
% Solids	2.123979
Turbidity	Yes (No)
Color	Beige
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AYSY

1.0688
2.0810
1.1130

FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

RECEIVING & APPROVAL FORM

RECEIVING INFORMATION	
Date	03/31/26
Receiving ID#	I03312605
Manifest #	Line
Land Ban Cert included	Yes No
EOT Approval #	
Generator	
Client	
Transporter	
Time in	
Time out	
Received by	Alexis Scott
Sampled by	Josh Celamelo

SST-1

LAB INFORMATION	
Compatible? (RT#)	Y w/ I03312604
PCBs (ppm) (Oily Waste Only)?	N/A
TOC ppm (CC Waste Only)?	
Flash Point (F)	>140
pH (S.U.)	8
Cyanides? (mg/L)	
Sulfides? (ppm)?	
Specific Gravity	1.04
Physical Description	liquid
Stream Consistency	(Yes) No
Oil in Sample?	Yes (No)
Temperature (F)	72.8
Conductivity	216.1
% Solids	2.926754
Turbidity	Yes (No)
Color	Beige
TSS (%)	0.1
Radiation Screen (as needed)	
Lab Signature/Initials	AS

0.9114
1.9373
0.9681



Sustainability in Action

UIC Permit Condition Part II.D.1. (i):

F039 Results



ANALYTICAL REPORT

PREPARED FOR

Attn: Kristina Revels
Republic Industrial and Energy Solutions
28470 Citrin Dr
Romulus, Michigan 48174

Generated 4/14/2026 8:13:12 AM

JOB DESCRIPTION

MONTHLY INJECTATE ANALYSIS

JOB NUMBER

190-39479-1

Eurofins Michigan

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Generated
4/14/2026 8:13:12 AM

Authorized for release by
Mariah Witas, Project Manager
Mariah.Witas@et.eurofinsus.com
(234)350-9477



Table of Contents

Cover Page	1
Table of Contents	3
Sample Summary	4
Case Narrative	5
Client Sample Results	7
QC Sample Results	8
Definitions/Glossary	12
Chain of Custody	13
Isotope Dilution Summary	18

Sample Summary

Client: Republic Industrial and Energy Solutions
Project/Site: MONTHLY INJECTATE ANALYSIS

Job ID: 190-39479-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
190-39479-1	MARCH INJECTATE COMP 2026	Water	04/01/26 06:00	04/01/26 11:26	Michigan

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9

Case Narrative

Client: Republic Industrial and Energy Solutions
Project: MONTHLY INJECTATE ANALYSIS

Job ID: 190-39479-1

Job ID: 190-39479-1

Eurofins Michigan

Job Narrative 190-39479-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The sample was received on 4/1/2026 11:26 AM. Unless otherwise noted below, the sample arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 13.0°C.

Dioxin

Method 8290A: Samples dark in color and released a foul odor. Proceeded with extraction of full sample amount.

MARCH INJECTATE COMP 2026 (190-39479-1), MARCH INJECTATE COMP 2026 (190-39479-1[MS]) and MARCH INJECTATE COMP 2026 (190-39479-1[MSD])

Method 8290A: The laboratory control sample (LCS) for preparation batch 140-112569 and analytical batch 140-112609 recovered outside control limits for the following analytes: 1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin. These analytes were biased high in the LCS and were not detected above the reporting limit (RL) in the associated samples; therefore, the data have been reported.

Method 8290A: One or more Isotope Dilution Analyte (IDA) recoveries associated with the following samples are below the method recommended limit: MARCH INJECTATE COMP 2026 (190-39479-1), MARCH INJECTATE COMP 2026 (190-39479-1[MS]) and MARCH INJECTATE COMP 2026 (190-39479-1[MSD]). Generally, data quality is not considered affected if the IDA signal-to-noise ratio is greater than 10:1, which is achieved for all IDA in the sample(s).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Job Narrative 190-39479-1

Receipt

The samples were received on 4/1/2026 11:26 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 13.0° C.

GC/MS Semi VOA

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

GC Semi VOA

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Dioxin

Method 8290A: The laboratory control sample (LCS) for preparation batch 140-112569 and analytical batch 140-112609 recovered outside control limits for the following analytes: 1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin. These analytes were biased high in the LCS and were not detected above the reporting limit (RL) in the associated samples; therefore, the data have been reported.

Method 8290A: One or more Isotope Dilution Analyte (IDA) recoveries associated with the following samples are below the method recommended limit: MARCH INJECTATE COMP 2026 (190-39479-1), MARCH INJECTATE COMP 2026 (190-39479-1[MS]) and MARCH INJECTATE COMP 2026 (190-39479-1[MSD]). Generally, data quality is not considered affected if the IDA signal-to-noise ratio is greater than 10:1, which is achieved for all IDA in the sample(s).

Eurofins Michigan

Case Narrative

Client: Republic Industrial and Energy Solutions
Project: MONTHLY INJECTATE ANALYSIS

Job ID: 190-39479-1

Job ID: 190-39479-1 (Continued)

Eurofins Michigan

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Organic Prep

Method 8290: Samples dark in color and released a foul odor. Proceeded with extraction of full sample amount.

MARCH INJECTATE COMP 2026 (190-39479-1), MARCH INJECTATE COMP 2026 (190-39479-1[MS]) and MARCH INJECTATE COMP 2026 (190-39479-1[MSD])

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Eurofins Michigan

Client Sample Results

Client: Republic Industrial and Energy Solutions
Project/Site: MONTHLY INJECTATE ANALYSIS

Job ID: 190-39479-1

Client Sample ID: MARCH INJECTATE COMP 2026

Lab Sample ID: 190-39479-1

Date Collected: 04/01/26 06:00

Matrix: Water

Date Received: 04/01/26 11:26

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzidine	<400		400	ug/L		04/08/26 08:26	04/09/26 11:01	10
Nitrosodimethylamine	<200		200	ug/L		04/08/26 08:26	04/09/26 11:01	10
Tetraethyl lead	<200	F1 *-	200	ug/L		04/08/26 08:26	04/09/26 11:01	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Phenol-d5 (Surr)	54		33 - 120	04/08/26 08:26	04/09/26 11:01	10
Nitrobenzene-d5 (Surr)	105		60 - 143	04/08/26 08:26	04/09/26 11:01	10
2-Fluorophenol (Surr)	65		26 - 120	04/08/26 08:26	04/09/26 11:01	10
2,4,6-Tribromophenol (Surr)	114		27 - 138	04/08/26 08:26	04/09/26 11:01	10
p-Terphenyl-d14 (Surr)	86		52 - 154	04/08/26 08:26	04/09/26 11:01	10
2-Fluorobiphenyl (Surr)	95		53 - 139	04/08/26 08:26	04/09/26 11:01	10

Method: SW846 8081B - Organochlorine Pesticides (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Aldrin	<0.049	F1	0.049	ug/L		04/08/26 10:19	04/08/26 19:53	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl	12		10 - 137			04/08/26 10:19	04/08/26 19:53	1
Tetrachloro-m-xylene	26	p	10 - 120			04/08/26 10:19	04/08/26 19:53	1

Method: SW846 8290A - Dioxins and Furans (HRGC/HRMS)

Analyte	Result	Qualifier	RL	EDL	Unit	D	Prepared	Analyzed	Dil Fac
2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD)	<9.5		9.5		pg/L		04/07/26 09:51	04/08/26 01:01	1
Total TCDD	22	I	9.5		pg/L		04/07/26 09:51	04/08/26 01:01	1
1,2,3,4,7,8-HxCDD	<48		48		pg/L		04/07/26 09:51	04/08/26 01:01	1
1,2,3,6,7,8-HxCDD	<48		48		pg/L		04/07/26 09:51	04/08/26 01:01	1
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin	<48	*+	48		pg/L		04/07/26 09:51	04/08/26 01:01	1
Total HxCDD	90	I	48		pg/L		04/07/26 09:51	04/08/26 01:01	1
1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin	1000		95		pg/L		04/07/26 09:51	04/08/26 01:01	1
1,2,3,4,6,7,8,9-Octachlorodibenzofuran	240		95		pg/L		04/07/26 09:51	04/08/26 01:01	1
Isotope Dilution	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C-2,3,7,8-TCDD	27	*5-	40 - 135				04/07/26 09:51	04/08/26 01:01	1
13C-1,2,3,4,7,8-HxCDD	28	*5-	40 - 135				04/07/26 09:51	04/08/26 01:01	1
13C-1,2,3,6,7,8-HxCDD	26	*5-	40 - 135				04/07/26 09:51	04/08/26 01:01	1
13C-OCDD	30	*5-	40 - 135				04/07/26 09:51	04/08/26 01:01	1
13C-OCDF	27	*5-	40 - 135				04/07/26 09:51	04/08/26 01:01	1

Eurofins Michigan

QC Sample Results

Client: Republic Industrial and Energy Solutions
Project/Site: MONTHLY INJECTATE ANALYSIS

Job ID: 190-39479-1

Method: 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Lab Sample ID: MB 480-772095/1-A

Matrix: Water

Analysis Batch: 772212

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 772095

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzidine	<1.1		1.1	ug/L		04/08/26 08:26	04/09/26 09:00	1
Nitrosodimethylamine	<0.57		0.57	ug/L		04/08/26 08:26	04/09/26 09:00	1
Tetraethyl lead	<0.57		0.57	ug/L		04/08/26 08:26	04/09/26 09:00	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Phenol-d5 (Surr)	49		33 - 120	04/08/26 08:26	04/09/26 09:00	1
Nitrobenzene-d5 (Surr)	103		60 - 143	04/08/26 08:26	04/09/26 09:00	1
2-Fluorophenol (Surr)	63		26 - 120	04/08/26 08:26	04/09/26 09:00	1
2,4,6-Tribromophenol (Surr)	100		27 - 138	04/08/26 08:26	04/09/26 09:00	1
p-Terphenyl-d14 (Surr)	103		52 - 154	04/08/26 08:26	04/09/26 09:00	1
2-Fluorobiphenyl (Surr)	104		53 - 139	04/08/26 08:26	04/09/26 09:00	1

Lab Sample ID: LCS 480-772095/2-A

Matrix: Water

Analysis Batch: 772212

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 772095

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzidine	5.71	0.826	J	ug/L		14	5 - 120
Nitrosodimethylamine	5.71	1.88		ug/L		33	10 - 120
Tetraethyl lead	5.71	0.339	J *-	ug/L		6	10 - 200

Surrogate	LCS %Recovery	LCS Qualifier	Limits
Phenol-d5 (Surr)	55		33 - 120
Nitrobenzene-d5 (Surr)	107		60 - 143
2-Fluorophenol (Surr)	66		26 - 120
2,4,6-Tribromophenol (Surr)	100		27 - 138
p-Terphenyl-d14 (Surr)	95		52 - 154
2-Fluorobiphenyl (Surr)	96		53 - 139

Lab Sample ID: 190-39479-1 MS

Matrix: Water

Analysis Batch: 772212

Client Sample ID: MARCH INJECTATE COMP 2026

Prep Type: Total/NA

Prep Batch: 772095

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Benzidine	<400		200	<400		ug/L		34	5 - 120
Nitrosodimethylamine	<200		200	<200		ug/L		41	10 - 120
Tetraethyl lead	<200	F1 *-	200	<200	F1	ug/L		0	10 - 200

Surrogate	MS %Recovery	MS Qualifier	Limits
Phenol-d5 (Surr)	59		33 - 120
Nitrobenzene-d5 (Surr)	104		60 - 143
2-Fluorophenol (Surr)	70		26 - 120
2,4,6-Tribromophenol (Surr)	137		27 - 138
p-Terphenyl-d14 (Surr)	91		52 - 154
2-Fluorobiphenyl (Surr)	97		53 - 139

QC Sample Results

Client: Republic Industrial and Energy Solutions
Project/Site: MONTHLY INJECTATE ANALYSIS

Job ID: 190-39479-1

Method: 8270E - Semivolatile Organic Compounds (GC-MS/MS) (Continued)

Lab Sample ID: 190-39479-1 MSD

Matrix: Water

Analysis Batch: 772212

Client Sample ID: MARCH INJECTATE COMP 2026

Prep Type: Total/NA

Prep Batch: 772095

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzidine	<400		200	<400		ug/L		31	5 - 120	8	30
Nitrosodimethylamine	<200		200	<200		ug/L		41	10 - 120	1	30
Tetraethyl lead	<200	F1 *	200	<200	F1	ug/L		0	10 - 200	NC	30
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
Phenol-d5 (Surr)	62		33 - 120								
Nitrobenzene-d5 (Surr)	115		60 - 143								
2-Fluorophenol (Surr)	69		26 - 120								
2,4,6-Tribromophenol (Surr)	165	S1+	27 - 138								
p-Terphenyl-d14 (Surr)	91		52 - 154								
2-Fluorobiphenyl (Surr)	90		53 - 139								

Method: 8081B - Organochlorine Pesticides (GC)

Lab Sample ID: MB 240-696888/1-A

Matrix: Water

Analysis Batch: 696852

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 696888

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Aldrin	<0.050		0.050	ug/L		04/08/26 10:19	04/08/26 19:24	1
Surrogate	MB %Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl	81		10 - 137			04/08/26 10:19	04/08/26 19:24	1
Tetrachloro-m-xylene	57		10 - 120			04/08/26 10:19	04/08/26 19:24	1

Lab Sample ID: LCS 240-696888/2-A

Matrix: Water

Analysis Batch: 696852

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 696888

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits	
Aldrin	1.00	0.627		ug/L		63	23 - 139	
Surrogate	LCS %Recovery	LCS Qualifier	Limits					
DCB Decachlorobiphenyl	64		10 - 137					
Tetrachloro-m-xylene	51		10 - 120					

Lab Sample ID: 190-39479-1 MS

Matrix: Water

Analysis Batch: 696852

Client Sample ID: MARCH INJECTATE COMP 2026

Prep Type: Total/NA

Prep Batch: 696888

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits	
Aldrin	<0.049	F1	0.989	0.0554	F1	ug/L		6	10 - 133	
Surrogate	MS %Recovery	MS Qualifier	Limits							
DCB Decachlorobiphenyl	17		10 - 137							
Tetrachloro-m-xylene	14	p	10 - 120							

Eurofins Michigan

QC Sample Results

Client: Republic Industrial and Energy Solutions
Project/Site: MONTHLY INJECTATE ANALYSIS

Job ID: 190-39479-1

Method: 8081B - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: 190-39479-1 MSD

Matrix: Water

Analysis Batch: 696852

Client Sample ID: MARCH INJECTATE COMP 2026

Prep Type: Total/NA

Prep Batch: 696888

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Aldrin	<0.049	F1	0.978	<0.049	F1	ug/L		0	10 - 133	NC	35
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
DCB Decachlorobiphenyl	27		10 - 137								
Tetrachloro-m-xylene	108		10 - 120								

Method: 8290A - Dioxins and Furans (HRGC/HRMS)

Lab Sample ID: MB 140-112569/11-A

Matrix: Water

Analysis Batch: 112609

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 112569

Analyte	MB	MB	RL	EDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD)	<10		10		pg/L		04/07/26 12:57	04/08/26 00:00	1
Total TCDD	<10		10		pg/L		04/07/26 12:57	04/08/26 00:00	1
1,2,3,4,7,8-HxCDD	<50		50		pg/L		04/07/26 12:57	04/08/26 00:00	1
1,2,3,6,7,8-HxCDD	<50		50		pg/L		04/07/26 12:57	04/08/26 00:00	1
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin	<50		50		pg/L		04/07/26 12:57	04/08/26 00:00	1
Total HxCDD	<50		50		pg/L		04/07/26 12:57	04/08/26 00:00	1
1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin	<100		100		pg/L		04/07/26 12:57	04/08/26 00:00	1
1,2,3,4,6,7,8,9-Octachlorodibenzofuran	<100		100		pg/L		04/07/26 12:57	04/08/26 00:00	1
Isotope Dilution	MB	MB	Limits				Prepared	Analyzed	Dil Fac
13C-2,3,7,8-TCDD	69		40 - 135				04/07/26 12:57	04/08/26 00:00	1
13C-1,2,3,4,7,8-HxCDD	69		40 - 135				04/07/26 12:57	04/08/26 00:00	1
13C-1,2,3,6,7,8-HxCDD	72		40 - 135				04/07/26 12:57	04/08/26 00:00	1
13C-OCDD	81		40 - 135				04/07/26 12:57	04/08/26 00:00	1
13C-OCDF	63		40 - 135				04/07/26 12:57	04/08/26 00:00	1

Lab Sample ID: LCS 140-112569/10-A

Matrix: Water

Analysis Batch: 112609

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 112569

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD)	200	208		pg/L		104	77 - 127
1,2,3,4,7,8-HxCDD	1000	1200		pg/L		120	73 - 123
1,2,3,6,7,8-HxCDD	1000	1170		pg/L		117	72 - 127
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin	1000	1280	*+	pg/L		128	76 - 126
1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin	2000	2080		pg/L		104	75 - 125
1,2,3,4,6,7,8,9-Octachlorodibenzofuran	2000	2160		pg/L		108	68 - 132
Isotope Dilution	LCS %Recovery	LCS Qualifier	Limits				
13C-2,3,7,8-TCDD	71		40 - 135				

Eurofins Michigan

QC Sample Results

Client: Republic Industrial and Energy Solutions
Project/Site: MONTHLY INJECTATE ANALYSIS

Job ID: 190-39479-1

Method: 8290A - Dioxins and Furans (HRGC/HRMS) (Continued)

Lab Sample ID: LCS 140-112569/10-A

Matrix: Water

Analysis Batch: 112609

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 112569

Isotope Dilution	LCS LCS		Limits
	%Recovery	Qualifier	
13C-1,2,3,4,7,8-HxCDD	72		40 - 135
13C-1,2,3,6,7,8-HxCDD	75		40 - 135
13C-OCDD	86		40 - 135
13C-OCDF	72		40 - 135

Lab Sample ID: 190-39479-1 MS

Matrix: Water

Analysis Batch: 112609

Client Sample ID: MARCH INJECTATE COMP 2026

Prep Type: Total/NA

Prep Batch: 112569

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec	Limits	
	Result	Qualifier	Added	Result	Qualifier						
2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD)	<9.5		191	193		pg/L		101		77 - 127	
1,2,3,4,7,8-HxCDD	<48		956	1050		pg/L		110		73 - 123	
1,2,3,6,7,8-HxCDD	<48		956	1060		pg/L		111		72 - 127	
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin	<48	*+	956	1100		pg/L		114		76 - 126	
1,2,3,4,6,7,8,9-Octachlorodibenz o-p-dioxin	1000		1910	3110		pg/L		108		75 - 125	
1,2,3,4,6,7,8,9-Octachlorodibenz ofuran	240		1910	2180		pg/L		101		49 - 134	
		MS	MS								
Isotope Dilution	%Recovery	Qualifier	Limits								
13C-2,3,7,8-TCDD	36	*5-	40 - 135								
13C-1,2,3,4,7,8-HxCDD	36	*5-	40 - 135								
13C-1,2,3,6,7,8-HxCDD	35	*5-	40 - 135								
13C-OCDD	35	*5-	40 - 135								
13C-OCDF	35	*5-	40 - 135								

Lab Sample ID: 190-39479-1 MSD

Matrix: Water

Analysis Batch: 112609

Client Sample ID: MARCH INJECTATE COMP 2026

Prep Type: Total/NA

Prep Batch: 112569

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec	RPD	RPD
	Result	Qualifier	Added	Result	Qualifier			Limits	Limits		
2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD)	<9.5		192	206		pg/L		107	77 - 127	7	15
1,2,3,4,7,8-HxCDD	<48		960	1080		pg/L		113	73 - 123	3	15
1,2,3,6,7,8-HxCDD	<48		960	1020		pg/L		106	72 - 127	4	15
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin	<48	*+	960	1120		pg/L		116	76 - 126	2	15
1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin	1000		1920	3070		pg/L		105	75 - 125	1	15
1,2,3,4,6,7,8,9-Octachlorodibenzo-furan	240		1920	2180		pg/L		101	49 - 134	0	15
	MSD	MSD									
Isotope Dilution	%Recovery	Qualifier	Limits								
13C-2,3,7,8-TCDD	33	*5-	40 - 135								
13C-1,2,3,4,7,8-HxCDD	35	*5-	40 - 135								
13C-1,2,3,6,7,8-HxCDD	36	*5-	40 - 135								
13C-OCDD	36	*5-	40 - 135								
13C-OCDF	36	*5-	40 - 135								

Eurofins Michigan

Definitions/Glossary

Client: Republic Industrial and Energy Solutions
Project/Site: MONTHLY INJECTATE ANALYSIS

Job ID: 190-39479-1

Qualifiers

GC/MS Semi VOA

Qualifier	Qualifier Description
*-	LCS and/or LCSD is outside acceptance limits, low biased.
F1	MS and/or MSD recovery exceeds control limits.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
S1+	Surrogate recovery exceeds control limits, high biased.

GC Semi VOA

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
p	The %RPD between the primary and confirmation column/detector is >40%. The lower value has been reported.

Dioxin

Qualifier	Qualifier Description
*+	LCS and/or LCSD is outside acceptance limits, high biased.
*5-	Isotope dilution analyte is outside acceptance limits, low biased.
I	Value is EMPC (estimated maximum possible concentration).


Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Client Contact Company Name: Republic Industrial and Energy Solutions Address: 28470 Citrin Drive City/State/Zip: Romulus, MI 48174 Phone: 734-693-2870 Project Name: Monthly Injectate Analysis Project Number: 19001517 PO #		Regulatory program: ☐ DW ☐ NPDES ☒ RCRA ☐ Other		Site Contact: Client Project Manager: Jacob Thompson Telephone: 313-929-4539 Email: jthompson@republisherservices.com		Lab Contact: Mariah Witas Telephone: 234-350-9477		COC No: 1 of 1 COC's	
Method of Shipment/Carrier: Eurofins TestAmerica Field Services Shipping/Tracking No:		Analysis Turnaround Time TAT if different from below: ☐ 3 weeks ☐ 2 weeks ☐ 1 week ☐ 2 days ☐ 1 day		Analyses For lab use only Walk-in client Lab sampling Job/SDG No:		Sample Specific Notes / Special Instructions:			
Sample Identification		Matrix Air ☐ Aqueous ☐ Sediment ☐ Solid ☐ Other:		Containers & Preservatives H2SO4 ☐ HNO3 ☐ HCl ☐ NaOH ☐ ZnAc ☐ NaOH ☐ Unpres ☐ Other:		Filtered Sample (Y / N) ☐ Composite-C / Grab-G ☐ 8270E-QQ - SVOCs ☐ 8081B - Aldrin ☐ 8290A - Dioxins & Furans ☐			
Sample Date Sample Time		Sample Date Sample Time		Sample Date Sample Time		Sample Date Sample Time		Sample Date Sample Time	
March Injectate comp 2026 (sample+MS+MSD)		4/1/2026 6AM		4/1/2026 6AM		4/1/2026 6AM		4/1/2026 6AM	
March Injectate comp 2026 (sample+MS+MSD)		4/1/2026 6AM		4/1/2026 6AM		4/1/2026 6AM		4/1/2026 6AM	
March Injectate comp 2026 (sample+MS+MSD)		4/1/2026 6AM		4/1/2026 6AM		4/1/2026 6AM		4/1/2026 6AM	
Possible Hazard Identification ☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown		Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) ☐ Return to Client ☒ Disposal By Lab ☐ Archive For _____ Months		190-39479 Chain of Custody		Barcode			
Eurofins TestAmerica Field Technician - Relinquished by: <i>[Signature]</i> Relinquished by: <i>[Signature]</i> Relinquished by: <i>[Signature]</i>		Date/Time: 04-1-26/11:55 Date/Time: 4/1/26 1200 Date/Time:		Received by: <i>[Signature]</i> Received by: Eurofins Received in Laboratory by:		Company: HEIS Company: EETA Company:		Date/Time: 4/1/26 1126 Date/Time: 4/1/26 1300 Date/Time:	

Temperature readings: _____

<u>Client Sample ID</u>	<u>Lab ID</u>	<u>Container Type</u>	<u>Container</u>		<u>Preservation</u>	<u>Preservation</u>
			<u>pH</u>	<u>Temp</u>	<u>Added</u>	<u>Lot Number</u>
MARCH INJECTATE COMP 2026	190-39479-A-1	Amber Glass 1 liter - unpreserved	_____	_____	_____	_____
MARCH INJECTATE COMP 2026	190-39479-A-1 MS	Amber Glass 1 liter - unpreserved	_____	_____	_____	_____
MARCH INJECTATE COMP 2026	190-39479-A-1 MSD	Amber Glass 1 liter - unpreserved	_____	_____	_____	_____
MARCH INJECTATE COMP 2026	190-39479-B-1	Amber Glass 1 liter - unpreserved	_____	_____	_____	_____
MARCH INJECTATE COMP 2026	190-39479-B-1 MS	Amber Glass 1 liter - unpreserved	_____	_____	_____	_____
MARCH INJECTATE COMP 2026	190-39479-B-1 MSD	Amber Glass 1 liter - unpreserved	_____	_____	_____	_____
MARCH INJECTATE COMP 2026	190-39479-C-1	Amber Glass 250ml - unpreserved	_____	_____	_____	_____
MARCH INJECTATE COMP 2026	190-39479-C-1 MS	Amber Glass 250ml - unpreserved	_____	_____	_____	_____
MARCH INJECTATE COMP 2026	190-39479-C-1 MSD	Amber Glass 250ml - unpreserved	_____	_____	_____	_____
MARCH INJECTATE COMP 2026	190-39479-D-1	Amber Glass 250ml - unpreserved	_____	_____	_____	_____
MARCH INJECTATE COMP 2026	190-39479-D-1 MS	Amber Glass 250ml - unpreserved	_____	_____	_____	_____
MARCH INJECTATE COMP 2026	190-39479-D-1 MSD	Amber Glass 250ml - unpreserved	_____	_____	_____	_____
MARCH INJECTATE COMP 2026	190-39479-E-1	Amber Glass 250ml - unpreserved	_____	_____	_____	_____
MARCH INJECTATE COMP 2026	190-39479-E-1 MS	Amber Glass 250ml - unpreserved	_____	_____	_____	_____
MARCH INJECTATE COMP 2026	190-39479-E-1 MSD	Amber Glass 250ml - unpreserved	_____	_____	_____	_____



Environment Testing
TestAmerica

☐ SDS or Known Hazard Information Supplied by Client

☐ Discrepancies

☐ Short Hold

☐ Rush ☐ 24 Hr ☐ 2-Day ☐ 3-Day ☐ 5-Day ☐ Other:

Receipt Evaluation Performed by: Initials: _____ Date: _____ Time: _____

Client ID: RETS

Work Order #: 190-39479

Cooler / Sample Receipt

After hours receipt: complete gray

areas. Place cooler in walk-in, place

form in Receiving box. Date: _____ Time: _____

Method of Shipment:

Walk-In Client Eurofins TA Field/Courier

Other Client / 3rd Party Courier: _____

Fed Ex Tracking #: _____

UPS Tracking #: _____

Other: _____

Shipping Container Type:

☐ Cooler ☐ Box

☐ None ☐ Other: _____

Packing Materials:

☐ Plastic Bags ☐ Foam

☒ Bubble Wrap ☐ Paper

☐ Packing Peanuts ☐ None

☐ Other: _____

Custody Seals Intact:

☐ Yes ☐ No

☒ NA (not used or required)

Cooling Materials:

☐ Ice (Solid) ☐ Ice (Melted)

☐ Blue Ice ☒ None

☐ Other: _____

Bacteriological Samples	Temp Corrected (°C)	Frozen?	Rec'd Within 2 Hrs?	Sample Flagged?
		Yes No	Yes No	Yes No

Received on same day sampled? Yes No Additional Sheets Required? Yes No

Receipt Temperatures

Thermometer ID Observed (°C) Corrected (°C) Temp Blank Sample Temp Acceptable Cooler ID Affected Samples

<u>CP313204</u>	<u>13.0°</u>	<u>13.0°</u>			<u>Y</u> <u>N</u>		
<u>CLE-IR-001</u>					<u>Y</u> <u>N</u>		
					<u>Y</u> <u>N</u>		

Receipt Questions**	Y	N	NA	"No" answers require additional comment
CoC present and ETA receipt signature, date, and time properly documented?	☒			
Containers and Labels in good condition? (unbroken, not leaking, appropriately filled, labels legible & attached)	☒			
Appropriate containers used and adequate volume provided?	☒			Preserved bottles checked for pH? Yes No
Number of sample containers match CoC?	☒			pH strip lot # _____
Samples received within hold?	☒			
Samples submitted for GRO and Volatiles analysis (8260, 624, 524) received without headspace?			☒	
Was a Trip Blank received with VOA samples?			☒	
Were the samples free of any questionable physical conformities? (i.e.; field duplicates or multiple bottles of the same sample do not significantly vary in appearance – color, solid proportions, etc.)	☒			
Were the CoC bottle labels and all other items free of all other discrepancies or issues that would need to be addressed with the Project Manager and/or Client?	☒			
**May not be applicable if samples are not for compliance testing				*Excludes FOG, VOAs, TOC Vials, HEM

Client Contact Record

Contact Via: ☐ Phone ☐ Email ☐ Other: _____ Person Contacted: _____ Date/Time: _____

☐ Discrepancy allowance agreement is on record in the client project file

Discussion / Resolution

Any additional documentation and clarification from the client must be noted in the narrative and/or scanned into the CoC directory.

Reviewed by [Signature] Date: 4/11/26

WI-MI-010_020720

Chain of Custody Record



Client Information (Sub Contract Lab)			Lab PM:	Carrier Tracking No(s):	COC No:
Client Contact:			Witas, Mariah J	N/A	190-44815.1
Shipping/Receiving			E-Mail:	State of Origin:	Page:
Company:			TestAmerica Laboratories, Inc.	Michigan	Page 1 of 1
Address:			Accreditations Required (See note):		
5815 Middlebrook Pike,			N/A		
City:			Due Date Requested:		
Knoxville			4/8/2026		
State, Zip:			TAT Requested (days):		
TN, 37921			N/A		
Phone:			PO #:	Matrix	
865-291-3000(Tel) 865-584-4315(Fax)			N/A	(W=water, S=solid, O=waste/oil, BT=Tissue, A=air)	
Email:			WO #:	Sample Type (C=comp, G=grab)	
N/A			N/A	Sample Time	
Project Name:			Project #:	Sample Date	
MONTHLY INJECTATE ANALYSIS			19001517	Sample Date	
Site:			SSOW#:	Preservation Code:	
N/A			N/A	Matrix	
Sample Identification - Client ID (Lab ID)			Field Filtered Sample (Yes or No)		
MARCH INJECTATE COMP 2026 (190-39479-1)			Perform MS/MSD (Yes or No)		
MARCH INJECTATE COMP 2026 (190-39479-1MS)			8290A/8290_P_Sep(MOD) DIOXINS Project List Knox		
MARCH INJECTATE COMP 2026 (190-39479-1MSD)			Total Number of Containers		
Custody seal intact			Special Instructions/Note:		
Received at RT 0.3/CT 0.4°C			190-39479 Chain of Custody		
CAR 4-7-26			190-39479 Chain of Custody		
Fedex 870357082278			190-39479 Chain of Custody		
Note: Since laboratory accreditations are subject to change, Eurofins Environment Testing North Central, LLC places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed, the samples must be shipped back to the Eurofins Environment Testing North Central, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Environment Testing North Central, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Environment Testing North Central, LLC.					
Possible Hazard Identification					
Unconfirmed					
Deliverable Requested: I, II, III, IV, Other (specify)					
Primary Deliverable Rank: 2					
Empty Kit Relinquished by:					
Relinquished by:					
Relinquished by:					
Relinquished by:					
Custody Seal Intact: Custody Seal No.					

EUROFINS KNOXVILLE SAMPLE RECEIPT/CONDITION UPON RECEIPT ANOMALY CHECKLIST Log In Number:

Review Items	Yes	No	NA	If No, what was the problem?	Comments/Actions Taken
1. Are the shipping containers intact?	/			☐ Containers, Broken	
2. Were ambient air containers received intact?				☐ Checked in lab	
3. The coolers/containers custody seal if present, is it intact?	/			☐ Yes ☐ NA	
4. Is the cooler temperature within limits? (> freezing temp. of water to 6 °C, VOST: 10°C) Thermometer ID : 5677 Correction factor: +0.1°C	/			☐ Cooler Out of Temp, Client Contacted, Proceed/Cancel ☐ Cooler Out of Temp, Same Day Receipt	
5. Were all of the sample containers received intact?	/			☐ Containers, Broken	
6. Were samples received in appropriate containers?	/			☐ Containers, Improper; Client Contacted; Proceed/Cancel	
7. Do sample container labels match COC? (IDs, Dates, Times)	/			☐ COC & Samples Do Not Match ☐ COC Incorrect/Incomplete ☐ COC Not Received	
8. Were all of the samples listed on the COC received?	/			☐ Sample Received, Not on COC ☐ Sample on COC, Not Received	
9. Is the date/time of sample collection noted?	/			☐ COC; No Date/Time; Client Contacted	
10. Was the sampler identified on the COC?			/	☐ Sampler Not Listed on COC	Labeling Verified by: _____ Date: _____
11. Is the client and project name/# identified?	/			☐ COC Incorrect/Incomplete	pH test strip LIMS number: _____
12. Are tests/parameters listed for each sample?	/			☐ COC No tests on COC	
13. Is the matrix of the samples noted?	/			☐ COC Incorrect/Incomplete	
14. Was COC relinquished? (Signed/Dated/Timed)	/			☐ COC Incorrect/Incomplete	Box 16A: pH Preservation Box 18A: Residual Chlorine
15. Were samples received within holding time?	/			☐ Holding Time - Receipt	Preservative: _____
16. Were samples received with correct chemical preservative (excluding Encore)?			/	☐ pH Adjusted, pH Included (See box 16A) ☐ Incorrect Preservative	LIMS Number: _____ Exp Date: _____ Analyst: _____ Date: _____ Time: _____
17. Were VOA samples received without headspace?			/	☐ Headspace (VOA only) ☐ Residual Chlorine	
18. Did you check for residual chlorine, if necessary? (e.g. 1613B, 1668) Chlorine test strip LIMS container number: _____			/		
19. For 1613B water samples is pH<9?			/	☐ If no, notify lab to adjust	
20. For rad samples was sample activity info. Provided?			/	☐ Project missing info	
Project #: 19001517 PM Instructions: _____					

Sample Receiving Associate: CM Date: 4-7-26

QA026R34.doc, 10/24/25

Isotope Dilution Summary

Client: Republic Industrial and Energy Solutions
Project/Site: MONTHLY INJECTATE ANALYSIS

Job ID: 190-39479-1

Method: 8290A - Dioxins and Furans (HRGC/HRMS)

Matrix: Water

Prep Type: Total/NA

		Percent Isotope Dilution Recovery (Acceptance Limits)				
Lab Sample ID	Client Sample ID	TCDD (40-135)	HxCDD (40-135)	HxDD (40-135)	OCDD (40-135)	OCDF (40-135)
190-39479-1	MARCH INJECTATE COMP 2026	27 *5-	28 *5-	26 *5-	30 *5-	27 *5-
190-39479-1 MS	MARCH INJECTATE COMP 2026	36 *5-	36 *5-	35 *5-	35 *5-	35 *5-
190-39479-1 MSD	MARCH INJECTATE COMP 2026	33 *5-	35 *5-	36 *5-	36 *5-	36 *5-
LCS 140-112569/10-A	Lab Control Sample	71	72	75	86	72
MB 140-112569/11-A	Method Blank	69	69	72	81	63

Surrogate Legend

TCDD = 13C-2,3,7,8-TCDD
HxCDD = 13C-1,2,3,4,7,8-HxCDD
HxDD = 13C-1,2,3,6,7,8-HxCDD
OCDD = 13C-OCDD
OCDF = 13C-OCDF