



6/29/2026

VIA FEDERAL EXPRESS

Tera Fong, Director  
Water Division  
US EPA, Region 5  
UIC Section, (WP-16J)  
77 West Jackson Boulevard  
Chicago, Illinois 60604-3590

**SUBJECT:** Well #1-12, UIC PERMIT MI-163-1W-C010 and Well #2-12, UIC Permit MI-163-1W-C011  
Republic Industrial and Energy Solutions, LLC. Class 1 Hazardous  
Wayne County, Michigan  
May Monthly Report

In accordance with the Class 1 Hazardous Underground Injection Well Permits MI-163-1W-C010 and MI-163-1W-C011, Republic Industrial and Energy Solutions, LLC (RIES) located in Wayne County, Michigan is submitting its Monthly Report demonstrating compliance with permit requirements. The attached information is provided in the same sequence as required by both subject permits in Part II D.1. (a-i) and Part III Attachment A, Part III Attachment E(G)(2) and E(I).

I certify under penalty of law that this document and all attachments were prepared under my supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry into the person or persons who manage the system, or those directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Should you have any questions regarding this report, please contact me at [krevels@republicservices.com](mailto:krevels@republicservices.com) or (734) 664-6075.

Sincerely,

A handwritten signature in black ink, appearing to read "Kristina Revels".

Kristina Revels  
*Environmental Compliance Manager*

Enclosures



## Sustainability in Action

### TABLE OF CONTENTS

|                             |     |
|-----------------------------|-----|
| Summary.....                | 1   |
| Average Injection Rate..... | 2   |
| Well 1 Data.....            | 4   |
| Well 2 Data.....            | 9   |
| Annulus System.....         | 14  |
| Corrosion Monitoring.....   | 19  |
| Maintenance.....            | 23  |
| Injection Fingerprints..... | 25  |
| F039 Results.....           | 164 |



## Sustainability in Action

### Summary

Wells #1-12 and #2-12 were operated in accordance with the requirements of MI-163-1W-C010 and MI-163-1W-C011, during the reporting month. A summary table of the total monthly and year-to-date volumes of fluids injected into the wells is provided below.

| Year | Month     | Well #1-12 | Well #2-12 | Per Month | Cumulative |
|------|-----------|------------|------------|-----------|------------|
| 2025 | June      | 470,712    | 1,097,272  | 1,567,984 | 9,662,080  |
| 2025 | July      | 0          | 1,587,120  | 1,587,120 | 11,249,200 |
| 2025 | August    | 373,528    | 549,768    | 923,296   | 12,172,496 |
| 2025 | September | 951,788    | 299,208    | 1,250,996 | 13,423,492 |
| 2025 | October   | 516,307    | 605,832    | 1,122,139 | 14,545,631 |
| 2025 | November  | 238,380    | 648,114    | 886,494   | 15,432,125 |
| 2025 | December  | 284,572    | 599,933    | 884,505   | 16,316,630 |
| 2026 | January   | 729,517    | 701,594    | 1,431,111 | 17,747,741 |
| 2026 | February  | 635,316    | 629,728    | 1,265,044 | 19,012,785 |
| 2026 | March     | 1,071,275  | 1,003,882  | 2,075,156 | 21,087,941 |
| 2026 | April     | 1,276,941  | 1,223,756  | 2,500,697 | 23,588,638 |
| 2026 | May       | 1,071,490  | 978,853    | 2,050,343 | 25,638,981 |



Sustainability in Action

UIC Permit Condition Part II.D.1. (d):

Average Injection Rate



### Calculation of Average Injection Rate

CURRENT REPORTING YEAR 2026

CURRENT REPORTING MONTH May

Date (month, year) of the first injection into either well at the Citrin Road Facility November 2013

CURRENT MONTH (all volumes in gallons)

|                                   | Injected Waste | Injected Non-Waste | Total injected |
|-----------------------------------|----------------|--------------------|----------------|
| <b>MI-163-1W-C010, Well #1-12</b> |                |                    |                |
| Current Month                     | 1,071,490      | 0                  | 1,071,490      |
| Since facility first injected     |                |                    | 81,848,214     |
| <b>MI-163-1W-C011, Well #2-12</b> |                |                    |                |
| Current Month                     | 978,853        | 0                  | 978,853        |
| Since facility first injected     |                |                    | 67,795,824     |
|                                   |                | Lifetime Combined  | 149,644,038    |

#### Conversion factors

365.25 days per year ÷ 12 months per year = 30.4375 days per month

30.4375 days per month × 1440 minutes per day = 43,830 minutes per month

#### Calculations

Whole number of months<sup>1</sup> of injection 150

150 lifetime number of months of injection X 43,830 minutes/month  
= 6574500 minutes of injection

Lifetime combined injected volume 149,644,038 ÷ 6574500 minutes of injection

= 22.8 gpm average injection rate

<sup>1</sup> Calculated from November 30, 2013, to May 30, 2026, for a total of 150 months.



Sustainability in Action

UIC Permit Condition Part II.D.1. (b):

Well #1-12, Permit MI-163-1W-C010 Data



## Injection Well 1-12

May 2026

| Date      | Injection Pressure (psig) | Annulus Tank Level (inches) |      | Annulus Pressure (psig) |       | Injection pH | Flow Rate (gpm) | Differential Pressure (psig) |
|-----------|---------------------------|-----------------------------|------|-------------------------|-------|--------------|-----------------|------------------------------|
|           | Max.                      | Min.                        | Max. | Min.                    | Max.  | Average      | Average         | Min.                         |
| 5/1/2026  | 398.95                    | 6.1                         | 6.2  | 648.9                   | 829.8 | 0.32         | 50.90           | 371.75                       |
| 5/2/2026  | 49.30                     | 6.1                         | 6.2  | 632.6                   | 672.9 | 0.29         | -0.32           | 604.91                       |
| 5/3/2026  | 27.89                     | 6.0                         | 6.2  | 624.1                   | 633.3 | 0.29         | -0.33           | 603.86                       |
| 5/4/2026  | 360.30                    | 6.0                         | 6.2  | 604.2                   | 752.7 | 0.72         | 42.51           | 349.36                       |
| 5/5/2026  | 356.06                    | 6.1                         | 6.2  | 623.2                   | 763.1 | 0.23         | 43.67           | 385.70                       |
| 5/6/2026  | 344.65                    | 6.1                         | 6.2  | 626.3                   | 831.2 | 0.28         | 36.63           | 389.92                       |
| 5/7/2026  | 365.45                    | 6.1                         | 6.2  | 611.3                   | 787.5 | 0.24         | 35.91           | 338.64                       |
| 5/8/2026  | 349.84                    | 6.0                         | 6.2  | 576.6                   | 882.8 | 0.32         | 41.31           | 334.91                       |
| 5/9/2026  | 309.55                    | 6.0                         | 6.2  | 599.1                   | 884.9 | 0.32         | 7.34            | 529.03                       |
| 5/10/2026 | -12.51                    | 6.1                         | 6.1  | 585.2                   | 599.1 | 0.32         | 3.28            | 598.21                       |
| 5/11/2026 | 348.68                    | 6.1                         | 6.2  | 582.2                   | 846.4 | 0.25         | 33.60           | 353.08                       |
| 5/12/2026 | 387.97                    | 6.1                         | 6.2  | 603.4                   | 751.2 | 0.20         | 41.77           | 312.50                       |
| 5/13/2026 | 426.12                    | 6.1                         | 6.1  | 586.1                   | 879.0 | 0.24         | 49.48           | 306.05                       |
| 5/14/2026 | 425.76                    | 6.1                         | 6.2  | 582.3                   | 854.1 | 0.21         | 48.89           | 281.46                       |
| 5/15/2026 | 427.60                    | 6.1                         | 6.2  | 544.3                   | 853.3 | 0.18         | 37.96           | 271.34                       |
| 5/16/2026 | 466.42                    | 6.1                         | 6.2  | 592.0                   | 727.4 | 0.18         | 17.22           | 230.76                       |
| 5/17/2026 | 72.53                     | 6.0                         | 6.2  | 590.5                   | 598.6 | 0.21         | -0.37           | 525.38                       |
| 5/18/2026 | 433.41                    | 6.0                         | 6.2  | 584.1                   | 876.5 | 0.28         | 26.90           | 337.13                       |
| 5/19/2026 | 385.17                    | 6.1                         | 6.2  | 623.2                   | 944.0 | 0.62         | 24.54           | 381.04                       |
| 5/20/2026 | 421.60                    | 6.1                         | 6.2  | 623.3                   | 840.6 | 0.40         | 22.83           | 336.74                       |
| 5/21/2026 | 357.03                    | 6.1                         | 6.2  | 593.0                   | 841.5 | 0.29         | 27.98           | 381.13                       |
| 5/22/2026 | 394.97                    | 6.1                         | 6.2  | 606.3                   | 775.8 | 0.34         | 39.48           | 354.76                       |
| 5/23/2026 | 97.42                     | 6.1                         | 6.2  | 588.3                   | 629.7 | 0.34         | -0.32           | 508.90                       |
| 5/24/2026 | 79.40                     | 6.1                         | 6.2  | 578.2                   | 588.7 | 0.34         | -0.34           | 504.85                       |
| 5/25/2026 | 73.63                     | 6.1                         | 6.2  | 572.0                   | 578.8 | 0.34         | -0.37           | 501.81                       |
| 5/26/2026 | 331.88                    | 6.0                         | 6.2  | 554.3                   | 771.5 | 0.30         | 24.14           | 323.54                       |
| 5/27/2026 | 391.77                    | 6.0                         | 6.2  | 559.4                   | 878.3 | 0.26         | 30.41           | 406.11                       |
| 5/28/2026 | 393.27                    | 6.1                         | 6.2  | 599.3                   | 820.3 | 0.29         | 34.90           | 408.41                       |
| 5/29/2026 | 368.68                    | 6.0                         | 6.2  | 604.2                   | 816.7 | 0.33         | 32.31           | 430.61                       |
| 5/30/2026 | 53.37                     | 6.1                         | 6.2  | 564.8                   | 626.6 | 0.24         | -0.35           | 528.22                       |
| 5/31/2026 | 37.16                     | 6.1                         | 6.2  | 554.8                   | 565.3 | 0.24         | -0.35           | 522.59                       |

Injection Pressure

253.84 psi

Annulus Pressure

680.86 psi

Annulus Tank Volume

27.00 gal

Suction Pressure

29.69 psi

Injection Rate

70.81 gal/min

Density

16.618 lb/gal

pH


7.29 pH

Hz

51 Hz

Filter Pot Pressure

2.83 psi



— Injection Pressure — Annulus Pressure — Suction Pressure — Density — Injection Rate — FP Pressure — Hz — AT-1 Volume — pH

5/1/26 12 AM - 5/15/26 11 PM





Injection Pressure

251.11 psi

Annulus Pressure

682.32 psi

Annulus Tank Volume

26.94 gal

Suction Pressure

29.75 psi

Injection Rate

69.94 gal/min

Density

16.618 lb/gal

pH


7.29 pH

Hz

51 Hz


Filter Pot Pressure

2.80 psi



— Injection Pressure — Annulus Pressure — Suction Pressure — Density — Injection Rate — FP Pressure — Hz — AT-1 Volume — pH

5/16/26 12 AM - 5/31/26 11 PM





Sustainability in Action

UIC Permit Condition Part II.D.1. (b):

Well #2-12, Permit MI-163-1W-C011 Data



## Injection Well 2-12

May 2026

| Date      | Injection Pressure (psig) | Annulus Tank Level (inches) |      | Annulus Pressure (psig) |        | Injection pH | Flow Rate (gpm) | Differential Pressure (psig) |
|-----------|---------------------------|-----------------------------|------|-------------------------|--------|--------------|-----------------|------------------------------|
|           | Max.                      | Min.                        | Max. | Min.                    | Max.   | Average      | Average         | Min.                         |
| 5/1/2026  | 445.40                    | 24.2                        | 24.3 | 999.7                   | 1183.8 | 7.30         | 48.98           | 676.57                       |
| 5/2/2026  | 67.95                     | 24.1                        | 24.2 | 987.7                   | 1020.5 | 7.32         | -0.20           | 948.61                       |
| 5/3/2026  | 36.41                     | 24.1                        | 24.2 | 981.9                   | 987.8  | 7.29         | -0.20           | 951.11                       |
| 5/4/2026  | 381.05                    | 24.1                        | 24.4 | 954.3                   | 1111.3 | 7.28         | 38.64           | 680.49                       |
| 5/5/2026  | 388.15                    | 24.3                        | 24.3 | 977.6                   | 1124.6 | 7.25         | 40.96           | 713.86                       |
| 5/6/2026  | 373.03                    | 24.2                        | 24.3 | 981.2                   | 1191.2 | 7.32         | 33.53           | 724.63                       |
| 5/7/2026  | 392.32                    | 24.2                        | 24.3 | 959.8                   | 1151.8 | 7.27         | 32.87           | 675.46                       |
| 5/8/2026  | 381.10                    | 24.2                        | 24.3 | 937.5                   | 1239.5 | 7.17         | 37.72           | 671.15                       |
| 5/9/2026  | 310.82                    | 24.2                        | 24.3 | 967.0                   | 1250.4 | 6.92         | 4.03            | 892.12                       |
| 5/10/2026 | -6.45                     | 24.2                        | 24.2 | 956.4                   | 967.1  | 6.87         | -0.21           | 962.92                       |
| 5/11/2026 | 370.55                    | 24.1                        | 24.2 | 955.1                   | 1215.2 | 7.11         | 29.57           | 703.54                       |
| 5/12/2026 | 392.55                    | 24.1                        | 24.2 | 973.1                   | 1119.7 | 7.26         | 38.17           | 674.52                       |
| 5/13/2026 | 427.18                    | 24.2                        | 24.2 | 956.2                   | 1243.0 | 7.27         | 44.65           | 668.65                       |
| 5/14/2026 | 428.34                    | 24.2                        | 24.3 | 954.7                   | 1224.5 | 7.28         | 43.93           | 646.69                       |
| 5/15/2026 | 421.98                    | 24.2                        | 24.3 | 919.0                   | 1224.7 | 7.24         | 32.98           | 642.43                       |
| 5/16/2026 | 456.78                    | 24.2                        | 24.3 | 968.1                   | 1103.0 | 7.25         | 14.98           | 608.59                       |
| 5/17/2026 | 82.09                     | 24.2                        | 24.3 | 978.0                   | 981.3  | 7.20         | -0.22           | 898.89                       |
| 5/18/2026 | 431.95                    | 24.3                        | 24.4 | 964.4                   | 1254.0 | 7.44         | 24.64           | 715.97                       |
| 5/19/2026 | 377.92                    | 24.3                        | 24.4 | 1002.5                  | 1316.9 | 7.07         | 22.31           | 758.27                       |
| 5/20/2026 | 420.69                    | 24.2                        | 24.4 | 1011.6                  | 1211.2 | 7.21         | 20.81           | 725.01                       |
| 5/21/2026 | 368.16                    | 24.1                        | 24.2 | 982.7                   | 1220.3 | 7.36         | 25.29           | 762.91                       |
| 5/22/2026 | 407.91                    | 24.1                        | 24.2 | 999.6                   | 1161.6 | 7.30         | 35.53           | 733.76                       |
| 5/23/2026 | 109.76                    | 24.1                        | 24.2 | 989.5                   | 1017.2 | 7.26         | -0.21           | 905.46                       |
| 5/24/2026 | 83.86                     | 24.1                        | 24.2 | 982.9                   | 989.5  | 7.24         | -0.21           | 905.36                       |
| 5/25/2026 | 76.23                     | 24.1                        | 24.2 | 979.1                   | 983.0  | 7.20         | -0.21           | 906.55                       |
| 5/26/2026 | 335.61                    | 24.2                        | 24.3 | 948.9                   | 1166.3 | 7.16         | 22.15           | 718.89                       |
| 5/27/2026 | 395.72                    | 24.2                        | 24.4 | 964.6                   | 1279.3 | 7.05         | 28.41           | 799.00                       |
| 5/28/2026 | 404.75                    | 24.3                        | 24.3 | 1002.9                  | 1231.6 | 7.14         | 32.13           | 806.91                       |
| 5/29/2026 | 375.78                    | 24.2                        | 24.4 | 1013.1                  | 1228.9 | 7.22         | 30.00           | 824.08                       |
| 5/30/2026 | 62.61                     | 24.2                        | 24.3 | 982.4                   | 1035.0 | 7.15         | -0.22           | 942.16                       |
| 5/31/2026 | 40.22                     | 24.1                        | 24.2 | 973.2                   | 982.5  | 7.15         | -0.22           | 939.67                       |



21,584.00 gal

Injection Pressure

267.81 psi

Annulus Pressure

1,150.56 psi

Annulus Tank Volume

106.56 gal

Suction Pressure

29.82 psi

Injection Rate

65.46 gal/min

Density

16.62 lb/gal

pH


7.30 pH

Hz

42 Hz

Filter Pot Pressure

2.80 psi



5/1/26 12 AM - 5/15/26 11 PM



Injection Pressure  
**271.24 psi**

Annulus Pressure  
**1,151.82 psi**

Annulus Tank Volume  
**106.58 gal**

Suction Pressure  
**29.91 psi**


Injection Rate  
**65.97 gal/min**

Density  
**16.62 lb/gal**


pH  
**7.30 pH**

Hz  
**42 Hz**

Filter Pot Pressure  
**2.80 psi**



— Injection Pressure — Annulus Pressure — Suction Pressure — Density — Injection Rate — FP Pressure — Hz — AT-2 Volume — pH





Sustainability in Action

UIC Permit Condition Part II.D.1. (e):

Annulus System



WELL 1-12  
ANNULUS SYSTEM

May 2026

| Current Month, Additions and Removals |                    |                      |             |
|---------------------------------------|--------------------|----------------------|-------------|
| DAY                                   | Volume Added (gal) | Volume Removed (gal) | Composition |
| 1                                     | -                  | -                    |             |
| 2                                     | -                  | -                    |             |
| 3                                     | -                  | -                    |             |
| 4                                     | -                  | -                    |             |
| 5                                     | -                  | -                    |             |
| 6                                     | -                  | -                    |             |
| 7                                     | -                  | -                    |             |
| 8                                     | -                  | -                    |             |
| 9                                     | -                  | -                    |             |
| 10                                    | -                  | -                    |             |
| 11                                    | -                  | -                    |             |
| 12                                    | -                  | -                    |             |
| 13                                    | -                  | -                    |             |
| 14                                    | -                  | -                    |             |
| 15                                    | -                  | -                    |             |
| 16                                    | -                  | -                    |             |
| 17                                    | -                  | -                    |             |
| 18                                    | -                  | -                    |             |
| 19                                    | -                  | -                    |             |
| 20                                    | -                  | -                    |             |
| 21                                    | -                  | -                    |             |
| 22                                    | -                  | -                    |             |
| 23                                    | -                  | -                    |             |
| 24                                    | -                  | -                    |             |
| 25                                    | -                  | -                    |             |
| 26                                    | -                  | -                    |             |
| 27                                    | -                  | -                    |             |
| 28                                    | -                  | -                    |             |
| 29                                    | -                  | -                    |             |
| 30                                    | -                  | -                    |             |
| 31                                    | -                  | -                    |             |

Cumulative Additions and Subtractions: 0





WELL 1-12  
ANNULUS SYSTEM

May 2026

| Last 12 months, Additions and Removals |                    |                      |          |
|----------------------------------------|--------------------|----------------------|----------|
| MONTH YEAR                             | Volume Added (gal) | Volume Removed (gal) | Comments |
| May-26                                 | -                  | -                    |          |
| Apr-26                                 | -                  | -                    |          |
| Mar-26                                 | -                  | -                    |          |
| Feb-26                                 | -                  | -                    |          |
| Jan-26                                 | 5                  | -                    |          |
| Dec-25                                 | 5                  | -                    |          |
| Nov-25                                 | -                  | -                    |          |
| Oct-25                                 | 4.97               | -                    |          |
| Sep-25                                 | -                  | -                    |          |
| Aug-25                                 | -                  | -                    |          |
| Jul-25                                 | -                  | -                    |          |
| Jun-25                                 | -                  | -                    |          |

Cumulative Additions and Subtractions: 14.97



WELL 2-12  
ANNULUS SYSTEM

May 2026

| Current Month, Additions and Removals |                    |                      |             |
|---------------------------------------|--------------------|----------------------|-------------|
| DAY                                   | Volume Added (gal) | Volume Removed (gal) | Composition |
| 1                                     | -                  | -                    |             |
| 2                                     | -                  | -                    |             |
| 3                                     | -                  | -                    |             |
| 4                                     | -                  | -                    |             |
| 5                                     | -                  | -                    |             |
| 6                                     | -                  | -                    |             |
| 7                                     | -                  | -                    |             |
| 8                                     | -                  | -                    |             |
| 9                                     | -                  | -                    |             |
| 10                                    | -                  | -                    |             |
| 11                                    | -                  | -                    |             |
| 12                                    | -                  | -                    |             |
| 13                                    | -                  | -                    |             |
| 14                                    | -                  | -                    |             |
| 15                                    | -                  | -                    |             |
| 16                                    | -                  | -                    |             |
| 17                                    | -                  | -                    |             |
| 18                                    | -                  | -                    |             |
| 19                                    | -                  | -                    |             |
| 20                                    | -                  | -                    |             |
| 21                                    | -                  | -                    |             |
| 22                                    | -                  | -                    |             |
| 23                                    | -                  | -                    |             |
| 24                                    | -                  | -                    |             |
| 25                                    | -                  | -                    |             |
| 26                                    | -                  | -                    |             |
| 27                                    | -                  | -                    |             |
| 28                                    | -                  | -                    |             |
| 29                                    | -                  | -                    |             |
| 30                                    | -                  | -                    |             |
| 31                                    | -                  | -                    |             |

Cumulative Additions and Subtractions:

0



WELL 2-12  
ANNULUS SYSTEM

May 2026

| Last 12 months, Additions and Removals |                    |                      |          |
|----------------------------------------|--------------------|----------------------|----------|
| MONTH YEAR                             | Volume Added (gal) | Volume Removed (gal) | Comments |
| May-26                                 | -                  | -                    |          |
| Apr-26                                 | -                  | -                    |          |
| Mar-26                                 | -                  | -                    |          |
| Feb-26                                 | -                  | -                    |          |
| Jan-26                                 | 5                  | -                    |          |
| Dec-25                                 | -                  | -                    |          |
| Nov-25                                 | -                  | -                    |          |
| Oct-25                                 | -                  | -                    |          |
| Sep-25                                 | -                  | -                    |          |
| Aug-25                                 | -                  | -                    |          |
| Jul-25                                 | -                  | -                    |          |
| Jun-25                                 | -                  | -                    |          |

Cumulative Additions and Subtractions: 5



Sustainability in Action

UIC Permit Condition Part II.D.1. (g):

Corrosion Monitoring



**CORROSION MONITORING**  
**COUPON IMAGE & VISUAL DESCRIPTION**

**Inspection/Evaluation Date: May 18, 2026**

**Fiberglass Coupon**



Result: 15.8100 grams

Image Date and Time: 05/18/26 3:00 PM

Location of Sample: SST-1

Sampling Method: Grab Sample

Sampler: Alexis Scalf

**Description:**

The coupon is red in color. The surface is smooth and worn. There appears to be signs of pitting. There are no visible signs of cracks or swelling.

**CORROSION MONITORING**  
**COUPON IMAGE & VISUAL DESCRIPTION**

**Inspection/Evaluation Date: May 18, 2026**

**Hastelloy Coupon**



Result: 13.3145 grams

Image Date and Time: 05/18/26 3:00 PM

Location of Sample: SST-1

Sampling Method: Grab Sample

Sampler: Alexis Scalf


**Description:**

The coupon is gray with the id# C276 (6). There are signs of corrosion and/or pitting. The surface is smooth; however, the edges appear rougher and slightly degraded.

**CORROSION MONITORING**  
**COUPON IMAGE & VISUAL DESCRIPTION**

**Inspection/Evaluation Date: May 18, 2026**

**Stainless steel Coupon**



Result: 9.2691 grams

Image Date and Time: 05/18/26 3:00 PM

Location of Sample: SST-1

Sampling Method: Grab Sample

Sampler: Alexis Scalf

**Description:**

This coupon is gray/silver with id# s2046. There is worsening corrosion near the eye hole where it connects to the anchor point. There is visible pitting on the surface with slight discoloration.



Sustainability in Action

UIC Permit Condition Part II.D.1. (h):

Maintenance

---

No reportable maintenance activities occurred during the period from May 1, 2026 through May 31, 2026.



## UIC Permit Condition Part II.D.1. (a):

## Injection Fingerprints

| Date      | Injectate Specific Gravity Max. |
|-----------|---------------------------------|
| 5/1/2026  | 1.06                            |
| 5/2/2026  | -                               |
| 5/3/2026  | -                               |
| 5/4/2026  | 1.06                            |
| 5/5/2026  | 1.08                            |
| 5/6/2026  | 1.08                            |
| 5/7/2026  | 1.05                            |
| 5/8/2026  | 1.10                            |
| 5/9/2026  | 1.10                            |
| 5/10/2026 | -                               |
| 5/11/2026 | 1.10                            |
| 5/12/2026 | 1.01                            |
| 5/13/2026 | 1.07                            |
| 5/14/2026 | 1.07                            |
| 5/15/2026 | 1.07                            |
| 5/16/2026 | 1.00                            |
| 5/17/2026 | -                               |
| 5/18/2026 | 1.10                            |
| 5/19/2026 | 1.07                            |
| 5/20/2026 | 1.03                            |
| 5/21/2026 | 1.08                            |
| 5/22/2026 | 1.06                            |
| 5/23/2026 | -                               |
| 5/24/2026 | -                               |
| 5/25/2026 | -                               |
| 5/26/2026 | 1.02                            |
| 5/27/2026 | 1.08                            |
| 5/28/2026 | 1.08                            |
| 5/29/2026 | 1.08                            |
| 5/30/2026 | -                               |
| 5/31/2026 | -                               |

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05/07/2026   |
| Receiving ID#          | I05012661    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 01:20        |
| Time out               |              |
| Received by            | Alexis Scafe |
| Sampled by             | Colin H      |

SST-2

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | X w/ I04302610 |
| PCBs (ppm) (Oily Waste Only)? |                |
| TOC ppm (CC Waste Only)?      |                |
| Flash Point (F)               | >140           |
| pH (S.U.)                     | 8              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.04           |
| Physical Description          | Liquid         |
| Stream Consistency            | (Yes) No       |
| Oil in Sample?                | Yes (No)       |
| Temperature (F)               | 63.3           |
| Conductivity                  | 87.78          |
| % Solids                      | 3.360          |
| Turbidity                     | (Yes) No       |
| Color                         | Brown          |
| TSS (%)                       | 0.25           |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | AMH            |

1.0566  
2.0355  
1.1250

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |                  |
|------------------------|------------------|
| Date                   | 05/01/2026       |
| Receiving ID#          | IOS012601        |
| Manifest #             | Line             |
| Land Ban Cert included | Yes No           |
| EGT Approval #         |                  |
| Generator              |                  |
| Client                 |                  |
| Transporter            |                  |
| Time in                | 04:30            |
| Time out               |                  |
| Received by            | Justin Colangelo |
| Sampled by             | Jacob Line       |

1,0620  
3,8088  
1,2179

SST-2

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# ) LCT        | Y w/ IOS012601 |
| PCBs (ppm) (Oily Waste Only)? | N/A            |
| TOC ppm (CC Waste Only)?      |                |
| Flash Point (F)               | >140           |
| pH (S.U.)                     | 8              |
| Cyanides? (mg/L)              | NA             |
| Sulfides? (ppm)?              | NA             |
| Specific Gravity              | 1.06           |
| Physical Description          | Light          |
| Stream Consistency            | Yes No         |
| Oil in Sample?                | Yes No         |
| Temperature (F)               | 62.8           |
| Conductivity                  | 85.73          |
| % Solids                      | 4.093          |
| Turbidity                     | Yes No         |
| Color                         | Black          |
| TSS (%)                       | 20.1           |
| Radiation Screen (as needed)  | NA             |
| Lab Signature/Initials        | JSC            |

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |                    |
|------------------------|--------------------|
| Date                   | 05/01/2026         |
| Receiving ID#          | IOS012603          |
| Manifest #             | Line               |
| Land Ban Cert included | Yes No             |
| EGT Approval #         |                    |
| Generator              |                    |
| Client                 |                    |
| Transporter            |                    |
| Time in                | 05:56              |
| Time out               |                    |
| Received by            | <i>[Signature]</i> |
| Sampled by             | Jaubline           |

1.0786

2.0917

1.1299

SST-2

| LAB INFORMATION               |                    |
|-------------------------------|--------------------|
| Compatible? (RT# )            |                    |
| PCBs (ppm) (Oily Waste Only)? | N/A                |
| TOC ppm (CC Waste Only)?      | N/A                |
| Flash Point (F)               | 7140               |
| pH (S.U.)                     | 8                  |
| Cyanides? (mg/L)              |                    |
| Sulfides? (ppm)?              |                    |
| Specific Gravity              | 1.020              |
| Physical Description          | Liquid             |
| Stream Consistency            | (Yes) No           |
| Oil in Sample?                | Yes (No)           |
| Temperature (F)               | 64.2 F             |
| Conductivity                  | 82.48              |
| % Solids                      | 2.452              |
| Turbidity                     | (Yes) No           |
| Color                         | Brown              |
| TSS (%)                       | 0.1                |
| Radiation Screen (as needed)  |                    |
| Lab Signature/Initials        | <i>[Signature]</i> |

Y w/ IOS012602



## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |            |
|------------------------|------------|
| Date                   | 05/01/2026 |
| Receiving ID#          | 105012604  |
| Manifest #             | Line       |
| Land Ban Cert included | Yes No     |
| EGT Approval #         |            |
| Generator              |            |
| Client                 |            |
| Transporter            |            |
| Time in                | 07:55      |
| Time out               |            |
| Received by            | <i>Am</i>  |
| Sampled by             | Jacob Line |

1.0493

2.0562

1.0965

SST-2

| LAB INFORMATION               |           |
|-------------------------------|-----------|
| Compatible? (RT# )            |           |
| PCBs (ppm) (Oily Waste Only)? | N/A       |
| TOC ppm (CC Waste Only)?      | N/A       |
| Flash Point (F)               | >140      |
| pH (S.U.)                     | 7         |
| Cyanides? (mg/L)              |           |
| Sulfides? (ppm)?              |           |
| Specific Gravity              | 1.020     |
| Physical Description          | Liquid    |
| Stream Consistency            | Yes No    |
| Oil in Sample?                | Yes No    |
| Temperature (F)               | 62.9 F    |
| Conductivity                  | 82.97     |
| % Solids                      | 2.295     |
| Turbidity                     | Yes No    |
| Color                         | Brown     |
| TSS (%)                       | 0.1       |
| Radiation Screen (as needed)  |           |
| Lab Signature/Initials        | <i>Am</i> |

YWI 05012603

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |                    |
|------------------------|--------------------|
| Date                   | 05/01/2026         |
| Receiving ID#          | I05012605          |
| Manifest #             | Line               |
| Land Ban Cert included | Yes No             |
| EGT Approval #         |                    |
| Generator              |                    |
| Client                 |                    |
| Transporter            |                    |
| Time in                | 10:09              |
| Time out               |                    |
| Received by            | <i>[Signature]</i> |
| Sampled by             | Jacob Line         |

1.0638

2.8671

1.1173

SST-2

| LAB INFORMATION               |                    |
|-------------------------------|--------------------|
| Compatible? (RT# )            |                    |
| PCBs (ppm) (Oily Waste Only)? | N/A                |
| TOC ppm (CC Waste Only)?      | N/A                |
| Flash Point (F)               | >140               |
| pH (S.U.)                     | 7                  |
| Cyanides? (mg/L)              | 0                  |
| Sulfides? (ppm)?              |                    |
| Specific Gravity              | 1.000              |
| Physical Description          | Liquid             |
| Stream Consistency            | Yes No             |
| Oil in Sample?                | Yes No             |
| Temperature (F)               | 64.2 F             |
| Conductivity                  | 82.71              |
| % Solids                      | 2.528              |
| Turbidity                     | Yes No             |
| Color                         | Brown              |
| TSS (%)                       | 0.1                |
| Radiation Screen (as needed)  |                    |
| Lab Signature/Initials        | <i>[Signature]</i> |

Y W/I05012604



## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05/01/2026   |
| Receiving ID#          | FO5012606    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 11:43        |
| Time out               |              |
| Received by            | Alexis Scalf |
| Sampled by             | mmul mmul    |

SST-2

SST-2

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | Y w/ FO5012605 |
| PCBs (ppm) (Oily Waste Only)? |                |
| TOC ppm (CC Waste Only)?      |                |
| Flash Point (F)               | 5140           |
| pH (S.U.)                     | 8              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.04           |
| Physical Description          | liquid         |
| Stream Consistency            | (Yes) No       |
| Oil in Sample?                | Yes No         |
| Temperature (F)               | 63.8           |
| Conductivity                  | 70.07          |
| % Solids                      | 1.947          |
| Turbidity                     | yes No         |
| Color                         | Brown          |
| TSS (%)                       | 0.1            |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | Alus           |

1.0592

2.0539

1.0992

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05/01/2026   |
| Receiving ID#          | I05612607    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 13:34        |
| Time out               |              |
| Received by            | Alexis Scott |
| Sampled by             | Daulton M.   |

SST-2

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | Y w/ I05012606 |
| PCBs (ppm) (Oily Waste Only)? |                |
| TOC ppm (CC Waste Only)?      |                |
| Flash Point (F)               | >140           |
| pH (S.U.)                     | 8              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.02           |
| Physical Description          | Liquid         |
| Stream Consistency            | (Yes) No       |
| Oil in Sample?                | Yes (No)       |
| Temperature (F)               | 65.7           |
| Conductivity                  | 46.20          |
| % Solids                      | 1.126          |
| Turbidity                     | (Yes) No       |
| Color                         | Brown          |
| TSS (%)                       | 0.1            |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | ASf            |

1.0606  
2.0595  
1.0838

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05/01/2026   |
| Receiving ID#          | I05012608    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 15:27        |
| Time out               |              |
| Received by            | Alexis Scalf |
| Sampled by             | m/m          |

SST-1

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | Y W/ I05012607 |
| PCBs (ppm) (Oily Waste Only)? | N/A            |
| TOC ppm (CC Waste Only)?      |                |
| Flash Point (F)               | 2140           |
| pH (S.U.)                     | 1              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.06           |
| Physical Description          | liquid         |
| Stream Consistency            | (Yes) No       |
| Oil in Sample?                | Yes (No)       |
| Temperature (F)               | 65.5           |
| Conductivity                  | 83.95          |
| % Solids                      | 3.108          |
| Turbidity                     | (Yes) No       |
| Color                         | Brown          |
| TSS (%)                       | 0.1            |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | AY 8/          |

1.0895  
2.0942  
1.1546



## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05/01/2026   |
| Receiving ID#          | T05012609    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 18:06        |
| Time out               |              |
| Received by            | Alexis Scalf |
| Sampled by             | Dallen M.    |

SST-1

| LAB INFORMATION               |               |
|-------------------------------|---------------|
| Compatible? (RT# )            | Y W/T05012608 |
| PCBs (ppm) (Oily Waste Only)? | N/A           |
| TOC ppm (CC Waste Only)?      |               |
| Flash Point (F)               | >140          |
| pH (S.U.)                     | 6             |
| Cyanides? (mg/L)              |               |
| Sulfides? (ppm)?              |               |
| Specific Gravity              | 1.06          |
| Physical Description          | liquid        |
| Stream Consistency            | (Yes) No      |
| Oil in Sample?                | Yes (No)      |
| Temperature (F)               | 66.0          |
| Conductivity                  | 60.58         |
| % Solids                      | 1.247         |
| Turbidity                     | (Yes) No      |
| Color                         | Brown         |
| TSS (%)                       | 0.1 1.0       |
| Radiation Screen (as needed)  |               |
| Lab Signature/Initials        | AM            |

1.0653  
2.0757  
1.0912

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05/01/2026   |
| Receiving ID#          | IO5012610    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 20:08        |
| Time out               |              |
| Received by            | Alexis Sealf |
| Sampled by             | J. Harrell   |

55T-1

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | Y w/ IO5012609 |
| PCBs (ppm) (Oily Waste Only)? | N/A            |
| TOC ppm (CC Waste Only)?      |                |
| Flash Point (F)               | 5140           |
| pH (S.U.)                     | 8              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.06           |
| Physical Description          | liquid         |
| Stream Consistency            | (Yes) No       |
| Oil in Sample?                | Yes (No)       |
| Temperature (F)               | 73.4           |
| Conductivity                  | 105.8          |
| % Solids                      | 2.637          |
| Turbidity                     | (Yes) No       |
| Color                         | Brown          |
| TSS (%)                       | 0.25           |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | AS             |

1.0610  
2.1004  
1.1164



## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |           |
|------------------------|-----------|
| Date                   | 05/4/2026 |
| Receiving ID#          | 105042601 |
| Manifest #             | Line      |
| Land Ban Cert included | Yes No    |
| EGT Approval #         |           |
| Generator              |           |
| Client                 |           |
| Transporter            |           |
| Time in                | 7:18      |
| Time out               |           |
| Received by            | DM        |
| Sampled by             | A. Worley |

1.0854

2.0649

1.1060

| LAB INFORMATION               |          |
|-------------------------------|----------|
| Compatible? (RT# )            | SST-2    |
| PCBs (ppm) (Oily Waste Only)? | N/A      |
| TOC ppm (CC Waste Only)?      | N/A      |
| Flash Point (F)               | 7140     |
| pH (S.U.)                     | 8        |
| Cyanides? (mg/L)              | 000      |
| Sulfides? (ppm)?              |          |
| Specific Gravity              | 1.020    |
| Physical Description          | Liquid   |
| Stream Consistency            | (Yes) No |
| Oil in Sample?                | Yes (No) |
| Temperature (F)               | 63.4     |
| Conductivity                  | 45.02    |
| % Solids                      | 0.497    |
| Turbidity                     | (Yes) No |
| Color                         | Brown    |
| TSS (%)                       | 0.1      |
| Radiation Screen (as needed)  |          |
| Lab Signature/Initials        |          |

4 W/I 05012610

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |                    |
|------------------------|--------------------|
| Date                   | 05/04/2026         |
| Receiving ID#          | I05042602          |
| Manifest #             | Line               |
| Land Ban Cert included | Yes No             |
| EGT Approval #         |                    |
| Generator              |                    |
| Client                 |                    |
| Transporter            |                    |
| Time in                | 9:15               |
| Time out               |                    |
| Received by            | <i>[Signature]</i> |
| Sampled by             | <i>[Signature]</i> |

SST-2

1.0804

2.0719

1.1093

| LAB INFORMATION               |                                                               |
|-------------------------------|---------------------------------------------------------------|
| Compatible? (RT# )            | <del>00000000</del>                                           |
| PCBs (ppm) (Oily Waste Only)? | N/A                                                           |
| TOC ppm (CC Waste Only)?      | N/A                                                           |
| Flash Point (F)               | 2140                                                          |
| pH (S.U.)                     | 7                                                             |
| Cyanides? (mg/L)              |                                                               |
| Sulfides? (ppm)?              |                                                               |
| Specific Gravity              | 1.000                                                         |
| Physical Description          | Liquid                                                        |
| Stream Consistency            | <input checked="" type="radio"/> Yes <input type="radio"/> No |
| Oil in Sample?                | <input type="radio"/> Yes <input checked="" type="radio"/> No |
| Temperature (F)               | 63.8 F                                                        |
| Conductivity                  | 45.14                                                         |
| % Solids                      | 1.394                                                         |
| Turbidity                     | <input checked="" type="radio"/> Yes <input type="radio"/> No |
| Color                         | Black                                                         |
| TSS (%)                       | 0.1                                                           |
| Radiation Screen (as needed)  |                                                               |
| Lab Signature/Initials        | <i>[Signature]</i>                                            |

Y w/ I05042601

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |                    |
|------------------------|--------------------|
| Date                   | 05/04/2026         |
| Receiving ID#          | I05042603          |
| Manifest #             | Line               |
| Land Ban Cert included | Yes No             |
| EGT Approval #         |                    |
| Generator              |                    |
| Client                 |                    |
| Transporter            |                    |
| Time in                | 11:10              |
| Time out               |                    |
| Received by            | <i>[Signature]</i> |
| Sampled by             | Jacob Line         |

1. 0684

2. 0625

1. 0987

SST-2

| LAB INFORMATION               |                                                               |
|-------------------------------|---------------------------------------------------------------|
| Compatible? (RT# )            |                                                               |
| PCBs (ppm) (Oily Waste Only)? | N/A                                                           |
| TOC ppm (CC Waste Only)?      | N/A                                                           |
| Flash Point (F)               | 7140                                                          |
| pH (S.U.)                     | 8                                                             |
| Cyanides? (mg/L)              |                                                               |
| Sulfides? (ppm)?              |                                                               |
| Specific Gravity              | 1.000                                                         |
| Physical Description          | Liquid                                                        |
| Stream Consistency            | <input checked="" type="radio"/> Yes <input type="radio"/> No |
| Oil in Sample?                | Yes <input checked="" type="radio"/> No                       |
| Temperature (F)               | 64.8                                                          |
| Conductivity                  | 59.61                                                         |
| % Solids                      | 1.4169                                                        |
| Turbidity                     | <input checked="" type="radio"/> Yes <input type="radio"/> No |
| Color                         | Black                                                         |
| TSS (%)                       | 0.1                                                           |
| Radiation Screen (as needed)  |                                                               |
| Lab Signature/Initials        | <i>[Signature]</i>                                            |

Y W/I05042602



## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05/04/2026   |
| Receiving ID#          | I05042604    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 12:53        |
| Time out               |              |
| Received by            | Alexis Scoff |
| Sampled by             | Muel Muel    |

SST-2

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | Y w/ I05042603 |
| PCBs (ppm) (Oily Waste Only)? |                |
| TOC ppm (CC Waste Only)?      |                |
| Flash Point (F)               | >140           |
| pH (S.U.)                     | 8              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.02           |
| Physical Description          | Liquid         |
| Stream Consistency            | Yes No         |
| Oil in Sample?                | Yes No         |
| Temperature (F)               | 66.7           |
| Conductivity                  | 69.12          |
| % Solids                      | 2.012          |
| Turbidity                     | Yes No         |
| Color                         | Black          |
| TSS (%)                       | 0.1            |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | ALP            |

1.0579  
2.0570  
1.0993

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05/04/2026   |
| Receiving ID#          | IO5042605    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 14:52        |
| Time out               |              |
| Received by            | Alexis Scott |
| Sampled by             | Dallen H.    |

1-0131  
2-0262  
1-0495

SST-2

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | Y w/ IO5042604 |
| PCBs (ppm) (Oily Waste Only)? | N/A            |
| TOC ppm (CC Waste Only)?      |                |
| Flash Point (F)               | >140           |
| pH (S.U.)                     | 8              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.03           |
| Physical Description          | liquid         |
| Stream Consistency            | Yes No         |
| Oil in Sample?                | Yes No         |
| Temperature (F)               | 67.9           |
| Conductivity                  | 78.59          |
| % Solids                      | 1.796          |
| Turbidity                     | Yes No         |
| Color                         | Black          |
| TSS (%)                       | 0.1            |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | AH8            |



## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05/4/2026    |
| Receiving ID#          | 105042606    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 16:48        |
| Time out               |              |
| Received by            | Alexis Scalf |
| Sampled by             | Darlene M.   |

SST-2

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | Y w/ 105042605 |
| PCBs (ppm) (Oily Waste Only)? | N/A            |
| TOC ppm (CC Waste Only)?      |                |
| Flash Point (F)               | 2140           |
| pH (S.U.)                     | 8              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.04           |
| Physical Description          | liquid         |
| Stream Consistency            | Yes No         |
| Oil in Sample?                | Yes No         |
| Temperature (F)               | 70.5           |
| Conductivity                  | 84.55          |
| % Solids                      | 2.622          |
| Turbidity                     | Yes No         |
| Color                         | Black          |
| TSS (%)                       | 0.1            |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | 24/8/          |

1.0617  
2.0783  
1.1162

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05/04/2026   |
| Receiving ID#          | I05042607    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 19:43        |
| Time out               |              |
| Received by            | Alexis Scalf |
| Sampled by             | Dallen M.    |

SST-1

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | Y W/ I05042606 |
| PCBs (ppm) (Oily Waste Only)? | N/A            |
| TOC ppm (CC Waste Only)?      |                |
| Flash Point (F)               | 5140           |
| pH (S.U.)                     | 8              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.06           |
| Physical Description          | liquid         |
| Stream Consistency            | (Yes) No       |
| Oil in Sample?                | Yes (No)       |
| Temperature (F)               | 73.3           |
| Conductivity                  | 118.2          |
| % Solids                      | 2.186          |
| Turbidity                     | (Yes) No       |
| Color                         | Red            |
| TSS (%)                       | 0.1            |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | AH sy          |

1.0603  
2.0772  
1.1057

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05/4/2026    |
| Receiving ID#          | IOE042608    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 21:35        |
| Time out               |              |
| Received by            | Alexis Scaif |
| Sampled by             | Dillon M     |

SST-1

| LAB INFORMATION               |               |
|-------------------------------|---------------|
| Compatible? (RT# )            | Y W IOE042607 |
| PCBs (ppm) (Oily Waste Only)? | N/A           |
| TOC ppm (CC Waste Only)?      |               |
| Flash Point (F)               | 5140          |
| pH (S.U.)                     | 8             |
| Cyanides? (mg/L)              |               |
| Sulfides? (ppm)?              |               |
| Specific Gravity              | 1.06          |
| Physical Description          | liquid        |
| Stream Consistency            | Yes No        |
| Oil in Sample?                | Yes No        |
| Temperature (F)               | 71.6          |
| Conductivity                  | 77.49         |
| % Solids                      | 2.653         |
| Turbidity                     | Yes No        |
| Color                         | Red/orange    |
| TSS (%)                       | 0.1           |
| Radiation Screen (as needed)  |               |
| Lab Signature/Initials        | AY SP         |

1.0569  
2.0881  
1.1123



## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |                  |
|------------------------|------------------|
| Date                   | 05/05/2026       |
| Receiving ID#          | EU5052601        |
| Manifest #             | Line             |
| Land Ban Cert included | Yes No           |
| EGT Approval #         |                  |
| Generator              |                  |
| Client                 |                  |
| Transporter            |                  |
| Time in                | 0600             |
| Time out               |                  |
| Received by            |                  |
| Sampled by             | Justin Colangelo |

1.0821

2,1058

1.1643

SST-1

| LAB INFORMATION               |        |
|-------------------------------|--------|
| Compatible? (RT# )            |        |
| PCBs (ppm) (Oily Waste Only)? | N/A    |
| TOC ppm (CC Waste Only)?      | N/A    |
| Flash Point (F)               | 7140   |
| pH (S.U.)                     | 0      |
| Cyanides? (mg/L)              | .      |
| Sulfides? (ppm)?              |        |
| Specific Gravity              | 1.080  |
| Physical Description          | Liquid |
| Stream Consistency            | Yes No |
| Oil in Sample?                | Yes No |
| Temperature (F)               | 67.9 F |
| Conductivity                  | 97.29  |
| % Solids                      | 3.903  |
| Turbidity                     | Yes No |
| Color                         | Brown  |
| TSS (%)                       | 0.1    |
| Radiation Screen (as needed)  |        |
| Lab Signature/Initials        | DM     |

Y W/IS042408

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |            |
|------------------------|------------|
| Date                   | 05/05/2026 |
| Receiving ID#          | I05052602  |
| Manifest #             | Line       |
| Land Ban Cert included | Yes No     |
| EGT Approval #         |            |
| Generator              |            |
| Client                 |            |
| Transporter            |            |
| Time in                | 08:33      |
| Time out               |            |
| Received by            | DM         |
| Sampled by             | Jack Line  |

1.0668

2.0846

1.1440

SST-1

| LAB INFORMATION               |        |
|-------------------------------|--------|
| Compatible? (RT# )            |        |
| PCBs (ppm) (Oily Waste Only)? | N/A    |
| TOC ppm (CC Waste Only)?      | N/A    |
| Flash Point (F)               | 7140   |
| pH (S.U.)                     | 0      |
| Cyanides? (mg/L)              |        |
| Sulfides? (ppm)?              |        |
| Specific Gravity              | 1.060  |
| Physical Description          | Liquid |
| Stream Consistency            | Yes No |
| Oil in Sample?                | Yes No |
| Temperature (F)               | 66.1 F |
| Conductivity                  | 122.8  |
| % Solids                      | 3.703  |
| Turbidity                     | Yes No |
| Color                         | Brown  |
| TSS (%)                       | 0.5    |
| Radiation Screen (as needed)  |        |
| Lab Signature/Initials        | DM     |

Y w/I05052601



## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |            |
|------------------------|------------|
| Date                   | 05/05/2026 |
| Receiving ID#          | IOS052603  |
| Manifest #             | Line       |
| Land Ban Cert included | Yes No     |
| EGT Approval #         |            |
| Generator              |            |
| Client                 |            |
| Transporter            |            |
| Time in                | 10:34      |
| Time out               |            |
| Received by            | DM         |
| Sampled by             | Jacob Line |

1.0862  
2.0797  
1.1571

SST-1

| LAB INFORMATION               |                                                                     |
|-------------------------------|---------------------------------------------------------------------|
| Compatible? (RT# )            |                                                                     |
| PCBs (ppm) (Oily Waste Only)? | N/A                                                                 |
| TOC ppm (CC Waste Only)?      | N/A                                                                 |
| Flash Point (F)               | >140                                                                |
| pH (S.U.)                     | 0                                                                   |
| Cyanides? (mg/L)              | 0                                                                   |
| Sulfides? (ppm)?              |                                                                     |
| Specific Gravity              | 1.000                                                               |
| Physical Description          | Liquid                                                              |
| Stream Consistency            | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No |
| Oil in Sample?                | Yes <input checked="" type="checkbox"/> No                          |
| Temperature (F)               | 66.5 F                                                              |
| Conductivity                  | 186.5                                                               |
| % Solids                      | 3.409                                                               |
| Turbidity                     | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No |
| Color                         | Brown                                                               |
| TSS (%)                       | 0.1                                                                 |
| Radiation Screen (as needed)  |                                                                     |
| Lab Signature/Initials        | an                                                                  |

Y w/ IOS052602

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |            |
|------------------------|------------|
| Date                   | 05/05/2026 |
| Receiving ID#          | 105052604  |
| Manifest #             | Line       |
| Land Ban Cert included | Yes No     |
| EGT Approval #         |            |
| Generator              |            |
| Client                 |            |
| Transporter            |            |
| Time in                | 12:34      |
| Time out               |            |
| Received by            | DM         |
| Sampled by             | Jack Line  |

1.0702

1.8311

1.1184

SST-2

| LAB INFORMATION               |          |
|-------------------------------|----------|
| Compatible? (RT# )            |          |
| PCBs (ppm) (Oily Waste Only)? | N/A      |
| TOC ppm (CC Waste Only)?      | N/A      |
| Flash Point (F)               | 7140     |
| pH (S.U.)                     | 7        |
| Cyanides? (mg/L)              | 0        |
| Sulfides? (ppm)?              |          |
| Specific Gravity              | 1.020    |
| Physical Description          | Liquid   |
| Stream Consistency            | (Yes) No |
| Oil in Sample?                | Yes (No) |
| Temperature (F)               | 65.16 F  |
| Conductivity                  | 87.85    |
| % Solids                      | 2.632    |
| Turbidity                     | (Yes) No |
| Color                         | Brown    |
| TSS (%)                       | 0.1      |
| Radiation Screen (as needed)  |          |
| Lab Signature/Initials        | DM       |

1 w/105052603

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05/05/2026   |
| Receiving ID#          | I05052605    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 14:24        |
| Time out               |              |
| Received by            | Alexis Scalf |
| Sampled by             | Colin H      |

SST-2

| LAB INFORMATION               |                                                               |
|-------------------------------|---------------------------------------------------------------|
| Compatible? (RT# )            | Y w/ I05052604                                                |
| PCBs (ppm) (Oily Waste Only)? |                                                               |
| TOC ppm (CC Waste Only)?      |                                                               |
| Flash Point (F)               | >140                                                          |
| pH (S.U.)                     | 8                                                             |
| Cyanides? (mg/L)              |                                                               |
| Sulfides? (ppm)?              |                                                               |
| Specific Gravity              | 1.04                                                          |
| Physical Description          | liquid                                                        |
| Stream Consistency            | <input checked="" type="radio"/> Yes <input type="radio"/> No |
| Oil in Sample?                | Yes <input checked="" type="radio"/> No                       |
| Temperature (F)               | 65.0                                                          |
| Conductivity                  | 82.18                                                         |
| % Solids                      | <del>2.882</del> 2.882                                        |
| Turbidity                     | <input checked="" type="radio"/> Yes <input type="radio"/> No |
| Color                         | Brown                                                         |
| TSS (%)                       | 0.1                                                           |
| Radiation Screen (as needed)  |                                                               |
| Lab Signature/Initials        | ALSP                                                          |

1.0658  
2.0727  
1.1131



## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05/25/2026   |
| Receiving ID#          | I05052606    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 16:53        |
| Time out               |              |
| Received by            | Alexis Scelf |
| Sampled by             | Dillon H.    |

SST-2

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | Y W/ I05052605 |
| PCBs (ppm) (Oily Waste Only)? | N/A            |
| TOC ppm (CC Waste Only)?      |                |
| Flash Point (F)               | >140           |
| pH (S.U.)                     | 7              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.02           |
| Physical Description          | liquid         |
| Stream Consistency            | (Yes) No       |
| Oil in Sample?                | Yes (No)       |
| Temperature (F)               | 65.7           |
| Conductivity                  | 83.02          |
| % Solids                      | 2.16           |
| Turbidity                     | (Yes) No       |
| Color                         | Brown/Black    |
| TSS (%)                       | 0.1            |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | AS             |

1.0728  
2.0879  
1.1179

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05/05/2026   |
| Receiving ID#          | I05052607    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 18:39        |
| Time out               |              |
| Received by            | Alexis Scalf |
| Sampled by             | Dallen M.    |

SST-1

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | Y w/ I05052606 |
| PCBs (ppm) (Oily Waste Only)? | N/A            |
| TOC ppm (CC Waste Only)?      |                |
| Flash Point (F)               | 2140           |
| pH (S.U.)                     | 2              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.05           |
| Physical Description          | liquid         |
| Stream Consistency            | (Yes) No       |
| Oil in Sample?                | Yes (No)       |
| Temperature (F)               | 77.5           |
| Conductivity                  | 171.8          |
| % Solids                      | 2.119          |
| Turbidity                     | (Yes) No       |
| Color                         | Brown          |
| TSS (%)                       | 0.1            |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | AY 5/          |

1.0808  
2.1189  
1.1257



## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05/05/2026   |
| Receiving ID#          | 105052608    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 21:21        |
| Time out               |              |
| Received by            | Alexis Sealf |
| Sampled by             | Colin H.     |

SST-1

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | Y w/ 105052607 |
| PCBs (ppm) (Oily Waste Only)? | N/A            |
| TOC ppm (CC Waste Only)?      |                |
| Flash Point (F)               | 540            |
| pH (S.U.)                     | 2              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.06           |
| Physical Description          | liquid         |
| Stream Consistency            | (Yes) No       |
| Oil in Sample?                | Yes (No)       |
| Temperature (F)               | 66.7           |
| Conductivity                  | 255.1          |
| % Solids                      | 4.236          |
| Turbidity                     | (Yes) No       |
| Color                         | Beige          |
| TSS (%)                       | 0.10           |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | AY S/          |

1.0799  
2.1079  
1.1692

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |               |
|------------------------|---------------|
| Date                   | 05/06/2026    |
| Receiving ID#          | 105062601     |
| Manifest #             | Line          |
| Land Ban Cert included | Yes No        |
| EGT Approval #         |               |
| Generator              |               |
| Client                 |               |
| Transporter            |               |
| Time in                | 05:48         |
| Time out               |               |
| Received by            | Justin Wasele |
| Sampled by             | Jacob Lize    |

SST-2

| LAB INFORMATION               |                  |
|-------------------------------|------------------|
| Compatible? (RT# )            | Y W / I 05052608 |
| PCBs (ppm) (Oily Waste Only)? | N/A              |
| TOC ppm (CC Waste Only)?      |                  |
| Flash Point (F)               | >140             |
| pH (S.U.)                     | 11               |
| Cyanides? (mg/L)              | NA               |
| Sulfides? (ppm)?              | NA               |
| Specific Gravity              | 1.04             |
| Physical Description          | liquid           |
| Stream Consistency            | Yes No           |
| Oil in Sample?                | Yes No           |
| Temperature (F)               | 64.4             |
| Conductivity                  | 179.86           |
| % Solids                      | 0.0803           |
| Turbidity                     | Yes No           |
| Color                         | Black            |
| TSS (%)                       | 0.25%            |
| Radiation Screen (as needed)  | NEG              |
| Lab Signature/Initials        | VSC              |

1,2010  
2,7053  
1,1207

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |            |
|------------------------|------------|
| Date                   | 05/06/2026 |
| Receiving ID#          | I05062602  |
| Manifest #             | Line       |
| Land Ban Cert included | Yes No     |
| EGT Approval #         |            |
| Generator              |            |
| Client                 |            |
| Transporter            |            |
| Time in                | 07:50      |
| Time out               |            |
| Received by            | DM         |
| Sampled by             | Jaub Line  |

1.0972

2.1246

1.1810

SST-1

| LAB INFORMATION               |           |
|-------------------------------|-----------|
| Compatible? (RT# )            |           |
| PCBs (ppm) (Oily Waste Only)? | N/A       |
| TOC ppm (CC Waste Only)?      | N/A       |
| Flash Point (F)               | 7140      |
| pH (S.U.)                     | 0         |
| Cyanides? (mg/L)              |           |
| Sulfides? (ppm)?              |           |
| Specific Gravity              | 1.080     |
| Physical Description          | Liquid    |
| Stream Consistency            | Yes No    |
| Oil in Sample?                | Yes No    |
| Temperature (F)               | 62.4      |
| Conductivity                  | 316.5     |
| % Solids                      | 3.940     |
| Turbidity                     | Yes No    |
| Color                         | Brown     |
| TSS (%)                       | 0.1 3.940 |
| Radiation Screen (as needed)  |           |
| Lab Signature/Initials        | DM        |


Y w/ I05062601



## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |                                                                                   |
|------------------------|-----------------------------------------------------------------------------------|
| Date                   | 05/06/2026                                                                        |
| Receiving ID#          | I05062603                                                                         |
| Manifest #             | Line                                                                              |
| Land Ban Cert included | Yes No                                                                            |
| EGT Approval #         |                                                                                   |
| Generator              |                                                                                   |
| Client                 |                                                                                   |
| Transporter            |                                                                                   |
| Time in                | 10:39                                                                             |
| Time out               |                                                                                   |
| Received by            |  |
| Sampled by             | mm1 m1T                                                                           |

SST-2

1.0762

2.0484

1.1078

VW/I 05062602

| LAB INFORMATION               |                                                                                     |
|-------------------------------|-------------------------------------------------------------------------------------|
| Compatible? (RT# )            |                                                                                     |
| PCBs (ppm) (Oily Waste Only)? | N/A                                                                                 |
| TOC ppm (CC Waste Only)?      | N/A                                                                                 |
| Flash Point (F)               | 7140                                                                                |
| pH (S.U.)                     | 7                                                                                   |
| Cyanides? (mg/L)              |                                                                                     |
| Sulfides? (ppm)?              |                                                                                     |
| Specific Gravity              | 1.020                                                                               |
| Physical Description          | Liquid                                                                              |
| Stream Consistency            | Yes No                                                                              |
| Oil in Sample?                | Yes No                                                                              |
| Temperature (F)               | 64.0 F                                                                              |
| Conductivity                  | 57.95                                                                               |
| % Solids                      | 1.542                                                                               |
| Turbidity                     | Yes No                                                                              |
| Color                         | Brown                                                                               |
| TSS (%)                       | 0.1                                                                                 |
| Radiation Screen (as needed)  |                                                                                     |
| Lab Signature/Initials        |  |



## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05/06/2026   |
| Receiving ID#          | I05062604    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 14:15        |
| Time out               |              |
| Received by            | Alexis Scott |
| Sampled by             | Jacob Line   |

SST-1

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | Y w/ I05062603 |
| PCBs (ppm) (Oily Waste Only)? |                |
| TOC ppm (CC Waste Only)?      |                |
| Flash Point (F)               | >140           |
| pH (S.U.)                     | 8              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.06           |
| Physical Description          | Liquid         |
| Stream Consistency            | Yes No         |
| Oil in Sample?                | Yes No         |
| Temperature (F)               | 62.9           |
| Conductivity                  | 278.6          |
| % Solids                      | 4.004          |
| Turbidity                     | Yes No         |
| Color                         | Brown          |
| TSS (%)                       | 0.1            |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | ALY            |

1.1039

2.1328

1.1893

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05/ 6 /2026  |
| Receiving ID#          | I05062605    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            | 15:52        |
| Time in                |              |
| Time out               |              |
| Received by            | Alexis Scelf |
| Sampled by             | Dalton M.    |

SST-1

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | Y w/ I05062604 |
| PCBs (ppm) (Oily Waste Only)? |                |
| TOC ppm (CC Waste Only)?      |                |
| Flash Point (F)               | >140           |
| pH (S.U.)                     | 8              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.06           |
| Physical Description          | liquid         |
| Stream Consistency            | Yes No         |
| Oil in Sample?                | Yes No         |
| Temperature (F)               | 63.8           |
| Conductivity                  | 247.3          |
| % Solids                      | 3.162          |
| Turbidity                     | Yes No         |
| Color                         | tan            |
| TSS (%)                       | 0.1            |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | Del S          |

1.1120  
2.1409  
1.1797

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05/16/2026   |
| Receiving ID#          | I05062606    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 17:48        |
| Time out               |              |
| Received by            | Alexis Scalf |
| Sampled by             | Dillon M.    |

SST-1

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | X W/ I05062605 |
| PCBs (ppm) (Oily Waste Only)? |                |
| TOC ppm (CC Waste Only)?      |                |
| Flash Point (F)               | 5140           |
| pH (S.U.)                     | 8              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.06           |
| Physical Description          | liquid         |
| Stream Consistency            | (Yes) No       |
| Oil in Sample?                | Yes No         |
| Temperature (F)               | 65.1           |
| Conductivity                  | 336.0          |
| % Solids                      | 4.452          |
| Turbidity                     | (Yes) No       |
| Color                         | 2n             |
| TSS (%)                       | 0.1            |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | Ally           |

1.1040  
2.1562  
1.2000



## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05/06/2026   |
| Receiving ID#          | II 5062607   |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 21:35        |
| Time out               |              |
| Received by            | Alexis Scalf |
| Sampled by             | J. Darrell   |

SST-2

| LAB INFORMATION               |                 |
|-------------------------------|-----------------|
| Compatible? (RT# )            | X w/ II 5062606 |
| PCBs (ppm) (Oily Waste Only)? |                 |
| TOC ppm (CC Waste Only)?      |                 |
| Flash Point (F)               | >140            |
| pH (S.U.)                     | 8               |
| Cyanides? (mg/L)              |                 |
| Sulfides? (ppm)?              |                 |
| Specific Gravity              | 1.04            |
| Physical Description          | Liquid          |
| Stream Consistency            | (Yes) No        |
| Oil in Sample?                | Yes (No)        |
| Temperature (F)               | 67.0            |
| Conductivity                  | 72.90           |
| % Solids                      | 1.934           |
| Turbidity                     | (Yes) No        |
| Color                         | Black           |
| TSS (%)                       | 0.25            |
| Radiation Screen (as needed)  |                 |
| Lab Signature/Initials        | dy              |

1.0959  
2.1101  
1.1367



## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |                                                                                   |
|------------------------|-----------------------------------------------------------------------------------|
| Date                   | 05/07/2026                                                                        |
| Receiving ID#          | 105072601                                                                         |
| Manifest #             | Line                                                                              |
| Land Ban Cert included | Yes No                                                                            |
| EGT Approval #         |                                                                                   |
| Generator              |                                                                                   |
| Client                 |                                                                                   |
| Transporter            |                                                                                   |
| Time in                | 05:44                                                                             |
| Time out               |                                                                                   |
| Received by            |  |
| Sampled by             | Jack Liao                                                                         |

1.1048

1.7508

1.1330

SST-2

| LAB INFORMATION               |                                                                                     |
|-------------------------------|-------------------------------------------------------------------------------------|
| Compatible? (RT# )            |                                                                                     |
| PCBs (ppm) (Oily Waste Only)? | N/A                                                                                 |
| TOC ppm (CC Waste Only)?      | N/A                                                                                 |
| Flash Point (F)               | 2140                                                                                |
| pH (S.U.)                     | 7                                                                                   |
| Cyanides? (mg/L)              |                                                                                     |
| Sulfides? (ppm)?              |                                                                                     |
| Specific Gravity              | 1.020                                                                               |
| Physical Description          | Liquid                                                                              |
| Stream Consistency            | Yes No                                                                              |
| Oil in Sample?                | Yes (No)                                                                            |
| Temperature (F)               | 63.8 F                                                                              |
| Conductivity                  | 80.06                                                                               |
| % Solids                      | 1.610                                                                               |
| Turbidity                     | Yes No                                                                              |
| Color                         | Brown                                                                               |
| TSS (%)                       | 0.1                                                                                 |
| Radiation Screen (as needed)  |                                                                                     |
| Lab Signature/Initials        |  |

4 W/105062607

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |                     |
|------------------------|---------------------|
| Date                   | 05/07/2026          |
| Receiving ID#          | I05072602           |
| Manifest #             | Line                |
| Land Ban Cert included | Yes No              |
| EGT Approval #         |                     |
| Generator              |                     |
| Client                 |                     |
| Transporter            |                     |
| Time in                | 0752                |
| Time out               |                     |
| Received by            | DM                  |
| Sampled by             | Justin W. Gagliardi |

SST-1

| LAB INFORMATION               |        |
|-------------------------------|--------|
| Compatible? (RT# )            |        |
| PCBs (ppm) (Oily Waste Only)? | N/A    |
| TOC ppm (CC Waste Only)?      | N/A    |
| Flash Point (F)               | >140   |
| pH (S.U.)                     | 0      |
| Cyanides? (mg/L)              |        |
| Sulfides? (ppm)?              |        |
| Specific Gravity              | 1.040  |
| Physical Description          | Liquid |
| Stream Consistency            | Yes No |
| Oil in Sample?                | Yes No |
| Temperature (F)               | 62.8 F |
| Conductivity                  | 233.4  |
| % Solids                      | 3.134  |
| Turbidity                     | Yes No |
| Color                         | Brown  |
| TSS (%)                       | 0.1    |
| Radiation Screen (as needed)  |        |
| Lab Signature/Initials        | A      |

4 w/ I05072601

1.1073

1.8823

1.1663

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |                 |
|------------------------|-----------------|
| Date                   | 05/07/2026      |
| Receiving ID#          | D05072603       |
| Manifest #             | Line            |
| Land Ban Cert included | Yes No          |
| EGT Approval #         |                 |
| Generator              |                 |
| Client                 |                 |
| Transporter            |                 |
| Time in                | 12:09           |
| Time out               |                 |
| Received by            |                 |
| Sampled by             | <i>M. M. A.</i> |

SST-2

1.0987

1.9312

1.1267

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT#)             | Y W/ D05072602 |
| PCBs (ppm) (Oily Waste Only)? | N/A            |
| TOC ppm (CC Waste Only)?      | N/A            |
| Flash Point (F)               | > 140          |
| pH (S.U.)                     | 7              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.020          |
| Physical Description          | Liquid         |
| Stream Consistency            | (Yes) No       |
| Oil in Sample?                | Yes (No)       |
| Temperature (F)               | 66.6           |
| Conductivity                  | 61.12          |
| % Solids                      | 1.449          |
| Turbidity                     | (Yes) No       |
| Color                         | Black          |
| TSS (%)                       | 1.0            |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | <i>D.</i>      |



## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05/07/2026   |
| Receiving ID#          | I05072604    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 16:04        |
| Time out               |              |
| Received by            | Alexis Scalf |
| Sampled by             | Colin H.     |

SST-2

| LAB INFORMATION               |               |
|-------------------------------|---------------|
| Compatible? (RT# )            | Y W/I05072603 |
| PCBs (ppm) (Oily Waste Only)? | N/A           |
| TOC ppm (CC Waste Only)?      |               |
| Flash Point (F)               | >140          |
| pH (S.U.)                     | 8             |
| Cyanides? (mg/L)              |               |
| Sulfides? (ppm)?              |               |
| Specific Gravity              | 1.04          |
| Physical Description          | liquid        |
| Stream Consistency            | Yes No        |
| Oil in Sample?                | Yes No        |
| Temperature (F)               | 63.9          |
| Conductivity                  | 86.10         |
| % Solids                      | 1.945         |
| Turbidity                     | Yes No        |
| Color                         | Brown         |
| TSS (%)                       | 0.1           |
| Radiation Screen (as needed)  |               |
| Lab Signature/Initials        | AM            |

1.1138  
1.9385  
1.1515



## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05/07/2026   |
| Receiving ID#          | 105072605    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 18:05        |
| Time out               |              |
| Received by            | Alexis Scalf |
| Sampled by             | Dalton M.    |

SST-2

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | Y w/ 105072604 |
| PCBs (ppm) (Oily Waste Only)? | N/A            |
| TOC ppm (CC Waste Only)?      |                |
| Flash Point (F)               | 5140           |
| pH (S.U.)                     | 8              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.04           |
| Physical Description          | Liquid         |
| Stream Consistency            | (Yes) No       |
| Oil in Sample?                | Yes (No)       |
| Temperature (F)               | 69.5           |
| Conductivity                  | 102.7          |
| % Solids                      | 3.143          |
| Turbidity                     | (Yes) No       |
| Color                         | Brown          |
| TSS (%)                       | 0.1            |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | AUS            |

1.0788  
1.9566  
1.1403

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05/7/2026    |
| Receiving ID#          | IO5072606    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 20:56        |
| Time out               |              |
| Received by            | Alexis Scalf |
| Sampled by             | Dalton M.    |

SST-1

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | Y w/ IO5072605 |
| PCBs (ppm) (Oily Waste Only)? |                |
| TOC ppm (CC Waste Only)?      |                |
| Flash Point (F)               | 2140           |
| pH (S.U.)                     | 8              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.05           |
| Physical Description          | Liquid         |
| Stream Consistency            | (Yes) No       |
| Oil in Sample?                | Yes (No)       |
| Temperature (F)               | 66.7           |
| Conductivity                  | 122.6          |
| % Solids                      | 1.541          |
| Turbidity                     | (Yes) No       |
| Color                         | Brown          |
| TSS (%)                       | 0.1            |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | ALSY           |

1.0662  
2.0440  
1.0977

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |            |
|------------------------|------------|
| Date                   | 05/08/2026 |
| Receiving ID#          | IOS082601  |
| Manifest #             | Line       |
| Land Ban Cert included | Yes No     |
| EGT Approval #         |            |
| Generator              |            |
| Client                 |            |
| Transporter            |            |
| Time in                | 04:10      |
| Time out               |            |
| Received by            | DM         |
| Sampled by             | Jacob Line |

1.1013

2.0434

1.1654

SST-2

| LAB INFORMATION               |        |
|-------------------------------|--------|
| Compatible? (RT# )            |        |
| PCBs (ppm) (Oily Waste Only)? | N/A    |
| TOC ppm (CC Waste Only)?      | N/A    |
| Flash Point (F)               | 7146   |
| pH (S.U.)                     | 7      |
| Cyanides? (mg/L)              | .      |
| Sulfides? (ppm)?              |        |
| Specific Gravity              | 1.060  |
| Physical Description          | Liquid |
| Stream Consistency            | Yes No |
| Oil in Sample?                | Yes No |
| Temperature (F)               | 65.9 F |
| Conductivity                  | 107.2  |
| % Solids                      | 3.136  |
| Turbidity                     | Yes No |
| Color                         | Brown  |
| TSS (%)                       | 0.1    |
| Radiation Screen (as needed)  |        |
| Lab Signature/Initials        | an     |

V W/IOS072606



## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |                    |
|------------------------|--------------------|
| Date                   | 05/08/2026         |
| Receiving ID#          | 105082602          |
| Manifest #             | Line               |
| Land Ban Cert included | Yes No             |
| EGT Approval #         |                    |
| Generator              |                    |
| Client                 |                    |
| Transporter            |                    |
| Time in                | 0612               |
| Time out               |                    |
| Received by            | <i>[Signature]</i> |
| Sampled by             | USW/105082601      |

1.0937  
2.0110  
1.1492

SST2

| LAB INFORMATION               |                    |
|-------------------------------|--------------------|
| Compatible? (RT# )            |                    |
| PCBs (ppm) (Oily Waste Only)? | N/A                |
| TOC ppm (CC Waste Only)?      | N/A                |
| Flash Point (F)               | >140               |
| pH (S.U.)                     | 7                  |
| Cyanides? (mg/L)              |                    |
| Sulfides? (ppm)?              |                    |
| Specific Gravity              | 1.060              |
| Physical Description          | Liquid             |
| Stream Consistency            | (Yes) No           |
| Oil in Sample?                | Yes (No)           |
| Temperature (F)               | 62.6 F             |
| Conductivity                  | 101.1              |
| % Solids                      | 2.759              |
| Turbidity                     | (Yes) No           |
| Color                         | Brown              |
| TSS (%)                       | 0.1                |
| Radiation Screen (as needed)  |                    |
| Lab Signature/Initials        | <i>[Signature]</i> |

YW/I 05082601



## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM


| RECEIVING INFORMATION  |                                                                                   |
|------------------------|-----------------------------------------------------------------------------------|
| Date                   | 05/08 /2026                                                                       |
| Receiving ID#          | I05082603                                                                         |
| Manifest #             | Line                                                                              |
| Land Ban Cert included | Yes No                                                                            |
| EGT Approval #         |                                                                                   |
| Generator              |                                                                                   |
| Client                 |                                                                                   |
| Transporter            |                                                                                   |
| Time in                | 0806                                                                              |
| Time out               |                                                                                   |
| Received by            |  |
| Sampled by             | Justin Wiergold                                                                   |

1.0882

1.9844

1.1632

SST-1

| LAB INFORMATION               |                                                                                     |
|-------------------------------|-------------------------------------------------------------------------------------|
| Compatible? (RT# )            |                                                                                     |
| PCBs (ppm) (Oily Waste Only)? | N/A                                                                                 |
| TOC ppm (CC Waste Only)?      | N/A                                                                                 |
| Flash Point (F)               | 7140                                                                                |
| pH (S.U.)                     | 0                                                                                   |
| Cyanides? (mg/L)              |                                                                                     |
| Sulfides? (ppm)?              |                                                                                     |
| Specific Gravity              | 1.100                                                                               |
| Physical Description          | Liquid                                                                              |
| Stream Consistency            | <input checked="" type="radio"/> Yes <input type="radio"/> No                       |
| Oil in Sample?                | <input checked="" type="radio"/> Yes <input type="radio"/> No                       |
| Temperature (F)               | 65.6 F                                                                              |
| Conductivity                  | 148.2                                                                               |
| % Solids                      | 3.779                                                                               |
| Turbidity                     | <input checked="" type="radio"/> Yes <input type="radio"/> No                       |
| Color                         | Brown                                                                               |
| TSS (%)                       | 1.0                                                                                 |
| Radiation Screen (as needed)  |                                                                                     |
| Lab Signature/Initials        |  |

4 W/I05082602

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |            |
|------------------------|------------|
| Date                   | 05/08/2026 |
| Receiving ID#          | F05082604  |
| Manifest #             | Line       |
| Land Ban Cert included | Yes No     |
| EGT Approval #         |            |
| Generator              |            |
| Client                 |            |
| Transporter            |            |
| Time in                | 09:44      |
| Time out               |            |
| Received by            | DM         |
| Sampled by             | Jawb Line  |

1.0863

2.1107

1.1773

SST-1

| LAB INFORMATION               |        |
|-------------------------------|--------|
| Compatible? (RT# )            |        |
| PCBs (ppm) (Oily Waste Only)? | N/A    |
| TOC ppm (CC Waste Only)?      | N/A    |
| Flash Point (F)               | 7140   |
| pH (S.U.)                     | 0      |
| Cyanides? (mg/L)              |        |
| Sulfides? (ppm)?              |        |
| Specific Gravity              | 1.080  |
| Physical Description          | Liquid |
| Stream Consistency            | Yes No |
| Oil in Sample?                | Yes No |
| Temperature (F)               | 64.6 F |
| Conductivity                  | 145.2  |
| % Solids                      | 4.31   |
| Turbidity                     | Yes No |
| Color                         | Brown  |
| TSS (%)                       | 0.5    |
| Radiation Screen (as needed)  |        |
| Lab Signature/Initials        | DM     |

4 W/I 65082603

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05/08/2026   |
| Receiving ID#          | I05082605    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 13:22        |
| Time out               |              |
| Received by            | Alexis Scott |
| Sampled by             | Mark Murt    |

SST-2

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | Y W/ I05082604 |
| PCBs (ppm) (Oily Waste Only)? | N/A            |
| TOC ppm (CC Waste Only)?      |                |
| Flash Point (F)               | >140           |
| pH (S.U.)                     | 7              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.04           |
| Physical Description          | liquid         |
| Stream Consistency            | (Yes) No       |
| Oil in Sample?                | Yes (No)       |
| Temperature (F)               | 66.0           |
| Conductivity                  | 92.28          |
| % Solids                      | 3.08           |
| Turbidity                     | (Yes) No       |
| Color                         | Black          |
| TSS (%)                       | 0.1            |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | AUS            |

1.1079  
1.8309  
1.1643



## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05/08/2026   |
| Receiving ID#          | PO5082606    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 15:16        |
| Time out               |              |
| Received by            | Alexis Scott |
| Sampled by             | Munt Munt    |

SST-1

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | Y w/ PO5082605 |
| PCBs (ppm) (Oily Waste Only)? | N/A            |
| TOC ppm (CC Waste Only)?      |                |
| Flash Point (F)               | >140           |
| pH (S.U.)                     | 2              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.06           |
| Physical Description          | liquid         |
| Stream Consistency            | Yes No         |
| Oil in Sample?                | Yes No         |
| Temperature (F)               | 69.3           |
| Conductivity                  | 121.4          |
| % Solids                      | 2.04           |
| Turbidity                     | Yes No         |
| Color                         | Brown          |
| TSS (%)                       | 0.25           |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | AE             |

1.0792  
2.1127  
1.1223



## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05/8/2026    |
| Receiving ID#          | I05082607    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 21:49        |
| Time out               |              |
| Received by            | Alexis Scott |
| Sampled by             | Dutton M.    |

SST-1

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | Y w/ I05082606 |
| PCBs (ppm) (Oily Waste Only)? | N/A            |
| TOC ppm (CC Waste Only)?      |                |
| Flash Point (F)               | 5140           |
| pH (S.U.)                     | 2              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.05           |
| Physical Description          | liquid         |
| Stream Consistency            | (Yes) No       |
| Oil in Sample?                | Yes (No)       |
| Temperature (F)               | 70.5           |
| Conductivity                  | 98.42          |
| % Solids                      | 1.824          |
| Turbidity                     | (Yes) No       |
| Color                         | Brown          |
| TSS (%)                       | 0.5            |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | Ally S         |

1.0755  
2.0883  
1.1136

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05/8/2026    |
| Receiving ID#          | I05082608    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 01:07        |
| Time out               |              |
| Received by            | Alexis Scalf |
| Sampled by             | Dalton M.    |

SST-1

| LAB INFORMATION               |                      |
|-------------------------------|----------------------|
| Compatible? (RT# )            | SST-1 Y w/ I05082607 |
| PCBs (ppm) (Oily Waste Only)? |                      |
| TOC ppm (CC Waste Only)?      |                      |
| Flash Point (F)               | >140                 |
| pH (S.U.)                     | 0                    |
| Cyanides? (mg/L)              |                      |
| Sulfides? (ppm)?              |                      |
| Specific Gravity              | 1.08                 |
| Physical Description          | Liquid               |
| Stream Consistency            | (Yes) No             |
| Oil in Sample?                | Yes (No)             |
| Temperature (F)               | 69.5                 |
| Conductivity                  | 149.8                |
| % Solids                      | 3.747                |
| Turbidity                     | (Yes) No             |
| Color                         | Brown                |
| TSS (%)                       | 0.25                 |
| Radiation Screen (as needed)  |                      |
| Lab Signature/Initials        | Ant 8/               |

1.1134  
2.1616  
1.1944

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05/09/2026   |
| Receiving ID#          | I05092601    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 01:36        |
| Time out               |              |
| Received by            | Alexis Scaff |
| Sampled by             | Colin H      |

SST-1

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | Y w/ I05082608 |
| PCBs (ppm) (Oily Waste Only)? |                |
| TOC ppm (CC Waste Only)?      |                |
| Flash Point (F)               | >140           |
| pH (S.U.)                     | 0              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.10           |
| Physical Description          | Liquid         |
| Stream Consistency            | Yes No         |
| Oil in Sample?                | Yes No         |
| Temperature (F)               | 69.0           |
| Conductivity                  | 137.8          |
| % Solids                      | 3.303          |
| Turbidity                     | Yes No         |
| Color                         | Brown          |
| TSS (%)                       | 0.5            |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | Alex S         |

1.0946  
2.1523  
1.1657



## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |            |
|------------------------|------------|
| Date                   | 05/11/2026 |
| Receiving ID#          | IOS112601  |
| Manifest #             | Line       |
| Land Ban Cert included | Yes No     |
| EGT Approval #         |            |
| Generator              |            |
| Client                 |            |
| Transporter            |            |
| Time in                | 08:09      |
| Time out               |            |
| Received by            | DM         |
| Sampled by             | Jacob Line |

SST-1

| LAB INFORMATION               |        |
|-------------------------------|--------|
| Compatible? (RT# )            |        |
| PCBs (ppm) (Oily Waste Only)? | N/A    |
| TOC ppm (CC Waste Only)?      | N/A    |
| Flash Point (F)               | 740    |
| pH (S.U.)                     | 0      |
| Cyanides? (mg/L)              |        |
| Sulfides? (ppm)?              |        |
| Specific Gravity              | 1.100  |
| Physical Description          | Liquid |
| Stream Consistency            | Yes No |
| Oil in Sample?                | Yes No |
| Temperature (F)               | 66.1 F |
| Conductivity                  | 96.25  |
| % Solids                      | 4.883  |
| Turbidity                     | Yes No |
| Color                         | Brown  |
| TSS (%)                       | 0.5    |
| Radiation Screen (as needed)  |        |
| Lab Signature/Initials        |        |

Y w/ IOS092601



## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |                    |
|------------------------|--------------------|
| Date                   | 05/11/2026         |
| Receiving ID#          | 105112602          |
| Manifest #             | Line               |
| Land Ban Cert included | Yes No             |
| EGT Approval #         |                    |
| Generator              |                    |
| Client                 |                    |
| Transporter            |                    |
| Time in                | 1018               |
| Time out               |                    |
| Received by            | <i>[Signature]</i> |
| Sampled by             | Justis Gulyeto     |

1.0953

2.1756

1.2205

SST-1

| LAB INFORMATION               |                    |
|-------------------------------|--------------------|
| Compatible? (RT# )            | V W/ 105112602     |
| PCBs (ppm) (Oily Waste Only)? | N/A                |
| TOC ppm (CC Waste Only)?      | N/A                |
| Flash Point (F)               | 7140               |
| pH (S.U.)                     | 0                  |
| Cyanides? (mg/L)              | 0                  |
| Sulfides? (ppm)?              |                    |
| Specific Gravity              | 1.100              |
| Physical Description          | Liquid             |
| Stream Consistency            | Yes No             |
| Oil in Sample?                | Yes No             |
| Temperature (F)               | 67.0 F             |
| Conductivity                  | 96.74              |
| % Solids                      | 5.754              |
| Turbidity                     | Yes No             |
| Color                         | Brown              |
| TSS (%)                       | 1.0                |
| Radiation Screen (as needed)  |                    |
| Lab Signature/Initials        | <i>[Signature]</i> |

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |                    |
|------------------------|--------------------|
| Date                   | 05/11/2026         |
| Receiving ID#          | IOS112603          |
| Manifest #             | Line               |
| Land Ban Cert included | Yes No             |
| EGT Approval #         |                    |
| Generator              |                    |
| Client                 |                    |
| Transporter            |                    |
| Time in                | 13:00              |
| Time out               |                    |
| Received by            | <i>[Signature]</i> |
| Sampled by             | Jacob Line         |

1.0841

2.1191

1.1926

SST-1

| LAB INFORMATION               |                    |
|-------------------------------|--------------------|
| Compatible? (RT# )            | 1                  |
| PCBs (ppm) (Oily Waste Only)? | N/A                |
| TOC ppm (CC Waste Only)?      | N/A                |
| Flash Point (F)               | 7140               |
| pH (S.U.)                     | 0                  |
| Cyanides? (mg/L)              |                    |
| Sulfides? (ppm)?              |                    |
| Specific Gravity              | 1.100              |
| Physical Description          | Liqu: 0            |
| Stream Consistency            | (Yes) No           |
| Oil in Sample?                | Yes (No)           |
| Temperature (F)               | 67.5 F             |
| Conductivity                  | 100.0              |
| % Solids                      | 5.120              |
| Turbidity                     | (Yes) No           |
| Color                         | Brown              |
| TSS (%)                       | 0.5                |
| Radiation Screen (as needed)  |                    |
| Lab Signature/Initials        | <i>[Signature]</i> |

4 w/ IOS112602

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05/11/2026   |
| Receiving ID#          | 205112604    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 14:35        |
| Time out               |              |
| Received by            | Alexis Scalp |
| Sampled by             | J. Harrell   |

SSP-1

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | Y w/ I05112603 |
| PCBs (ppm) (Oily Waste Only)? |                |
| TOC ppm (CC Waste Only)?      |                |
| Flash Point (F)               | 5140           |
| pH (S.U.)                     | 0              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.10           |
| Physical Description          | liquid         |
| Stream Consistency            | Yes No         |
| Oil in Sample?                | Yes No         |
| Temperature (F)               | 70.0           |
| Conductivity                  | 97.39          |
| % Solids                      | 4.741          |
| Turbidity                     | Yes No         |
| Color                         | Brown          |
| TSS (%)                       | 0.1            |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | dufey          |

1.1009  
2.1640  
1.8035



## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05/11/2026   |
| Receiving ID#          | 205112605    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            | AB           |
| Time in                | 16:29        |
| Time out               |              |
| Received by            | Alexis Scalf |
| Sampled by             | Dalton M.    |

SST-2

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | Y w/ IGS112604 |
| PCBs (ppm) (Oily Waste Only)? |                |
| CC ppm (CC Waste Only)?       |                |
| Flash Point (F)               | >140           |
| pH (S.U.)                     | 8              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.04           |
| Physical Description          | Liquid         |
| Stream Consistency            | Yes No         |
| Oil in Sample?                | Yes No         |
| Temperature (F)               | 68.1           |
| Conductivity                  | 96.38          |
| % Solids                      | 2.996          |
| Turbidity                     | Yes No         |
| Color                         | Brown          |
| TSS (%)                       | 0.1            |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | AL 51          |

1.1036  
2.1355  
1.1676



## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05/11/2026   |
| Receiving ID#          | IOS 112606   |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 19:14        |
| Time out               |              |
| Received by            | Alexis Scalf |
| Sampled by             | Dalton M.    |

SST-1

| LAB INFORMATION               |                 |
|-------------------------------|-----------------|
| Compatible? (RT# )            | Y w/ IOS 112605 |
| PCBs (ppm) (Oily Waste Only)? | N/A             |
| TOC ppm (CC Waste Only)?      |                 |
| Flash Point (F)               | 5140            |
| pH (S.U.)                     | 2               |
| Cyanides? (mg/L)              |                 |
| Sulfides? (ppm)?              |                 |
| Specific Gravity              | 1.10            |
| Physical Description          | Liquid          |
| Stream Consistency            | Yes No          |
| Oil in Sample?                | Yes No          |
| Temperature (F)               | 69.4            |
| Conductivity                  | 107.4           |
| % Solids                      | 4.516           |
| Turbidity                     | Yes No          |
| Color                         | Brown           |
| TSS (%)                       | 0.1             |
| Radiation Screen (as needed)  |                 |
| Lab Signature/Initials        | ALY             |

1.1378  
2.1919  
1.2368

# FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING & APPROVAL FORM

| RECEIVING INFORMATION  |                                                                                   |
|------------------------|-----------------------------------------------------------------------------------|
| Date                   | 05/12/2026                                                                        |
| Receiving ID#          | 105122601                                                                         |
| Manifest #             | Line                                                                              |
| Land Ban Cert included | Yes No                                                                            |
| EGT Approval #         |                                                                                   |
| Generator              |                                                                                   |
| Client                 |                                                                                   |
| Transporter            |                                                                                   |
| Time in                | 7:52                                                                              |
| Time out               |                                                                                   |
| Received by            |  |
| Sampled by             | A. Warlick                                                                        |

1.1021  
1.9437  
1.2523

SST-1

| LAB INFORMATION               |                                                                                     |
|-------------------------------|-------------------------------------------------------------------------------------|
| Compatible? (RT# )            |                                                                                     |
| PCBs (ppm) (Oily Waste Only)? | N/A                                                                                 |
| TCC ppm (CC Waste Only)?      | N/A                                                                                 |
| Flash Point (F)               | 7140                                                                                |
| pH (S.U.)                     | 0                                                                                   |
| Cyanides? (mg/L)              |                                                                                     |
| Sulfides? (ppm)?              |                                                                                     |
| Specific Gravity              | 1.120                                                                               |
| Physical Description          | Liquid                                                                              |
| Stream Consistency            | <input checked="" type="radio"/> Yes <input type="radio"/> No                       |
| Oil in Sample?                | <input type="radio"/> Yes <input checked="" type="radio"/> No                       |
| Temperature (F)               | 65.3 F                                                                              |
| Conductivity                  | 188.1                                                                               |
| % Solids                      | 7.727                                                                               |
| Turbidity                     | <input checked="" type="radio"/> Yes <input type="radio"/> No                       |
| Color                         | Brown                                                                               |
| TSS (%)                       | 0.1                                                                                 |
| Radiation Screen (as needed)  |                                                                                     |
| Lab Signature/Initials        |  |

YW/I05112606

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |            |
|------------------------|------------|
| Date                   | 05/12/2026 |
| Receiving ID#          | I05122602  |
| Manifest #             | Line       |
| Land Ban Cert included | Yes No     |
| EGT Approval #         |            |
| Generator              |            |
| Client                 |            |
| Transporter            |            |
| Time in                | 10:28      |
| Time out               |            |
| Received by            | DM         |
| Sampled by             | Jacob Line |

1.1039

2.1233

1.1619

SST-2

| LAB INFORMATION               |        |
|-------------------------------|--------|
| Compatible? (RT# )            |        |
| PCBs (ppm) (Oily Waste Only)? | N/A    |
| TOC ppm (CC Waste Only)?      | N/A    |
| Flash Point (F)               | 2140   |
| pH (S.U.)                     | 7      |
| Cyanides? (mg/L)              |        |
| Sulfides? (ppm)?              |        |
| Specific Gravity              | 1.000  |
| Physical Description          | Liquid |
| Stream Consistency            | Yes No |
| Oil in Sample?                | Yes No |
| Temperature (F)               | 64.6   |
| Conductivity                  | 88.64  |
| % Solids                      | 2.731  |
| Turbidity                     | Yes No |
| Color                         | Brown  |
| TSS (%)                       | 0.1    |
| Radiation Screen (as needed)  |        |
| Lab Signature/Initials        | DM     |

V W/I05122602



# FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING & APPROVAL FORM

| RECEIVING INFORMATION  |             |
|------------------------|-------------|
| Date                   | 05/12/2026  |
| Receiving ID#          | 105122603   |
| Manifest #             | Line        |
| Land Ban Cert included | Yes No      |
| EGT Approval #         |             |
| Generator              |             |
| Client                 |             |
| Transporter            |             |
| Time in                | 14:09       |
| Time out               |             |
| Received by            | Aluxis Xelf |
| Sampled by             | Jacob L.    |

SST-1

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | Y W/ 105122602 |
| PCBs (ppm) (Oily Waste Only)? | N/A            |
| TOC ppm (CC Waste Only)?      |                |
| Flash Point (F)               | 5146           |
| pH (S.U.)                     | 8              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.09           |
| Physical Description          | Liquid         |
| Stream Consistency            | Yes No         |
| Oil in Sample?                | Yes No         |
| Temperature (F)               | 69.8           |
| Conductivity                  | 189.3          |
| % Solids                      | 3.606          |
| Turbidity                     | Yes No         |
| Color                         | Brown          |
| TSS (%)                       | 0.1            |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | dy sj          |

1.1119  
2.2131  
1.1917



## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05/12/2026   |
| Receiving ID#          | 105122604    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 15:40        |
| Time out               |              |
| Received by            | Alexis Sealf |
| Sampled by             | Matt M       |

SST-1

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | Y w/ 105122603 |
| PCBs (ppm) (Oily Waste Only)? |                |
| CC ppm (CC Waste Only)?       |                |
| Flash Point (F)               | 5140           |
| pH (S.U.)                     | 8              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.08           |
| Physical Description          | liquid         |
| Stream Consistency            | (Yes) No       |
| Oil in Sample?                | Yes (No)       |
| Temperature (F)               | 71.6           |
| Conductivity                  | 1169.8         |
| % Solids                      | 6.007          |
| Turbidity                     | (Yes) No       |
| Color                         | Brown          |
| TSS (%)                       | 0.1            |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | AY Sp          |

1.1075  
2.1939  
1.2393

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |             |
|------------------------|-------------|
| Date                   | 05/12/2026  |
| Receiving ID#          | 105122605   |
| Manifest #             | Line        |
| Land Ban Cert included | Yes No      |
| EGT Approval #         |             |
| Generator              |             |
| Client                 |             |
| Transporter            |             |
| Time in                | 17:34       |
| Time out               |             |
| Received by            | Alexis Scaf |
| Sampled by             | Dan M.      |

SST-2

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | X w/ 105122604 |
| PCBs (ppm) (Oily Waste Only)? |                |
| TOC ppm (CC Waste Only)?      |                |
| Flash Point (F)               | 5140           |
| pH (S.U.)                     | 7              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.0            |
| Physical Description          | liquid         |
| Stream Consistency            | (Yes) No       |
| Oil in Sample?                | Yes (No)       |
| Temperature (F)               | 69.5           |
| Conductivity                  | 75.43          |
| % Solids                      | 1.975          |
| Turbidity                     | (Yes) No       |
| Color                         | Brown          |
| TSS (%)                       | 0.1            |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | 44             |

1.0887  
2.0751  
1.1294

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05/12/2026   |
| Receiving ID#          | I05122606    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 19:55        |
| Time out               |              |
| Received by            | Alexis Scott |
| Sampled by             | Dalton M.    |

SST-2

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | Y w/ I05122605 |
| PCBs (ppm) (Oily Waste Only)? |                |
| CC ppm (CC Waste Only)?       |                |
| Flash Point (F)               | 1140           |
| pH (S.U.)                     | 8              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.04           |
| Physical Description          | Liquid         |
| Stream Consistency            | (Yes) No       |
| Oil in Sample?                | Yes (No)       |
| Temperature (F)               | 72.3           |
| Conductivity                  | 75.82          |
| % Solids                      | 2.194          |
| Turbidity                     | (Yes) No       |
| Color                         | Brown          |
| TSS (%)                       | 0.1            |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | 4/1            |

0.9073  
1.9272  
0.9496



# FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING & APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05/12/2026   |
| Receiving ID#          | T05122607    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 22:17        |
| Time out               |              |
| Received by            | Alexis Scalf |
| Sampled by             | Dalton M.    |

SST-1

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | Y w/ T05122606 |
| PCBs (ppm) (Oily Waste Only)? |                |
| CC ppm (CC Waste Only)?       |                |
| Flash Point (F)               | >140           |
| pH (S.U.)                     | 9              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.07           |
| Physical Description          | liquid         |
| Stream Consistency            | (Yes) No       |
| Oil in Sample?                | Yes (No)       |
| Temperature (F)               | 72.3           |
| Conductivity                  | 167.4          |
| % Solids                      | 47.919         |
| Turbidity                     | (Yes) No       |
| Color                         | Brown          |
| TSS (%)                       | 0.1            |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | AS             |

0.9117  
2.0120  
1.0553



## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05/17/2026   |
| Receiving ID#          | 105122608    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 24:54        |
| Time out               |              |
| Received by            | Alexis Scott |
| Sampled by             | Darlan M.    |

JST-2

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | Y W/ 105122607 |
| PCBs (ppm) (Oily Waste Only)? |                |
| TOC ppm (CC Waste Only)?      |                |
| Flash Point (F)               | >140           |
| pH (S.U.)                     | 8              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.02           |
| Physical Description          | liquid         |
| Stream Consistency            | Yes No         |
| Oil in Sample?                | Yes No         |
| Temperature (F)               | 69.4           |
| Conductivity                  | 79.98          |
| % Solids                      | 2.162          |
| Turbidity                     | Yes No         |
| Color                         | Brown          |
| TSS (%)                       | 0.1            |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | AJ Ef          |

0.9096  
1.9333  
0.9514

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |                  |
|------------------------|------------------|
| Date                   | 05/13/2026       |
| Receiving ID#          | I05132601        |
| Manifest #             | Line             |
| Land Ban Cert included | Yes No           |
| EGT Approval #         |                  |
| Generator              |                  |
| Client                 |                  |
| Transporter            |                  |
| Time in                | 0633             |
| Time out               |                  |
| Received by            | Am               |
| Sampled by             | Justin Galangely |

0.9119

1.9328

0.9742

SST-1

| LAB INFORMATION               |        |
|-------------------------------|--------|
| Compatible? (RT# )            |        |
| PCBs (ppm) (Oily Waste Only)? | N/A    |
| TOC ppm (CC Waste Only)?      | N/A    |
| Flash Point (F)               | 7140   |
| pH (S.U.)                     | 0      |
| Cyanides? (mg/L)              |        |
| Sulfides? (ppm)?              |        |
| Specific Gravity              | 1.100  |
| Physical Description          | Liquid |
| Stream Consistency            | Yes No |
| Oil in Sample?                | Yes No |
| Temperature (F)               | 70.9 F |
| Conductivity                  | 186.8  |
| % Solids                      | 3.223  |
| Turbidity                     | Yes No |
| Color                         | Brown  |
| TSS (%)                       | 0.1    |
| Radiation Screen (as needed)  |        |
| Lab Signature/Initials        | Am     |

1 w/ I05122608

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |                 |
|------------------------|-----------------|
| Date                   | 05/13/2026      |
| Receiving ID#          | 105132602       |
| Manifest #             | Line            |
| Land Ban Cert included | Yes No          |
| EGT Approval #         |                 |
| Generator              |                 |
| Client                 |                 |
| Transporter            |                 |
| Time in                | 0823            |
| Time out               |                 |
| Received by            | DM              |
| Sampled by             | Justin G. Lange |

0.9125

1.8979

0.9598

SST-2

| LAB INFORMATION               |                 |
|-------------------------------|-----------------|
| Compatible? (RT# )            | V W / 105132601 |
| PCBs (ppm) (Oily Waste Only)? | N/A             |
| CC ppm (CC Waste Only)?       | N/A             |
| Flash Point (F)               | 7140            |
| pH (S.U.)                     | 7               |
| Cyanides? (mg/L)              | 0               |
| Sulfides? (ppm)?              |                 |
| Specific Gravity              | 1.000           |
| Physical Description          | Liquid          |
| Stream Consistency            | (Yes) No        |
| Oil in Sample?                | Yes (No)        |
| Temperature (F)               | 65.8            |
| Conductivity                  | 81.13           |
| % Solids                      | 2.492           |
| Turbidity                     | (Yes) No        |
| Color                         | Brown           |
| TSS (%)                       | 0.1             |
| Radiation Screen (as needed)  |                 |
| Lab Signature/Initials        | DM              |



## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |            |
|------------------------|------------|
| Date                   | 05/18/2026 |
| Receiving ID#          | F05132603  |
| Manifest #             | Line       |
| Land Ban Cert included | Yes No     |
| EGT Approval #         |            |
| Generator              |            |
| Client                 |            |
| Transporter            |            |
| Time in                | 11:02      |
| Time out               |            |
| Received by            | DM         |
| Sampled by             | Mmm/ MmZ   |

SST-2

0.9109

1.9156

0.9793

w/ F05132602

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | <del>RT#</del> |
| PCBs (ppm) (Oily Waste Only)? | N/A            |
| TOC ppm (CC Waste Only)?      | N/A            |
| Flash Point (F)               | 7140           |
| pH (S.U.)                     | 7              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.020          |
| Physical Description          | Liquid         |
| Stream Consistency            | (Yes) No       |
| Oil in Sample?                | Yes (No)       |
| Temperature (F)               | 65.3           |
| Conductivity                  | 83.97          |
| % Solids                      | 3.570          |
| Turbidity                     | (Yes) No       |
| Color                         | Brown          |
| TSS (%)                       | 0.1            |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | DM             |



## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |             |
|------------------------|-------------|
| Date                   | 05/13/2026  |
| Receiving ID#          | IOS132604   |
| Manifest #             | Line        |
| Land Ban Cert included | Yes No      |
| EGT Approval #         |             |
| Generator              |             |
| Client                 |             |
| Transporter            |             |
| Time in                | 13:43       |
| Time out               |             |
| Received by            | Alexis Scof |
| Sampled by             | Jacob Lie   |

SST-2

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | Y w/ IOS132603 |
| PCBs (ppm) (Oily Waste Only)? |                |
| TOC ppm (CC Waste Only)?      |                |
| Flash Point (F)               | >140           |
| pH (S.U.)                     | 8              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.02           |
| Physical Description          | liquid         |
| Stream Consistency            | Yes No         |
| Oil in Sample?                | Yes No         |
| Temperature (F)               | 65.8           |
| Conductivity                  | 89.90          |
| % Solids                      | 2.654          |
| Turbidity                     | Yes No         |
| Color                         | Black          |
| TSS (%)                       | 0.1            |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | BY S           |

0.9124  
1.9291  
0.9636

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05/13/2026   |
| Receiving ID#          | IOS132605    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 15:42        |
| Time out               |              |
| Received by            | Alexis Scalf |
| Sampled by             | Matt M...    |

SST-2

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | Y w/ IOS132604 |
| PCBs (ppm) (Oily Waste Only)? |                |
| CC ppm (CC Waste Only)?       |                |
| Flash Point (F)               | 5140           |
| pH (S.U.)                     | 8              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.02           |
| Physical Description          | liquid         |
| Stream Consistency            | Yes No         |
| Oil in Sample?                | Yes No         |
| Temperature (F)               | 66.9           |
| Conductivity                  | 91.20          |
| % Solids                      | 2.858          |
| Turbidity                     | Yes No         |
| Color                         | Black          |
| TSS (%)                       | 0.1            |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | AM             |

0.9117  
1.9487  
0.9674

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |                |
|------------------------|----------------|
| Date                   | 05/13/2026     |
| Receiving ID#          | IOS132606      |
| Manifest #             | Line           |
| Land Ban Cert included | Yes No         |
| EGT Approval #         |                |
| Generator              |                |
| Client                 |                |
| Transporter            |                |
| Time in                | 17:36          |
| Time out               |                |
| Received by            | Alexis Scalf   |
| Sampled by             | Dalton Mullins |

SST-2

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | Y w/ IOS132605 |
| PCBs (ppm) (Oily Waste Only)? |                |
| TOC ppm (CC Waste Only)?      |                |
| Flash Point (F)               | >140           |
| pH (S.U.)                     | 8              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.02           |
| Physical Description          | Liquid         |
| Stream Consistency            | Yes No         |
| Oil in Sample?                | Yes No         |
| Temperature (F)               | 64.0           |
| Conductivity                  | 94.35          |
| % Solids                      | 2.901          |
| Turbidity                     | Yes No         |
| Color                         | Black          |
| TSS (%)                       | 0.1            |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | Ali S/         |

0.9099  
 1.9368  
~~0.9794~~  
 0.9661



## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05/13/2026   |
| Receiving ID#          | I05132607    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 20:31        |
| Time out               |              |
| Received by            | Alexis Scalf |
| Sampled by             | Dalton M.    |

SST -1

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | Y w/ I05132606 |
| PCBs (ppm) (Oily Waste Only)? |                |
| CC ppm (CC Waste Only)?       |                |
| Flash Point (F)               | >140           |
| pH (S.U.)                     | Q              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.07           |
| Physical Description          | liquid         |
| Stream Consistency            | Yes No         |
| Oil in Sample?                | Yes No         |
| Temperature (F)               | 67.5           |
| Conductivity                  | 208.3          |
| % Solids                      | 2.465          |
| Turbidity                     | Yes No         |
| Color                         | Brown          |
| TSS (%)                       | 0.1            |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | AS             |

0.9126  
1.9795  
0.9614



# FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING & APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05/13/2026   |
| Receiving ID#          | 105132608    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 23:02        |
| Time out               |              |
| Received by            | Alexis Scalf |
| Sampled by             | J. Horrell   |

55T-2

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | Y w/ 105132607 |
| PCBs (ppm) (Oily Waste Only)? |                |
| TOC ppm (CC Waste Only)?      |                |
| Flash Point (F)               | 5140           |
| pH (S.U.)                     | 8              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.02           |
| Physical Description          | Liquid         |
| Stream Consistency            | Yes No         |
| Oil in Sample?                | Yes No         |
| Temperature (F)               | 68.5           |
| Conductivity                  | 90.79          |
| % Solids                      | 2.228          |
| Turbidity                     | Yes No         |
| Color                         | Black          |
| TSS (%)                       | 0.1            |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | AY P/          |

0.9292  
1.9432  
0.9725

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05/13/2026   |
| Receiving ID#          | I05132609    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 00:36        |
| Time out               |              |
| Received by            | Alexis Scaff |
| Sampled by             | Dalton M.    |

SST-2

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | Y w/ I05132608 |
| PCBs (ppm) (Oily Waste Only)? |                |
| TOC ppm (CC Waste Only)?      |                |
| Flash Point (F)               | 5140           |
| pH (S.U.)                     | 7              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.01           |
| Physical Description          | liquid         |
| Stream Consistency            | Yes No         |
| Oil in Sample?                | Yes No         |
| Temperature (F)               | 68.5           |
| Conductivity                  | 83.10          |
| % Solids                      | 1.612          |
| Turbidity                     | Yes No         |
| Color                         | Black          |
| TSS (%)                       | 0.1            |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | AM 8/          |

0.9353  
1.9602  
0.9669

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |                    |
|------------------------|--------------------|
| Date                   | 05/14/2026         |
| Receiving ID#          | IOS1426021         |
| Manifest #             | Line               |
| Lead Ban Cert included | Yes No             |
| EGT Approval #         |                    |
| Generator              |                    |
| Client                 |                    |
| Transporter            |                    |
| Time in                | 0400               |
| Time out               |                    |
| Received by            | <i>[Signature]</i> |
| Sampled by             | Justin Colangelo   |

0.9111  
1.9143  
0.96121

SST-2

| LAB INFORMATION               |                    |
|-------------------------------|--------------------|
| Compatible? (RT# )            |                    |
| PCBs (ppm) (Oily Waste Only)? | N/A                |
| OC ppm (CC Waste Only)?       | N/A                |
| Flash Point (F)               | 7140               |
| pH (S.U.)                     | 7                  |
| Cyanides? (mg/L)              |                    |
| Sulfides? (ppm)?              |                    |
| Specific Gravity              | 1.000              |
| Physical Description          | Liquid             |
| Stream Consistency            | (Yes) No           |
| Oil in Sample?                | Yes (No)           |
| Temperature (F)               | 70.4 F             |
| Conductivity                  | 79.96              |
| % Solids                      | 2.627              |
| Turbidity                     | (Yes) No           |
| Color                         | Brown              |
| TSS (%)                       | 0.1                |
| Radiation Screen (as needed)  |                    |
| Lab Signature/Initials        | <i>[Signature]</i> |

y w/IOS132609



## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |            |
|------------------------|------------|
| Date                   | 05/14/2026 |
| Receiving ID#          | 705142602  |
| Manifest #             | Line       |
| Land Ban Cert included | Yes No     |
| EGT Approval #         |            |
| Generator              |            |
| Client                 |            |
| Transporter            |            |
| Time in                | 06:15      |
| Time out               |            |
| Received by            | DM         |
| Sampled by             | Jacob Line |

0.9128

1.9105

0.9523

SST-2

| LAB INFORMATION               |        |
|-------------------------------|--------|
| Compatible? (RT# )            |        |
| PCBs (ppm) (Oily Waste Only)? | N/A    |
| TOC ppm (CC Waste Only)?      | N/A    |
| Flash Point (F)               | 7140   |
| pH (S.U.)                     | 7      |
| Cyanides? (mg/L)              |        |
| Sulfides? (ppm)?              |        |
| Specific Gravity              | 1.000  |
| Physical Description          | Liquid |
| Stream Consistency            | Yes No |
| Oil in Sample?                | Yes No |
| Temperature (F)               | 63.1 F |
| Conductivity                  | 79.96  |
| % Solids                      | 2.067  |
| Turbidity                     | Yes No |
| Color                         | Brown  |
| TSS (%)                       | 0.1    |
| Radiation Screen (as needed)  |        |
| Lab Signature/Initials        | DM     |

4 w/I 05142602



## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |                  |
|------------------------|------------------|
| Date                   | 05/14/2026       |
| Receiving ID#          | I05142603        |
| Manifest #             | Line             |
| Land Ban Cert included | Yes No           |
| EGT Approval #         |                  |
| Generator              |                  |
| Client                 |                  |
| Transporter            |                  |
| Time in                | 0818             |
| Time out               |                  |
| Received by            | DM               |
| Sampled by             | Justin C. Angelo |

0.9114

1.9125

0.9456

SST-2

| LAB INFORMATION               |        |
|-------------------------------|--------|
| Compatible? (RT# )            |        |
| PCBs (ppm) (Oily Waste Only)? | N/A    |
| TCC ppm (CC Waste Only)?      | N/A    |
| Flash Point (F)               | 7140   |
| pH (S.U.)                     | 7      |
| Cyanides? (mg/L)              |        |
| Sulfides? (ppm)?              |        |
| Specific Gravity              | 1.000  |
| Physical Description          | Liquid |
| Stream Consistency            | Yes No |
| Oil in Sample?                | Yes No |
| Temperature (F)               | 63.1 F |
| Conductivity                  | 56.79  |
| % Solids                      | 1.788  |
| Turbidity                     | Yes No |
| Color                         | Brown  |
| TSS (%)                       | 0.1    |
| Radiation Screen (as needed)  |        |
| Lab Signature/Initials        | DM     |

w/I05142603

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05/14/2026   |
| Receiving ID#          | 10514260     |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 10:20        |
| Time out               |              |
| Received by            |              |
| Sampled by             | Michael M... |

SST-2

0.9086

1.8913

0.9574

| LAB INFORMATION               |        |
|-------------------------------|--------|
| Compatible? (RT# )            |        |
| PCBs (ppm) (Oily Waste Only)? | N/A    |
| CC ppm (CC Waste Only)?       | N/A    |
| Flash Point (F)               | 2140   |
| pH (S.U.)                     | 7      |
| Cyanides? (mg/L)              |        |
| Sulfides? (ppm)?              |        |
| Specific Gravity              | 1.020  |
| Physical Description          | LIQUID |
| Stream Consistency            | Yes No |
| Oil in Sample?                | Yes No |
| Temperature (F)               | 63.1 F |
| Conductivity                  | 58.22  |
| % Solids                      | 2.580  |
| Turbidity                     | Yes No |
| Color                         | Brown  |
| TSS (%)                       | 0.1    |
| Radiation Screen (as needed)  |        |
| Lab Signature/Initials        | DM     |

Y W/ I 05142604

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |                    |
|------------------------|--------------------|
| Date                   | 05/14/2026         |
| Receiving ID#          | I05142605          |
| Manifest #             | Line               |
| Land Ban Cert included | Yes No             |
| EGT Approval #         |                    |
| Generator              |                    |
| Client                 |                    |
| Transporter            |                    |
| Time in                | 13:50              |
| Time out               |                    |
| Received by            | <i>[Signature]</i> |
| Sampled by             | <i>[Signature]</i> |

SST-2

1.0690

2.0537

~~1.1095~~

1.1095

| LAB INFORMATION               |                    |
|-------------------------------|--------------------|
| Compatible? (RT# )            |                    |
| PCBs (ppm) (Oily Waste Only)? | N/A                |
| TCC ppm (CC Waste Only)?      | N/A                |
| Flash Point (F)               | 7140               |
| pH (S.U.)                     | 7                  |
| Cyanides? (mg/L)              |                    |
| Sulfides? (ppm)?              |                    |
| Specific Gravity              | 1.000              |
| Physical Description          | Liquid             |
| Stream Consistency            | (Yes) No           |
| Oil in Sample?                | Yes (No)           |
| Temperature (F)               | 65.7 F             |
| Conductivity                  | 67.25              |
| % Solids                      | 1.972              |
| Turbidity                     | Yes (No)           |
| Color                         | Colorless          |
| TSS (%)                       | 0.1                |
| Radiation Screen (as needed)  |                    |
| Lab Signature/Initials        | <i>[Signature]</i> |

Y W/I 05142604



## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05/14/2026   |
| Receiving ID#          | IOS142606    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 16:59        |
| Time out               |              |
| Received by            | Alexis Scalf |
| Sampled by             | Matt M...    |

SST-1

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | Y w/ IOS142605 |
| PCBs (ppm) (Oily Waste Only)? |                |
| TOC ppm (CC Waste Only)?      |                |
| Flash Point (F)               | >140           |
| bp (S.U.)                     | Q              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.07           |
| Physical Description          | Liquid         |
| Stream Consistency            | (Yes) No       |
| Oil in Sample?                | Yes (No)       |
| Temperature (F)               | 69.3           |
| Conductivity                  | 107.8          |
| % Solids                      | 3.985          |
| Turbidity                     | (Yes) No       |
| Color                         | Brown          |
| TSS (%)                       | 0.1            |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | AM             |

0.9245  
2.0074  
1.0045



## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05/14/2026   |
| Receiving ID#          | I051426007   |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 19:20        |
| Time out               |              |
| Received by            | Alexis Scalf |
| Sampled by             | Dulha M.     |

SST-2

| LAB INFORMATION               |                 |
|-------------------------------|-----------------|
| Compatible? (RT# )            | Y w/ I051426006 |
| PCBs (ppm) (Oily Waste Only)? |                 |
| TOC ppm (CC Waste Only)?      |                 |
| Flash Point (F)               | >140            |
| pH (S.U.)                     | 7               |
| Cyanides? (mg/L)              |                 |
| Sulfides? (ppm)?              |                 |
| Specific Gravity              | 1.0             |
| Physical Description          | liquid          |
| Stream Consistency            | (Yes) No        |
| Oil in Sample?                | Yes (No)        |
| Temperature (F)               | 71.6            |
| Conductivity                  | 77.38           |
| % Solids                      | 2.317           |
| Turbidity                     | (Yes) No        |
| Color                         | Brown           |
| TSS (%)                       | 0.1             |
| Radiation Screen (as needed)  |                 |
| Lab Signature/Initials        | Ally 8/         |

0.9278  
1.9418  
0.9228

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05/14/2026   |
| Receiving ID#          | TOS142608    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 22:31        |
| Time out               |              |
| Received by            | Alexis Scalf |
| Sampled by             | Darren M.    |

SST-1

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | X w/ TOS142607 |
| PCBs (ppm) (Oily Waste Only)? |                |
| TOC ppm (CC Waste Only)?      |                |
| Flash Point (F)               | >140           |
| pH (S.U.)                     | 8              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.06           |
| Physical Description          | liquid         |
| Stream Consistency            | Yes No         |
| Oil in Sample?                | Yes No         |
| Temperature (F)               | 70.3           |
| Conductivity                  | 94.44          |
| % Solids                      | 3.978          |
| Turbidity                     | Yes No         |
| Color                         | Brown          |
| TSS (%)                       | 0.1            |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | AY SJ          |

0.9189  
2.0057  
0.9987

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05/14/2026   |
| Receiving ID#          | TC5142609    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 00:54        |
| Time out               |              |
| Received by            | Alexis Scalf |
| Sampled by             | Dalton M.    |

SST-1

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | Y W/ TC5142608 |
| PCBs (ppm) (Oily Waste Only)? |                |
| TOC ppm (CC Waste Only)?      |                |
| Flash Point (F)               | 5140           |
| pH (S.U.)                     | 8              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.06           |
| Physical Description          | liquid         |
| Stream Consistency            | Yes No         |
| Oil in Sample?                | Yes No         |
| Temperature (F)               | 69.0           |
| Conductivity                  | 171.5          |
| % Solids                      | 5.067          |
| Turbidity                     | Yes No         |
| Color                         | Green          |
| TSS (%)                       | 0.1            |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | Ally 8/        |

0.9171  
1.9834  
1.0176



## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05/15/2026   |
| Receiving ID#          | I05752601    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 01:20        |
| Time out               |              |
| Received by            | Alexis Scott |
| Sampled by             | Dillon M.    |

SST-1

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | Y W/ I05742609 |
| PCBs (ppm) (Oily Waste Only)? |                |
| TOC ppm (CC Waste Only)?      |                |
| Flash Point (F)               | 5/40           |
| pH (S.U.)                     | 8              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.07           |
| Physical Description          | liquid         |
| Stream Consistency            | Yes No         |
| Oil in Sample?                | Yes No         |
| Temperature (F)               | 70.3           |
| Conductivity                  | 195.1          |
| % Solids                      | 3.577          |
| Turbidity                     | Yes No         |
| Color                         | Green          |
| TSS (%)                       | 0.23           |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | ALP S/         |

0.9155  
1.9957  
0.9869



## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |                    |
|------------------------|--------------------|
| Date                   | 05/15/2026         |
| Receiving ID#          | 105152602          |
| Manifest #             | Line               |
| Land Ban Cert included | Yes No             |
| EGT Approval #         |                    |
| Generator              |                    |
| Client                 |                    |
| Transporter            |                    |
| Time in                | 05:50              |
| Time out               |                    |
| Received by            | <i>[Signature]</i> |
| Sampled by             | Jacob Line         |

0.9212

1.9143

0.9760

SST-2

| LAB INFORMATION               |                    |
|-------------------------------|--------------------|
| Compatible? (RT# )            |                    |
| PCBs (ppm) (Oily Waste Only)? | N/A                |
| TOC ppm (CC Waste Only)?      | N/A                |
| Flash Point (F)               | 7140               |
| pH (S.U.)                     | 7                  |
| Cyanides? (mg/L)              |                    |
| Sulfides? (ppm)?              |                    |
| Specific Gravity              | 1.000              |
| Physical Description          | Liquid             |
| Stream Consistency            | (Yes) No           |
| Oil in Sample?                | Yes (No)           |
| Temperature (F)               | 69.6 F             |
| Conductivity                  | 87.71              |
| % Solids                      | 2.862              |
| Turbidity                     | (Yes) No           |
| Color                         | Brown              |
| TSS (%)                       | 0.1                |
| Radiation Screen (as needed)  |                    |
| Lab Signature/Initials        | <i>[Signature]</i> |

Y w/105152601

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |                    |
|------------------------|--------------------|
| Date                   | 05/15/2026         |
| Receiving ID#          | I05152603          |
| Manifest #             | Line               |
| Land Ban Cert included | Yes No             |
| EGT Approval #         |                    |
| Generator              |                    |
| Client                 |                    |
| Transporter            |                    |
| Time in                | 09:01              |
| Time out               |                    |
| Received by            | <i>[Signature]</i> |
| Sampled by             | Jacob Line         |

0.9106

1.8440

0.9619

SST-2

| LAB INFORMATION               |                    |
|-------------------------------|--------------------|
| Compatible? (RT# )            |                    |
| PCBs (ppm) (Oily Waste Only)? | N/A                |
| TOC ppm (CC Waste Only)?      | N/A                |
| Flash Point (F)               | 2140               |
| pH (S.U.)                     | 7                  |
| Cyanides? (mg/L)              | Neg                |
| Sulfides? (ppm)?              | Neg                |
| Specific Gravity              | 1.020              |
| Physical Description          | Liquid             |
| Stream Consistency            | Yes No             |
| Oil in Sample?                | Yes (No)           |
| Temperature (F)               | 63.4 F             |
| Conductivity                  | 84.72              |
| % Solids                      | 2.781              |
| Turbidity                     | Yes No             |
| Color                         | Brown              |
| TSS (%)                       | 0.1                |
| Radiation Screen (as needed)  |                    |
| Lab Signature/Initials        | <i>[Signature]</i> |

1 w/ I05152602

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |                    |
|------------------------|--------------------|
| Date                   | 05/15/2026         |
| Receiving ID#          | IOS152604          |
| Manifest #             | Line               |
| Land Ban Cert included | Yes No             |
| EGT Approval #         |                    |
| Generator              |                    |
| Client                 |                    |
| Transporter            |                    |
| Time in                | 13:19              |
| Time out               |                    |
| Received by            | <i>[Signature]</i> |
| Sampled by             | Jack Line          |

0.9180

1.9252

0.9808

SST-2

| LAB INFORMATION               |        |
|-------------------------------|--------|
| Compatible? (RT# )            |        |
| PCBs (ppm) (Oily Waste Only)? | N/A    |
| TCC ppm (CC Waste Only)?      | N/A    |
| Flash Point (F)               | 7140   |
| pH (S.U.)                     | 7      |
| Cyanides? (mg/L)              |        |
| Sulfides? (ppm)?              |        |
| Specific Gravity              | 1.040  |
| Physical Description          | Liquid |
| Stream Consistency            | Yes No |
| Oil in Sample?                | Yes No |
| Temperature (F)               | 65.9 F |
| Conductivity                  | 97.61  |
| % Solids                      | 3.261  |
| Turbidity                     | Yes No |
| Color                         | Brown  |
| TSS (%)                       | 0.1    |
| Radiation Screen (as needed)  |        |
| Lab Signature/Initials        | DM     |

Y W/IOS152603



## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |             |
|------------------------|-------------|
| Date                   | 05/15/2026  |
| Receiving ID#          | I05152605   |
| Manifest #             | Line        |
| Land Ban Cert included | Yes No      |
| EGT Approval #         |             |
| Generator              |             |
| Client                 |             |
| Transporter            |             |
| Time in                | 15:50       |
| Time out               |             |
| Received by            | Novis Scalf |
| Sampled by             | Dalton M.   |

SST-2

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | X W/ I05152604 |
| PCBs (ppm) (Oily Waste Only)? |                |
| COC ppm (CC Waste Only)?      |                |
| Flash Point (F)               | 5140           |
| pH (S.U.)                     | 7              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.03           |
| Physical Description          | liquid         |
| Stream Consistency            | Yes No         |
| Oil in Sample?                | Yes NO         |
| Temperature (F)               | 67.6           |
| Conductivity                  | 128.5          |
| % Solids                      | 3.933          |
| Turbidity                     | Yes No         |
| Color                         | Brown          |
| TSS (%)                       | 0.1            |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | ADY            |

0.9115  
1.9425  
0.9879



## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05/15/2026   |
| Receiving ID#          | I05152606    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 18:42        |
| Time out               |              |
| Received by            | Alexis Scott |
| Sampled by             | Dalton M.    |

SST-2

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | Y W/ I05152605 |
| PCBs (ppm) (Oily Waste Only)? |                |
| CC ppm (CC Waste Only)?       |                |
| Flash Point (F)               | >140           |
| pH (S.U.)                     | 7              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.03           |
| Physical Description          | liquid         |
| Stream Consistency            | Yes No         |
| Oil in Sample?                | Yes No         |
| Temperature (F)               | 69.5           |
| Conductivity                  | 123.8          |
| % Solids                      | 4.547          |
| Turbidity                     | Yes No         |
| Color                         | Brown          |
| TSS (%)                       | 0.1            |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | del 87         |

0.9146  
1.9551  
1.0035

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05/15/2026   |
| Receiving ID#          | 105152607    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 20:28        |
| Time out               |              |
| Received by            | Alexis Scalf |
| Sampled by             | Dalton M.    |

SST-2

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | Y 01 105152606 |
| PCBs (ppm) (Oily Waste Only)? |                |
| TOC ppm (CC Waste Only)?      |                |
| Flash Point (F)               | >140           |
| pH (S.U.)                     | 7              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.01           |
| Physical Description          | Liquid         |
| Stream Consistency            | (Yes) No       |
| Oil in Sample?                | Yes (No)       |
| Temperature (F)               | 68.8           |
| Conductivity                  | 79.32          |
| % Solids                      | 2.034          |
| Turbidity                     | (Yes) No       |
| Color                         | Brown          |
| TSS (%)                       | 0.1            |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | AS             |

0.9162  
1.9315  
0.9555

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05/16/2026   |
| Receiving ID#          | IOS162601    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 8:09         |
| Time out               |              |
| Received by            | Alexis Scalf |
| Sampled by             | Anthony      |

SST-2

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | y w/ IOS152607 |
| PCBs (ppm) (Oily Waste Only)? |                |
| TOC ppm (CC Waste Only)?      |                |
| Flash Point (F)               | 2140           |
| pH (S.U.)                     | 7              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.0            |
| Physical Description          | liquid         |
| Stream Consistency            | Yes No         |
| Oil in Sample?                | Yes No         |
| Temperature (F)               | 72.3           |
| Conductivity                  | 58.41          |
| % Solids                      | 1.189          |
| Turbidity                     | Yes No         |
| Color                         | Brown          |
| TSS (%)                       | 0.1            |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | AK 81          |

0.9093  
1.9328  
0.9323



## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05/16/2026   |
| Receiving ID#          | IOS162602    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 10:24        |
| Time out               |              |
| Received by            | Alexis Scott |
| Sampled by             | Mimi M. A.   |

SST-2

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | Y w/ IOS162601 |
| PCBs (ppm) (Oily Waste Only)? |                |
| TOC ppm (CC Waste Only)?      |                |
| Flash Point (F)               | >140           |
| pH (S.U.)                     | 7              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.0            |
| Physical Description          | liquid         |
| Stream Consistency            | Yes No         |
| Oil in Sample?                | Yes No         |
| Temperature (F)               | 71.7           |
| Conductivity                  | 34.52          |
| % Solids                      | 0.768          |
| Turbidity                     | Yes No         |
| Color                         | Brown          |
| TSS (%)                       | 0.1            |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | AA 9           |

0.9133  
1.8989  
0.9279



## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05/16/2026   |
| Receiving ID#          | 105162603    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 12:21        |
| Time out               |              |
| Received by            | Alexis Scaff |
| Sampled by             | mm/mm        |

SST-2

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | Y 10/105162602 |
| PCBs (ppm) (Oily Waste Only)? |                |
| TOC ppm (CC Waste Only)?      |                |
| Flash Point (F)               | >140           |
| pH (S.U.)                     | 7              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.0            |
| Physical Description          | liquid         |
| Stream Consistency            | Yes No         |
| Oil in Sample?                | Yes No         |
| Temperature (F)               | 71.7           |
| Conductivity                  | 27.24          |
| % Solids                      | 0.434          |
| Turbidity                     | Yes No         |
| Color                         | Brown          |
| TSS (%)                       | 0.1            |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | sh sy          |

0.9260  
1.9093  
0.9343

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |                    |
|------------------------|--------------------|
| Date                   | 05/14/2026         |
| Receiving ID#          | I05162601          |
| Manifest #             | Line               |
| Land Ban Cert included | Yes No             |
| EGT Approval #         |                    |
| Generator              |                    |
| Client                 |                    |
| Transporter            |                    |
| Time in                | 0636               |
| Time out               |                    |
| Received by            | <i>[Signature]</i> |
| Sampled by             | Justin Colangelo   |

0.9127  
1.8914  
0.9347

SST-2

| LAB INFORMATION               |                    |
|-------------------------------|--------------------|
| Compatible? (RT# )            |                    |
| PCBs (ppm) (Oily Waste Only)? | N/A                |
| TOC ppm (CC Waste Only)?      | N/A                |
| Flash Point (F)               | 7140               |
| pH (S.U.)                     | 7                  |
| Cyanides? (mg/L)              |                    |
| Sulfides? (ppm)?              |                    |
| Specific Gravity              | 1.000              |
| Physical Description          | Liquid             |
| Stream Consistency            | Yes No             |
| Oil in Sample?                | Yes No             |
| Temperature (F)               | 69.8               |
| Conductivity                  | 25.63              |
| % Solids                      | 1.163              |
| Turbidity                     | Yes No             |
| Color                         | Brown              |
| TSS (%)                       | 0.1                |
| Radiation Screen (as needed)  |                    |
| Lab Signature/Initials        | <i>[Signature]</i> |

V W/ I05162603

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |                    |
|------------------------|--------------------|
| Date                   | 05/18/2026         |
| Receiving ID#          | 105182602          |
| Manifest #             | Line               |
| Land Ban Cert included | Yes No             |
| EGT Approval #         |                    |
| Generator              |                    |
| Client                 |                    |
| Transporter            |                    |
| Time in                | 09:12              |
| Time out               |                    |
| Received by            | <i>[Signature]</i> |
| Sampled by             | Jacob Line         |

0.9077

1.8832

0.9207

SST-2

| LAB INFORMATION               |                    |
|-------------------------------|--------------------|
| Compatible? (RT# )            |                    |
| PCBs (ppm) (Oily Waste Only)? | N/A                |
| TOC ppm (CC Waste Only)?      | N/A                |
| Flash Point (F)               | > 140              |
| pH (S.U.)                     | 7                  |
| Cyanides? (mg/L)              |                    |
| Sulfides? (ppm)?              |                    |
| Specific Gravity              | 1.000              |
| Physical Description          | Liquid             |
| Stream Consistency            | Yes No             |
| Oil in Sample?                | Yes No             |
| Temperature (F)               | 68.0 F             |
| Conductivity                  | 26.41              |
| % Solids                      | 0.690              |
| Turbidity                     | Yes No             |
| Color                         | Brown              |
| TSS (%)                       | 0.1                |
| Radiation Screen (as needed)  |                    |
| Lab Signature/Initials        | <i>[Signature]</i> |

1 w/ 105182601



## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |                  |
|------------------------|------------------|
| Date                   | 05/18/2026       |
| Receiving ID#          | 105182603        |
| Manifest #             | Line             |
| Land Ban Cert included | Yes No           |
| EGT Approval #         |                  |
| Generator              |                  |
| Client                 |                  |
| Transporter            |                  |
| Time in                | 1126             |
| Time out               |                  |
| Received by            | LS               |
| Sampled by             | Justin Colangelo |

0.9127  
1.9248  
0.9260

SST-2

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | Y W/ 105182602 |
| PCBs (ppm) (Oily Waste Only)? | N/A            |
| TOC ppm (CC Waste Only)?      | N/A            |
| Flash Point (F)               | >140           |
| pH (S.U.)                     | 7              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.0128         |
| Physical Description          | liquid         |
| Stream Consistency            | Yes No         |
| Oil in Sample?                | Yes No         |
| Temperature (F)               | 71.3           |
| Conductivity                  | 34.48          |
| % Solids                      | 0.601          |
| Turbidity                     | Yes No         |
| Color                         | Brown          |
| TSS (%)                       | 0.1 %          |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | LS             |



## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |            |
|------------------------|------------|
| Date                   | 05/18/2026 |
| Receiving ID#          | 105182604  |
| Manifest #             | Line       |
| Land Ban Cert included | Yes No     |
| EGT Approval #         |            |
| Generator              |            |
| Client                 |            |
| Transporter            |            |
| Time in                | 13:16      |
| Time out               |            |
| Received by            | LS         |
| Sampled by             | Jacob Line |

SST-2

| LAB INFORMATION               |          |
|-------------------------------|----------|
| Compatible? (RT# )            |          |
| PCBs (opm) (Oily Waste Only)? | N/A      |
| TOC ppm (CC Waste Only)?      | N/A      |
| Flash Point (F)               | >140     |
| pH (S.U.)                     | 7        |
| Cyanides? (mg/L)              | —        |
| Sulfides? (ppm)?              | —        |
| Specific Gravity              | 1.0121   |
| Physical Description          | Liquid   |
| Stream Consistency            | Yes No   |
| Oil in Sample?                | Yes (No) |
| Temperature (F)               | 70.0     |
| Conductivity                  | 1.992    |
| % Solids                      | 0.0191   |
| Turbidity                     | (Yes) No |
| Color                         | Brown    |
| TSS (%)                       | 0.17     |
| Radiation Screen (as needed)  |          |
| Lab Signature/Initials        | LS       |

yes with 105182603

0.9126

1.9364

0.9246

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05/18/2026   |
| Receiving ID#          | I 05182605   |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 19:13        |
| Time out               |              |
| Received by            | Alexis Scalf |
| Sampled by             | Colin H      |

SST-1

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | Yw/ I 05182604 |
| PCBs (ppm) (Oily Waste Only)? |                |
| TOC ppm (CC Waste Only)?      |                |
| Flash Point (F)               | 5140           |
| pH (S.U.)                     | 8              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.10           |
| Physical Description          | liquid         |
| Stream Consistency            | (Yes) No       |
| Oil in Sample?                | Yes (No)       |
| Temperature (F)               | 73.5           |
| Conductivity                  | 276.6          |
| % Solids                      | 3.517          |
| Turbidity                     | (Yes) No       |
| Color                         | Green          |
| TSS (%)                       | 0.1            |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | AM st          |

0.9124  
2.0244  
0.9836

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |                  |
|------------------------|------------------|
| Date                   | 05/19 /2026      |
| Receiving ID#          | 105192661        |
| Manifest #             | Line             |
| Land Ban Cert included | Yes No           |
| EGT Approval #         |                  |
| Generator              |                  |
| Client                 |                  |
| Transporter            |                  |
| Time in                | 0611             |
| Time out               |                  |
| Received by            | LS               |
| Sampled by             | Justin Colangelo |

SST-2

| LAB INFORMATION               |          |
|-------------------------------|----------|
| Compatible? (RT# )            |          |
| PCBs (ppm) (Oily Waste Only)? | N/A      |
| TOC ppm (CC Waste Only)?      | N/A      |
| Flash Point (F)               | 7140     |
| pH (S.U.)                     | 7        |
| Cyanides? (mg/L)              |          |
| Sulfides? (ppm)?              |          |
| Specific Gravity              | 0.9921   |
| Physical Description          | Liquid   |
| Stream Consistency            | (Yes) No |
| Oil in Sample?                | Yes (No) |
| Temperature (F)               | 68.4     |
| Conductivity                  | 22.78    |
| % Solids                      | 0.438%   |
| Turbidity                     | (Yes) No |
| Color                         | Brown    |
| TSS (%)                       | 0.1%     |
| Radiation Screen (as needed)  |          |
| Lab Signature/Initials        | LS       |

Compatible w/ 10518205

0.9109

1.8937

0.9192



## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |             |
|------------------------|-------------|
| Date                   | 05/19 /2026 |
| Receiving ID#          | 105192602   |
| Manifest #             | Line        |
| Land Ban Cert included | Yes No      |
| EGT Approval #         |             |
| Generator              |             |
| Client                 |             |
| Transporter            |             |
| Time in                | 9:47        |
| Time out               |             |
| Received by            | LS          |
| Sampled by             | Mund M. A.  |

SST-2

| LAB INFORMATION               |        |
|-------------------------------|--------|
| Compatible? (RT# )            |        |
| PCBs (ppm) (Oily Waste Only)? | NA     |
| TOC ppm (CC Waste Only)?      | NA     |
| Flash Point (F)               | 7140   |
| pH (S.U.)                     | 7      |
| Cyanides? (mg/L)              | —      |
| Sulfides? (ppm)?              | —      |
| Specific Gravity              | 1.0160 |
| Physical Description          | Liquid |
| Stream Consistency            | Yes No |
| Oil in Sample?                | Yes No |
| Temperature (F)               | 69.8   |
| Conductivity                  | 39.90  |
| % Solids                      | 1.109% |
| Turbidity                     | Yes No |
| Color                         | Brown  |
| TSS (%)                       | 0.1%   |
| Radiation Screen (as needed)  | —      |
| Lab Signature/Initials        | LS     |

Compatible w/ 105192601  
 0.9038  
 1.9204  
 0.9251



## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05/19/2026   |
| Receiving ID#          | I05192603    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 15:00        |
| Time out               |              |
| Received by            | Alexis Scott |
| Sampled by             | mm/mm        |

SST-2

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | Y w/ I05192602 |
| PCBs (ppm) (Oily Waste Only)? |                |
| TCC ppm (CC Waste Only)?      |                |
| Flash Point (F)               | 540            |
| OH (S.U.)                     | 7              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.02           |
| Physical Description          | Liquid         |
| Stream Consistency            | Yes No         |
| Oil in Sample?                | Yes (No)       |
| Temperature (F)               | 72.6           |
| Conductivity                  | 93.19          |
| % Solids                      | 2.585          |
| Turbidity                     | Yes No         |
| Color                         | Brown          |
| TSS (%)                       | 0.1            |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | Ally sp        |

0.9079  
1.9313  
0.9631

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05/19/2026   |
| Receiving ID#          | I05192604    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 18:45        |
| Time out               |              |
| Received by            | Alexis Scott |
| Sampled by             | Dalton H.    |

SST-1

| LAB INFORMATION               |              |
|-------------------------------|--------------|
| Compatible? (RT# )            | YW/I05192603 |
| PCBs (ppm) (Oily Waste Only)? |              |
| TOC ppm (CC Waste Only)?      |              |
| Flash Point (F)               | 5140         |
| pH (S.U.)                     | 8            |
| Cyanides? (mg/L)              |              |
| Sulfides? (ppm)?              |              |
| Specific Gravity              | 1.0735       |
| Physical Description          | Liquid       |
| Stream Consistency            | Yes No       |
| Oil in Sample?                | Yes No       |
| Temperature (F)               | 76.0         |
| Conductivity                  | 234.1        |
| % Solids                      | 3.195        |
| Turbidity                     | Yes No       |
| Color                         | Brown        |
| TSS (%)                       | 0.1          |
| Radiation Screen (as needed)  |              |
| Lab Signature/Initials        | Alt 87       |

0.9093  
1.9965  
0.9731

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05/19/2026   |
| Receiving ID#          | I05192605    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 21:07        |
| Time out               |              |
| Received by            | Alexis Scalf |
| Sampled by             | Dalton M.    |

SST-1

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | Y W/ I05192604 |
| PCBs (ppm) (Oily Waste Only)? |                |
| TCC ppm (CC Waste Only)?      |                |
| Flash Point (F)               | >140           |
| pH (S.U.)                     | 8              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.0735         |
| Physical Description          | liquid         |
| Stream Consistency            | Yes No         |
| Oil in Sample?                | Yes No         |
| Temperature (F)               | 74.7           |
| Conductivity                  | 1167.7         |
| % Solids                      | 3.035          |
| Turbidity                     | Yes No         |
| Color                         | Brown          |
| TSS (%)                       | 0.1            |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | AS             |

0.9054  
1.9701  
0.9652



## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |                |
|------------------------|----------------|
| Date                   | 05/20/2026     |
| Receiving ID#          | 105202601      |
| Manifest #             | Line           |
| Land Ban Cert included | Yes No         |
| EGT Approval #         |                |
| Generator              |                |
| Client                 |                |
| Transporter            |                |
| Time in                | 0545           |
| Time out               |                |
| Received by            | DM US          |
| Sampled by             | Justin Gilmore |

SET-2

| LAB INFORMATION               |             |
|-------------------------------|-------------|
| Compatible? (RT#)             | Leachate    |
| PCBs (ppm) (Oily Waste Only)? | N/A         |
| TOC ppm (CC Waste Only)?      | N/A         |
| Flash Point (F)               | <140        |
| pH (S.U.)                     | 7           |
| Cyanides? (mg/L)              | —           |
| Sulfides? (ppm)?              | —           |
| Specific Gravity              | 1.068 1.015 |
| Physical Description          | 1.50 d      |
| Stream Consistency            | Yes No      |
| Oil in Sample?                | Yes No      |
| Temperature (F)               | 66 F        |
| Conductivity                  | 105.0       |
| % Solids                      | 3.587%      |
| Turbidity                     | Yes No      |
| Color                         | Brown       |
| TSS (%)                       | 1%          |
| Radiation Screen (as needed)  |             |
| Lab Signature/Initials        | DM US       |

compatible w/ 105192605

0.9029

1.93A8

0.9725



## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |            |
|------------------------|------------|
| Date                   | 05/26/2026 |
| Receiving ID#          | 105202602  |
| Manifest #             | Line       |
| Land Ban Cert included | Yes No     |
| EGT Approval #         |            |
| Generator              |            |
| Client                 |            |
| Transporter            |            |
| Time in                | 9:11       |
| Time out               |            |
| Received by            | LS         |
| Sampled by             | Mani Mani  |

SST-2

| LAB INFORMATION               |          |
|-------------------------------|----------|
| Compatible? (RT# )            |          |
| PCBs (ppm) (Oily Waste Only)? | —        |
| TOC ppm (CC Waste Only)?      | —        |
| Flash Point (F)               | >140     |
| pH (S.U.)                     | 7        |
| Cyanides? (mg/L)              | —        |
| Sulfides? (ppm)?              | —        |
| Specific Gravity              | 1.0163   |
| Physical Description          | Liquid   |
| Stream Consistency            | (Yes) No |
| Oil in Sample?                | Yes (No) |
| Temperature (F)               | 64.5 F   |
| Conductivity                  | 73.05    |
| % Solids                      | 2.2531   |
| Turbidity                     | (Yes) No |
| Color                         | Brown    |
| TSS (%)                       | 0.5%     |
| Radiation Screen (as needed)  |          |
| Lab Signature/Initials        | LS       |

Compatible w/ 105202601

+0.016

0.9128

1.9082

0.9558

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |            |
|------------------------|------------|
| Date                   | 05/20/2026 |
| Receiving ID#          | 105202603  |
| Manifest #             | Line       |
| Land Ban Cert included | Yes No     |
| EST Approval #         |            |
| Generator              |            |
| Client                 |            |
| Transporter            |            |
| Time in                | 12:03      |
| Time out               |            |
| Received by            | LS         |
| Sampled by             | Man / Man  |

SST-2

| LAB INFORMATION               |        |
|-------------------------------|--------|
| Compatible? (RT# )            |        |
| PCBs (ppm) (Oily Waste Only)? | N/A    |
| TOC ppm (CC Waste Only)?      | NA     |
| Flash Point (F)               | 7140   |
| pH (S.U.)                     | 7      |
| Cyanides? (mg/L)              |        |
| Sulfides? (ppm)?              |        |
| Specific Gravity              | 1.0219 |
| Physical Description          | liquid |
| Stream Consistency            | Yes No |
| Oil in Sample?                | Yes No |
| Temperature (F)               | 64.7   |
| Conductivity                  | 100.2  |
| % Solids                      | 3.439% |
| Turbidity                     | Yes No |
| Color                         | Brown  |
| TSS (%)                       | 0.1%   |
| Radiation Screen (as needed)  |        |
| Lab Signature/Initials        | LS     |

Compatible w/ 105202603

0.9108  
1.9303  
0.0774

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05/26/2026   |
| Receiving ID#          | I05202604    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 14:54        |
| Time out               |              |
| Received by            | Alexis Scalf |
| Sampled by             | Monte Monte  |

SST-2

| LAB INFORMATION               |                 |
|-------------------------------|-----------------|
| Compatible? (RT# )            | Y W / I05202603 |
| PCBs (ppm) (Oily Waste Only)? |                 |
| TOC ppm (CC Waste Only)?      |                 |
| Flash Point (F)               | >140            |
| pH (S.U.)                     | 8               |
| Cyanides? (mg/L)              |                 |
| Sulfides? (ppm)?              |                 |
| Specific Gravity              | 1.03            |
| Physical Description          | Liquid          |
| Stream Consistency            | Yes No          |
| Oil in Sample?                | Yes No          |
| Temperature (F)               | 62.7            |
| Conductivity                  | 161.89          |
| % Solids                      | 1.869           |
| Turbidity                     | Yes No          |
| Color                         | Brown           |
| TSS (%)                       | 0.25            |
| Radiation Screen (as needed)  |                 |
| Lab Signature/Initials        | AS              |

0.9101  
1.9308  
0.9462



## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |                |
|------------------------|----------------|
| Date                   | 05/21/2026     |
| Receiving ID#          | 105202601      |
| Manifest #             | Line           |
| Land Ban Cert included | Yes No         |
| EGT Approval #         |                |
| Generator              |                |
| Client                 |                |
| Transporter            |                |
| Time in                | 0624           |
| Time out               |                |
| Received by            | LS             |
| Sampled by             | Justin G. Gage |

SST-1

| LAB INFORMATION               |        |
|-------------------------------|--------|
| Compatible? (RT# )            |        |
| PCBs (ppm) (Oily Waste Only)? | N/A    |
| TOC ppm (CC Waste Only)?      | N/A    |
| Flash Point (F)               | >140   |
| pH (S.U.)                     | 1      |
| Cyanides? (mg/L)              | —      |
| Sulfides? (ppm)?              | —      |
| Specific Gravity              | 1.0379 |
| Physical Description          | liquid |
| Stream Consistency            | Yes No |
| Oil in Sample?                | Yes No |
| Temperature (F)               | 61.5 F |
| Conductivity                  | 107.1  |
| % Solids                      | 5.29%  |
| Turbidity                     | Yes No |
| Color                         | Brown  |
| TSS (%)                       | 0.5%   |
| Radiation Screen (as needed)  |        |
| Lab Signature/Initials        | LS     |

Compatible w/ 105202604  
 0.9039  
 1.9704  
 1.0083



# FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING & APPROVAL FORM

| RECEIVING INFORMATION  |                    |
|------------------------|--------------------|
| Date                   | 05/21/2026         |
| Receiving ID#          | I05212602          |
| Manifest #             | Line               |
| Land Ban Cert included | Yes No             |
| EGT Approval #         |                    |
| Generator              |                    |
| Client                 |                    |
| Transporter            |                    |
| Time in                | 10:59              |
| Time out               |                    |
| Received by            | <i>[Signature]</i> |
| Sampled by             | <i>[Signature]</i> |

SST-1

0.9049  
1.9234  
1.0224

| LAB INFORMATION               |                    |
|-------------------------------|--------------------|
| Compatible? (RT# )            |                    |
| PCBs (ppm) (Oily Waste Only)? | N/A                |
| CC ppm (CC Waste Only)?       | N/A                |
| Flash Point (F)               | >140               |
| pH (S.U.)                     | 8                  |
| Cyanides? (mg/L)              |                    |
| Sulfides? (ppm)?              |                    |
| Specific Gravity              | 1.0559             |
| Physical Description          | Liquid             |
| Stream Consistency            | Yes No             |
| Oil in Sample?                | Yes (No)           |
| Temperature (F)               | 65.6 F             |
| Conductivity                  | 106.9              |
| % Solids                      | 0.108              |
| Turbidity                     | Yes No             |
| Color                         | Brown              |
| TSS (%)                       | 1.0                |
| Radiation Screen (as needed)  |                    |
| Lab Signature/Initials        | <i>[Signature]</i> |

4 w/ I05212601

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |            |
|------------------------|------------|
| Date                   | 05/21/2026 |
| Receiving ID#          | 105212603  |
| Manifest #             | Line       |
| Land Ban Cert included | Yes No     |
| EGT Approval #         |            |
| Generator              |            |
| Client                 |            |
| Transporter            |            |
| Time in                | 13:22      |
| Time out               |            |
| Received by            | LS         |
| Sampled by             | Jando Lue  |

SST-2

| LAB INFORMATION               |             |
|-------------------------------|-------------|
| Compatible? (RT# )            |             |
| PCBs (ppm) (Oily Waste Only)? | N/A         |
| TOC ppm (CC Waste Only)?      | N/A         |
| Flash Point (F)               | 7140        |
| pH (S.U.)                     | 7           |
| Cyanides? (mg/L)              |             |
| Sulfides? (ppm)?              |             |
| Specific Gravity              | 1.0041      |
| Physical Description          | liquid      |
| Stream Consistency            | Yes No      |
| Oil in Sample?                | Yes No      |
| Temperature (F)               | 65.9°F      |
| Conductivity                  | 73.88       |
| % Solids                      | 2.33%       |
| Turbidity                     | Yes No      |
| Color                         | Brown       |
| TSS (%)                       | 0.25%       |
| Radiation Screen (as needed)  | LS 05/21/26 |
| Lab Signature/Initials        | LS          |

Compatible w/ 105212602

0.9037

1.9270

0.9487

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05/21 /2026  |
| Receiving ID#          | I-5212604    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 17:00        |
| Time out               |              |
| Received by            | Alexis Scalf |
| Sampled by             | Dalton M     |

SST-1

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | Y w/ I-5212603 |
| PCBs (ppm) (Oily Waste Only)? |                |
| TOC ppm (CC Waste Only)?      |                |
| Flash Point (F)               | >140           |
| pH (S.U.)                     | 1              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.0769         |
| Physical Description          | liquid         |
| Stream Consistency            | Yes No         |
| Oil in Sample?                | Yes No         |
| Temperature (F)               | 68.6           |
| Conductivity                  | 118.4          |
| % Solids                      | 5.703          |
| Turbidity                     | Yes No         |
| Color                         | Brown          |
| TSS (%)                       | 0.5            |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | ALY ST         |

0.9086  
1.9971  
1.0225



## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |             |
|------------------------|-------------|
| Date                   | 05/21/2026  |
| Receiving ID#          | 105212605   |
| Manifest #             | Line        |
| Land Ban Cert included | Yes No      |
| EGT Approval #         |             |
| Generator              |             |
| Client                 |             |
| Transporter            |             |
| Time in                | 20:17       |
| Time out               |             |
| Received by            | Alexis Self |
| Sampled by             | Colin H     |

SST-1

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | Y W/ 105212604 |
| PCBs (ppm) (Oily Waste Only)? |                |
| TOC ppm (CC Waste Only)?      |                |
| Flash Point (F)               | 5140           |
| pH (S.U.)                     | 1              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.0636         |
| Physical Description          | Liquid         |
| Stream Consistency            | Yes No         |
| Oil in Sample?                | Yes No         |
| Temperature (F)               | 67.8           |
| Conductivity                  | 138.7          |
| % Solids                      | 3.381          |
| Turbidity                     | Yes No         |
| Color                         | Brown          |
| TSS (%)                       | 1.0%           |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | AS             |

0.9095  
1.9930  
0.9769



# FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING & APPROVAL FORM

| RECEIVING INFORMATION  |            |
|------------------------|------------|
| Date                   | 05/22/2026 |
| Receiving ID#          | 105222605  |
| Manifest #             | Line       |
| Land Ban Cert included | Yes No     |
| EGT Approval #         |            |
| Generator              |            |
| Client                 |            |
| Transporter            |            |
| Time in                | 13:08      |
| Time out               |            |
| Received by            | IS         |
| Sampled by             | Munt MA    |

SST-2

| LAB INFORMATION               |        |
|-------------------------------|--------|
| Compatible? (RT# )            |        |
| PCBs (ppm) (Oily Waste Only)? | NA     |
| TOC ppm (CC Waste Only)?      | NA     |
| Flash Point (F)               | 7140   |
| pH (S.U.)                     | 7      |
| Cyanides? (mg/L)              | —      |
| Sulfides? (ppm)?              | —      |
| Specific Gravity              | 1.0495 |
| Physical Description          | liquid |
| Stream Consistency            | Yes No |
| Oil in Sample?                | Yes No |
| Temperature (F)               | 65.4   |
| Conductivity                  | 135.3  |
| % Solids                      | 7.29 % |
| Turbidity                     | Yes No |
| Color                         | Brown  |
| TSS (%)                       | 0.1 %  |
| Radiation Screen (as needed)  | —      |
| Lab Signature/Initials        | IS     |

compatible w/ 105222604

0.9086  
1.9392  
1.0500

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |            |
|------------------------|------------|
| Date                   | 05/22/2026 |
| Receiving ID#          | 105222604  |
| Manifest #             | Line       |
| Land Ban Cert included | Yes No     |
| EGT Approval #         |            |
| Generator              |            |
| Client                 |            |
| Transporter            |            |
| Time in                | 10:47      |
| Time out               |            |
| Received by            | LS         |
| Sampled by             | Jacob Lie  |

SST-2

| LAB INFORMATION               |          |
|-------------------------------|----------|
| Compatible? (RT# )            |          |
| PCBs (ppm) (Oily Waste Only)? | NA       |
| TOC ppm (CC Waste Only)?      | NA       |
| Flash Point (F)               | 7140     |
| OH (S.U.)                     | 87       |
| Cyanides? (mg/L)              | —        |
| Sulfides? (ppm)?              | —        |
| Specific Gravity              | 1.0547   |
| Physical Description          | liquid   |
| Stream Consistency            | (Yes) No |
| Oil in Sample?                | Yes (No) |
| Temperature (F)               | 66.5     |
| Conductivity                  | 136.9    |
| % Solids                      | 7.553%   |
| Turbidity                     | (Yes) No |
| Color                         | Brown    |
| TSS (%)                       | 0.1%     |
| Radiation Screen (as needed)  | —        |
| Lab Signature/Initials        | LS       |

compatible 105222603

0.9029

1.9451

1.0576

7.9533

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |            |
|------------------------|------------|
| Date                   | 05/22/2026 |
| Receiving ID#          | 105222603  |
| Manifest #             | Line       |
| Land Ban Cert included | Yes No     |
| EGT Approval #         |            |
| Generator              |            |
| Client                 |            |
| Transporter            |            |
| Time in                | 9:02       |
| Time out               |            |
| Received by            | LS         |
| Sampled by             | Mmm/ Mm    |

SST-2

| LAB INFORMATION               |        |
|-------------------------------|--------|
| Compatible? (RT# )            |        |
| PCBs (ppm) (Oily Waste Only)? | N/A    |
| TOC ppm (CC Waste Only)?      | N/A    |
| Flash Point (F)               | >140   |
| pH (S.U.)                     | 7      |
| Cyanides? (mg/L)              | —      |
| Sulfides? (ppm)?              | —      |
| Specific Gravity              | 1.0573 |
| Physical Description          | liquid |
| Stream Consistency            | Yes No |
| Oil in Sample?                | Yes No |
| Temperature (F)               | 64.6 F |
| Conductivity                  | 134.0  |
| % Solids                      | 5.20%  |
| Turbidity                     | Yes No |
| Color                         | Brown  |
| TSS (%)                       | 0.25%  |
| Radiation Screen (as needed)  | —      |
| Lab Signature/Initials        | LS     |

Compatible w/ 105222602

0.9061

1.9512

1.0077



## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |                  |
|------------------------|------------------|
| Date                   | 05/22/2026       |
| Receiving ID#          | 105222601        |
| Manifest #             | Line             |
| Land Ban Cert included | Yes No           |
| EGT Approval #         |                  |
| Generator              |                  |
| Client                 |                  |
| Transporter            |                  |
| Time in                | 0657             |
| Time out               |                  |
| Received by            | IS               |
| Sampled by             | Justin Colangelo |

SST-2

| LAB INFORMATION               |         |
|-------------------------------|---------|
| Compatible? (RT# )            |         |
| PCBs (ppm) (Oily Waste Only)? | N/A     |
| TOC ppm (CC Waste Only)?      | N/A     |
| Flash Point (F)               | >140    |
| pH (S.U.)                     | 7       |
| Cyanides? (mg/L)              | —       |
| Sulfides? (ppm)?              | —       |
| Specific Gravity              | 1.0339  |
| Physical Description          | 1.000°C |
| Stream Consistency            | Yes No  |
| Oil in Sample?                | Yes No  |
| Temperature (F)               | 64.9°F  |
| Conductivity                  | 126.1   |
| % Solids                      | 5.83%   |
| Turbidity                     | Yes No  |
| Color                         | brown   |
| TSS (%)                       | 0.25%   |
| Radiation Screen (as needed)  | —       |
| Lab Signature/Initials        | IS      |

Compatible w/ 105222601

0.9052

1.9429

1.0185



## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |                     |
|------------------------|---------------------|
| Date                   | 05/20/2026          |
| Receiving ID#          | 105222602           |
| Manifest #             | Line                |
| Land Ban Cert included | Yes No              |
| EGT Approval #         |                     |
| Generator              |                     |
| Client                 |                     |
| Transporter            |                     |
| Time in                | 0434                |
| Time out               |                     |
| Received by            | Justin C. Gagliardi |
| Sampled by             | Vern Hutton         |

SST-2

1. 9271

. 9062

| LAB INFORMATION               |        |
|-------------------------------|--------|
| Compatible? (RT# )            | Y      |
| PCBs (ppm) (Oily Waste Only)? | N/A    |
| TOC ppm (CC Waste Only)?      |        |
| Flash Point (F)               | 5140   |
| pH (S.U.)                     | 7      |
| Cyanides? (mg/L)              | NA     |
| Sulfides? (ppm)?              | NA     |
| Specific Gravity              | 1.01   |
| Physical Description          | Liquid |
| Stream Consistency            | Yes No |
| Oil in Sample?                | Yes No |
| Temperature (F)               | 62.5   |
| Conductivity                  | 118.1  |
| % Solids                      | 5.064  |
| Turbidity                     | Yes No |
| Color                         | Brown  |
| TSS (%)                       | 0.1    |
| Radiation Screen (as needed)  | Neg    |
| Lab Signature/Initials        | JSC    |

Compatible w/ 105222602

1. 0038

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |             |
|------------------------|-------------|
| Date                   | 05/22/2026  |
| Receiving ID#          | 105222607   |
| Manifest #             | Line        |
| Land Ban Cert included | Yes No      |
| EGT Approval #         |             |
| Generator              |             |
| Client                 |             |
| Transporter            |             |
| Time in                | 21:14       |
| Time out               |             |
| Received by            | Alvis Scalf |
| Sampled by             | Dalton M.   |

SST-1

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | Y W/ 105222606 |
| PCBs (ppm) (Oily Waste Only)? |                |
| TOC ppm (CC Waste Only)?      |                |
| Flash Point (F)               | 2140           |
| pH (S.U.)                     | 1              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.0574         |
| Physical Description          | Liquid         |
| Stream Consistency            | Yes No         |
| Oil in Sample?                | Yes No         |
| Temperature (F)               | 65.5           |
| Conductivity                  | 191.4          |
| % Solids                      | 3.04           |
| Turbidity                     | Yes No         |
| Color                         | Green          |
| TSS (%)                       | 0.1            |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | 4/8            |

0.9047  
1.9372  
0.9636

## FINGERPRINT FORM

REPUBLIC INDUSTRIAL AND ENERGY SOLUTIONS, LLC

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |             |
|------------------------|-------------|
| Date                   | 05/26/2026  |
| Receiving ID#          | F05262601   |
| Manifest #             | Line        |
| Land Ban Cert included | Yes No      |
| EGT Approval #         |             |
| Generator              |             |
| Client                 |             |
| Transporter            |             |
| Time in                | 0628        |
| Time out               |             |
| Received by            | LS          |
| Sampled by             | José Glazco |

SST-7

| LAB INFORMATION               |          |
|-------------------------------|----------|
| Compatible? (RT# )            |          |
| PCBs (ppm) (Oily Waste Only)? | NA       |
| TOC ppm (CC Waste Only)?      | NA       |
| Flash Point (F)               | 7140     |
| pH (S.U.)                     | 8.7      |
| Cyanides? (mg/L)              | —        |
| Sulfides? (ppm)?              | —        |
| Specific Gravity              | 1.0232   |
| Physical Description          | Liquid   |
| Stream Consistency            | (Yes) No |
| Oil in Sample?                | Yes (No) |
| Temperature (F)               | 64.2 F   |
| Conductivity                  | 90.52    |
| % Solids                      | 3.38%    |
| Turbidity                     | (Yes) No |
| Color                         | Brown    |
| TSS (%)                       | 0.1%     |
| Radiation Screen (as needed)  | —        |
| Lab Signature/Initials        | LS       |

Compatible w/ 10222607

0.9004

1.9257

0.0656



## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |           |
|------------------------|-----------|
| Date                   | 5-26-26   |
| Receiving ID#          | 105262602 |
| Manifest #             | Line      |
| Land Ban Cert included | Yes No    |
| EGT Approval #         |           |
| Generator              |           |
| Client                 |           |
| Transporter            |           |
| Time in                | 09:10     |
| Time out               |           |
| Received by            | LS        |
| Sampled by             | Jack Line |

SST-2

| LAB INFORMATION               |          |
|-------------------------------|----------|
| Compatible? (RT# )            |          |
| PCBs (ppm) (Oily Waste Only)? | NA       |
| TOC ppm (CC Waste Only)?      | NA       |
| Flash Point (F)               | 7140     |
| pH (S.U.)                     | 7        |
| Cyanides? (mg/L)              | —        |
| Sulfides? (ppm)?              | —        |
| Specific Gravity              | 0.9935   |
| Physical Description          | liquid   |
| Stream Consistency            | (Yes) No |
| Oil in Sample?                | Yes (No) |
| Temperature (F)               | 65.3 F   |
| Conductivity                  | 76.93    |
| % Solids                      | 2.43%    |
| Turbidity                     | (Yes) No |
| Color                         | Brown    |
| TSS (%)                       | 0.1%     |
| Radiation Screen (as needed)  | NA       |
| Lab Signature/Initials        | LS       |

compatible w 105262602

0.9123  
1.9208  
0.9590



## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |           |
|------------------------|-----------|
| Date                   | 5-26-26   |
| Receiving ID#          | 105262603 |
| Manifest #             | Line      |
| Land Ban Cert included | Yes No    |
| EGT Approval #         |           |
| Generator              |           |
| Client                 |           |
| Transporter            |           |
| Time in                | 13:47     |
| Time out               |           |
| Received by            | IS        |
| Sampled by             | MM/MA     |

SST-2

| LAB INFORMATION               |                     |
|-------------------------------|---------------------|
| Compatible? (RT# )            |                     |
| PCBs (ppm) (Oily Waste Only)? | NA                  |
| TOC ppm (CC Waste Only)?      | NA                  |
| Flash Point (F)               | 7100                |
| pH (S.U.)                     | 7                   |
| Cyanides? (mg/L)              | —                   |
| Sulfides? (ppm)?              | —                   |
| Specific Gravity              | 0.9920              |
| Physical Description          | liquid              |
| Stream Consistency            | Yes No              |
| Oil in Sample?                | Yes (No)            |
| Temperature (F)               | 68.3 F              |
| Conductivity                  | 100.3               |
| % Solids                      | 3.22                |
| Turbidity                     | Yes No              |
| Color                         | Brown               |
| TSS (%)                       | <del>3.22</del> 0.1 |
| Radiation Screen (as needed)  | —                   |
| Lab Signature/Initials        | IS                  |

compatible w/ 105262602

0.9154

1.8852

0.9762

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |            |
|------------------------|------------|
| Date                   | 5-26-26    |
| Receiving ID#          | 205262604  |
| Manifest #             | Line       |
| Land Ban Cert included | Yes No     |
| EGT Approval #         |            |
| Generator              |            |
| Client                 |            |
| Transporter            |            |
| Time in                | 16:34      |
| Time out               |            |
| Received by            | Axis Scalf |
| Sampled by             | Dutton M.  |

SST-1

| LAB INFORMATION               |                   |
|-------------------------------|-------------------|
| Compatible? (RT# )            | Y w/ 205262603    |
| PCBs (ppm) (Oily Waste Only)? | N/A               |
| TOC ppm (CC Waste Only)?      |                   |
| Flash Point (F)               | 5140              |
| pH (S.U.)                     | 1                 |
| Cyanides? (mg/L)              |                   |
| Sulfides? (ppm)?              |                   |
| Specific Gravity              | 0.9024            |
| Physical Description          | liquid            |
| Stream Consistency            | Yes No            |
| Oil in Sample?                | Yes <del>No</del> |
| Temperature (F)               | 70.4              |
| Conductivity                  | 160.3             |
| % Solids                      | 2.371             |
| Turbidity                     | Yes No            |
| Color                         | Green             |
| TSS (%)                       | 0.1               |
| Radiation Screen (as needed)  |                   |
| Lab Signature/Initials        | At 57             |

0.9137  
1.8386  
0.9573

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05-26-26     |
| Receiving ID#          | I05262605    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 22:21        |
| Time out               |              |
| Received by            | Alexis Scalf |
| Sampled by             | Colm 17      |

SST-1

| LAB INFORMATION               |               |
|-------------------------------|---------------|
| Compatible? (RT# )            | Y W1-65262604 |
| PCBs (ppm) (Oily Waste Only)? |               |
| TOC ppm (CC Waste Only)?      |               |
| Flash Point (F)               | >140          |
| pH (S.U.)                     | 1             |
| Cyanides? (mg/L)              |               |
| Sulfides? (ppm)?              |               |
| Specific Gravity              | 1.0248        |
| Physical Description          | liquid        |
| Stream Consistency            | (Yes) No      |
| Oil in Sample?                | Yes (No)      |
| Temperature (F)               | 69.4          |
| Conductivity                  | 133.4         |
| % Solids                      | 2.078         |
| Turbidity                     | (Yes) No      |
| Color                         | Green         |
| TSS (%)                       | 0.1           |
| Radiation Screen (as needed)  |               |
| Lab Signature/Initials        | AH SJ         |

0.9156  
1.9680  
0.9565

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |            |
|------------------------|------------|
| Date                   | 05-27-26   |
| Receiving ID#          | 105272601  |
| Manifest #             | Line       |
| Land Ban Cert included | Yes No     |
| EGT Approval #         |            |
| Generator              |            |
| Client                 |            |
| Transporter            |            |
| Time in                | 06:43      |
| Time out               |            |
| Received by            | LS         |
| Sampled by             | Jacob Line |

SST-1

| LAB INFORMATION               |          |
|-------------------------------|----------|
| Compatible? (RT# )            |          |
| PCBs (ppm) (Oily Waste Only)? | NA       |
| TOC ppm (CC Waste Only)?      | NA       |
| Flash Point (F)               | >140     |
| pH (S.U.)                     | 1        |
| Cyanides? (mg/L)              | —        |
| Sulfides? (ppm)?              | —        |
| Specific Gravity              | 1.0162   |
| Physical Description          | liquid   |
| Stream Consistency            | (Yes) No |
| Oil in Sample?                | Yes (No) |
| Temperature (F)               | 67.3 F   |
| Conductivity                  | 162.4    |
| % Solids                      | 3.49%    |
| Turbidity                     | (Yes) No |
| Color                         | Brown    |
| TSS (%)                       | 0.25%    |
| Radiation Screen (as needed)  | —        |
| Lab Signature/Initials        | LS       |

compatible w/ 105262605

0.9124

1.9269

0.9799



## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |           |
|------------------------|-----------|
| Date                   | 5-27-26   |
| Receiving ID#          | 105272602 |
| Manifest #             | Line      |
| Land Ban Cert included | Yes No    |
| EGT Approval #         |           |
| Generator              |           |
| Client                 |           |
| Transporter            |           |
| Time in                | 12:18     |
| Time out               |           |
| Received by            | LS        |
| Sampled by             | Murphy    |

SST-2

| LAB INFORMATION               |          |
|-------------------------------|----------|
| Compatible? (RT# )            |          |
| PCBs (ppm) (Oily Waste Only)? | NA       |
| TOC ppm (CC Waste Only)?      | NA       |
| Flash Point (F)               | 7140     |
| pH (S.U.)                     | 7        |
| Cyanides? (mg/L)              | —        |
| Sulfides? (ppm)?              | —        |
| Specific Gravity              | 1.0417   |
| Physical Description          | liquid   |
| Stream Consistency            | Yes No   |
| Oil in Sample?                | Yes No   |
| Temperature (F)               | 68.6°F   |
| Conductivity                  | 87.32 mS |
| % Solids                      | 2.85%    |
| Turbidity                     | Yes No   |
| Color                         | Amber    |
| TSS (%)                       | 0.1%     |
| Radiation Screen (as needed)  | —        |
| Lab Signature/Initials        | LS       |

compatible w/ 105272601

0.8094  
1.9294  
0.9645

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 5-27-20      |
| Receiving ID#          | EOS272603    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 14:44        |
| Time out               |              |
| Received by            | Alexis Scalf |
| Sampled by             | M. M. M.     |

65T-2

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | Y W/ EOS272602 |
| PCBs (ppm) (Oily Waste Only)? |                |
| TOC ppm (CC Waste Only)?      |                |
| Flash Point (F)               | >140           |
| pH (S.U.)                     | 7              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.0638         |
| Physical Description          | liquid         |
| Stream Consistency            | (Yes) No       |
| Oil in Sample?                | Yes (No)       |
| Temperature (F)               | 70.1           |
| Conductivity                  | 131.3          |
| % Solids                      | 4.80           |
| Turbidity                     | (Yes) No       |
| Color                         | Brown          |
| TSS (%)                       | 0.25           |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | AM             |

0.9132  
1.9770  
1.0081

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |             |
|------------------------|-------------|
| Date                   | 5-27-26     |
| Receiving ID#          | 105272604   |
| Manifest #             | Line        |
| Land Ban Cert included | Yes No      |
| EGT Approval #         |             |
| Generator              |             |
| Client                 |             |
| Transporter            |             |
| Time in                | 18:05       |
| Time out               |             |
| Received by            | Alexis Xalf |
| Sampled by             | Dallen M.   |

SST-1

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | Y w/ 105272603 |
| PCBs (ppm) (Oily Waste Only)? |                |
| TOC ppm (CC Waste Only)?      |                |
| Flash Point (F)               | 5140           |
| pH (S.U.)                     | 1              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.0821         |
| Physical Description          | liquid         |
| Stream Consistency            | (Yes) No       |
| Oil in Sample?                | Yes (NO)       |
| Temperature (F)               | 74.6           |
| Conductivity                  | 194.1          |
| % Solids                      | 3.978          |
| Turbidity                     | Yes No         |
| Color                         | Brown          |
| TSS (%)                       | 0.25           |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | AY SJ          |

0.9088  
2.0111  
0.9888

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 5-27-26      |
| Receiving ID#          | IOS272605    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 21:00        |
| Time out               |              |
| Received by            | Alexis Scelf |
| Sampled by             | Dalton M.    |

SST-1

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | Y w/ IOS272604 |
| PCBs (ppm) (Oily Waste Only)? |                |
| TOC ppm (CC Waste Only)?      |                |
| Flash Point (F)               | 3140           |
| pH (S.U.)                     | 1              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.0854         |
| Physical Description          | liquid         |
| Stream Consistency            | (Yes) No       |
| Oil in Sample?                | Yes (No)       |
| Temperature (F)               | 73.9           |
| Conductivity                  | 109.8          |
| % Solids                      | 0.096          |
| Turbidity                     | (Yes) No       |
| Color                         | Brown          |
| TSS (%)                       | 0.25           |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | AS             |

0.89031  
2.0111  
1.0100



## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |                  |
|------------------------|------------------|
| Date                   | 05-28-2026       |
| Receiving ID#          | 215282601        |
| Manifest #             | Line             |
| Land Ban Cert included | Yes No           |
| EGT Approval #         |                  |
| Generator              |                  |
| Client                 |                  |
| Transporter            |                  |
| Time in                | 0600             |
| Time out               |                  |
| Received by            | LS               |
| Sampled by             | Justin Colangelo |

SST-2

| LAB INFORMATION               |          |
|-------------------------------|----------|
| Compatible? (RT# )            |          |
| PCBs (ppm) (Oily Waste Only)? | NA       |
| TOC ppm (CC Waste Only)?      | NA       |
| Flash Point (F)               | 7140     |
| pH (S.U.)                     | 7        |
| Cyanides? (mg/L)              | —        |
| Sulfides? (ppm)?              | —        |
| Specific Gravity              | 1.0452   |
| Physical Description          | liquid   |
| Stream Consistency            | (Yes) No |
| Oil in Sample?                | Yes (No) |
| Temperature (F)               | 66.8°F   |
| Conductivity                  | 167.5 mS |
| % Solids                      | 10.29%   |
| Turbidity                     | (Yes) No |
| Color                         | Brown    |
| TSS (%)                       | 0.1%     |
| Radiation Screen (as needed)  | —        |
| Lab Signature/Initials        | LS       |

Compatible w/ 105272605

0.9028

1.9564

1.1046

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |            |
|------------------------|------------|
| Date                   | 05-28-2026 |
| Receiving ID#          | 105282602  |
| Manifest #             | Line       |
| Land Ban Cert included | Yes No     |
| EGT Approval #         |            |
| Generator              |            |
| Client                 |            |
| Transporter            |            |
| Time in                | 9:01       |
| Time out               |            |
| Received by            | LS         |
| Sampled by             | Mund M. A. |

SST-2

| LAB INFORMATION               |          |
|-------------------------------|----------|
| Compatible? (RT# )            |          |
| PCBs (ppm) (Oily Waste Only)? | NA       |
| TOC ppm (CC Waste Only)?      | NA       |
| Flash Point (F)               | 7140     |
| pH (S.U.)                     | 7        |
| Cyanides? (mg/L)              | —        |
| Sulfides? (ppm)?              | —        |
| Specific Gravity              | 1.0802   |
| Physical Description          | liquid   |
| Stream Consistency            | (Yes) No |
| Oil in Sample?                | Yes (No) |
| Temperature (F)               | 67.1°F   |
| Conductivity                  | 169.9 mS |
| % Solids                      | 6.34%    |
| Turbidity                     | (Yes) No |
| Color                         | Brown    |
| TSS (%)                       | 0.25%    |
| Radiation Screen (as needed)  | 5/25/26  |
| Lab Signature/Initials        | LS       |

Compatible w/ 105282601

0.9099  
1.9901  
1.0362

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |             |
|------------------------|-------------|
| Date                   | 05-28-2026  |
| Receiving ID#          | IOS 28 2603 |
| Manifest #             | Line        |
| Land Ban Cert included | Yes No      |
| EGT Approval #         |             |
| Generator              |             |
| Client                 |             |
| Transporter            |             |
| Time in                | 10:36       |
| Time out               |             |
| Received by            | LS          |
| Sampled by             | A. Warlick  |

SST-2

| LAB INFORMATION               |          |
|-------------------------------|----------|
| Compatible? (RT# )            |          |
| PCBs (ppm) (Oily Waste Only)? | NA       |
| TOC ppm (CC Waste Only)?      | NA       |
| Flash Point (F)               | 7140     |
| pH (S.U.)                     | 7        |
| Cyanides? (mg/L)              | —        |
| Sulfides? (ppm)?              | —        |
| Specific Gravity              | 1.0332   |
| Physical Description          | liquid   |
| Stream Consistency            | Yes No   |
| Oil in Sample?                | Yes (No) |
| Temperature (F)               | 67.4 F   |
| Conductivity                  | 118.5 mS |
| % Solids                      | 5.47%    |
| Turbidity                     | (Yes) No |
| Color                         | Brown    |
| TSS (%)                       | 0.1%     |
| Radiation Screen (as needed)  | —        |
| Lab Signature/Initials        | LS       |

Compatible w/ 10582602

0.9081

1.9325

1.0140

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05-28-2026   |
| Receiving ID#          | I05282604    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 12:53        |
| Time out               |              |
| Received by            | Alexis Scalf |
| Sampled by             | mm mt        |

SST-2

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | Y w/ I05282603 |
| PCBs (ppm) (Oily Waste Only)? | N/A            |
| TOC ppm (CC Waste Only)?      |                |
| Flash Point (F)               | >140           |
| pH (S.U.)                     | 8              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.0156         |
| Physical Description          | liquid         |
| Stream Consistency            | Yes No         |
| Oil in Sample?                | Yes No         |
| Temperature (F)               | 71.0           |
| Conductivity                  | 103.2          |
| % Solids                      | 3.313          |
| Turbidity                     | Yes No         |
| Color                         | Brown          |
| TSS (%)                       | 0.1            |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | Blusf          |

0.9075  
 1.9224  
~~1.9224~~  
 0.9712



## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05-28-2026   |
| Receiving ID#          | I05282605    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 15:09        |
| Time out               |              |
| Received by            | Alexis Scott |
| Sampled by             | MW/MW        |

SST-1

| LAB INFORMATION               |               |
|-------------------------------|---------------|
| Compatible? (RT# )            | Y W/I05282604 |
| PCBs (ppm) (Oily Waste Only)? |               |
| TOC ppm (CC Waste Only)?      |               |
| Flash Point (F)               | >140          |
| pH (S.U.)                     |               |
| Cyanides? (mg/L)              |               |
| Sulfides? (ppm)?              |               |
| Specific Gravity              | 1.0728        |
| Physical Description          | liquid        |
| Stream Consistency            | (Yes) No      |
| Oil in Sample?                | Yes No        |
| Temperature (F)               | 69.6          |
| Conductivity                  | 193.8         |
| % Solids                      | 4.631         |
| Turbidity                     | (Yes) No      |
| Color                         | Brown         |
| TSS (%)                       | 0.25          |
| Radiation Screen (as needed)  |               |
| Lab Signature/Initials        | AM SP         |

0.9129  
2.0080  
1.0059

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |             |
|------------------------|-------------|
| Date                   | 05-28-2026  |
| Receiving ID#          | 105282606   |
| Manifest #             | Line        |
| Land Ban Cert included | Yes No      |
| EGT Approval #         |             |
| Generator              |             |
| Client                 |             |
| Transporter            |             |
| Time in                | 28:00       |
| Time out               |             |
| Received by            | Alyis Scalf |
| Sampled by             | Dalton M.   |

SST-1

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | Y w/ 105282605 |
| PCBs (ppm) (Oily Waste Only)? | N/A            |
| TOC ppm (CC Waste Only)?      |                |
| Flash Point (F)               | 2140           |
| pH (S.U.)                     | 1              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.0493         |
| Physical Description          | liquid         |
| Stream Consistency            | Yes No         |
| Oil in Sample?                | Yes (No)       |
| Temperature (F)               | 71.8           |
| Conductivity                  | 197.5          |
| % Solids                      | 3.022          |
| Turbidity                     | Yes No         |
| Color                         | Brown          |
| TSS (%)                       | 0.25           |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | AY 87          |

0.9128  
1.9721  
0.924

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05-28-2026   |
| Receiving ID#          | I05282607    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 21:42        |
| Time out               |              |
| Received by            | Alexis Scalf |
| Sampled by             | J. Russell   |

SST-1

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | Y w/ I05282606 |
| PCBs (ppm) (Oily Waste Only)? | N/A            |
| TOC ppm (CC Waste Only)?      |                |
| Flash Point (F)               | >140           |
| pH (S.U.)                     | 1              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.0372         |
| Physical Description          | liquid         |
| Stream Consistency            | (Yes) No       |
| Oil in Sample?                | Yes (No)       |
| Temperature (F)               | 70.8           |
| Conductivity                  | 174.0          |
| % Solids                      | 2.739          |
| Turbidity                     | (Yes) No       |
| Color                         | Brown          |
| TSS (%)                       | 0.25           |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | AJ SJ          |

0.9096  
1.9711  
0.9636



## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |                  |
|------------------------|------------------|
| Date                   | 05-29-2026       |
| Receiving ID#          | 105297601        |
| Manifest #             | Line             |
| Land Ban Cert included | Yes No           |
| EGT Approval #         |                  |
| Generator              |                  |
| Client                 |                  |
| Transporter            |                  |
| Time in                | 0618             |
| Time out               |                  |
| Received by            | IS               |
| Sampled by             | Justin Colangelo |

SST-1

| LAB INFORMATION               |          |
|-------------------------------|----------|
| Compatible? (RT# )            |          |
| PCBs (ppm) (Oily Waste Only)? | NA       |
| TOC ppm (CC Waste Only)?      | NA       |
| Flash Point (F)               | 7140     |
| pH (S.U.)                     | 1        |
| Cyanides? (mg/L)              | —        |
| Sulfides? (ppm)?              | —        |
| Specific Gravity              | 1.0536   |
| Physical Description          | liquid   |
| Stream Consistency            | (Yes) No |
| Oil in Sample?                | Yes (No) |
| Temperature (F)               | 63.8°F   |
| Conductivity                  | 138.8    |
| % Solids                      | 3.81%    |
| Turbidity                     | (Yes) No |
| Color                         | Brown    |
| TSS (%)                       | 0.25%    |
| Radiation Screen (as needed)  | —        |
| Lab Signature/Initials        | IS       |

compatible w/ 105282607

0.9111  
1.9346  
0.9850



## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |            |
|------------------------|------------|
| Date                   | 05-29-2026 |
| Receiving ID#          | 105292602  |
| Manifest #             | Line       |
| Land Ban Cert included | Yes No     |
| EGT Approval #         |            |
| Generator              |            |
| Client                 |            |
| Transporter            |            |
| Time in                | 10:45      |
| Time out               |            |
| Received by            | LS         |
| Sampled by             | Jacob Line |

SST-2

| LAB INFORMATION               |          |
|-------------------------------|----------|
| Compatible? (RT# )            |          |
| PCBs (ppm) (Oily Waste Only)? | NA       |
| TOC ppm (CC Waste Only)?      | NA       |
| Flash Point (F)               | >140     |
| pH (S.U.)                     | 7        |
| Cyanides? (mg/L)              | —        |
| Sulfides? (ppm)?              | —        |
| Specific Gravity              | 1.0794   |
| Physical Description          | 1.000.0  |
| Stream Consistency            | Yes No   |
| Oil in Sample?                | Yes No   |
| Temperature (F)               | 68.2 F   |
| Conductivity                  | 112.6 mS |
| % Solids                      | 3.52%    |
| Turbidity                     | Yes No   |
| Color                         | Brown    |
| TSS (%)                       | 0.1%     |
| Radiation Screen (as needed)  | ✓        |
| Lab Signature/Initials        | LS       |

compatible w/ 105292601

0.0124

1.9381

0.9808

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |             |
|------------------------|-------------|
| Date                   | 05-29-2026  |
| Receiving ID#          | 105292603   |
| Manifest #             | Line        |
| Land Ban Cert included | Yes No      |
| EGT Approval #         |             |
| Generator              |             |
| Client                 |             |
| Transporter            |             |
| Time in                | 12:42       |
| Time out               |             |
| Received by            | Alexis Self |
| Sampled by             | Matt MATE   |

SST-1

| LAB INFORMATION               |               |
|-------------------------------|---------------|
| Compatible? (RT# )            | YW/ 105292602 |
| PCBs (ppm) (Oily Waste Only)? |               |
| TOC ppm (CC Waste Only)?      |               |
| Flash Point (F)               | >140          |
| pH (S.U.)                     | 1             |
| Cyanides? (mg/L)              |               |
| Sulfides? (ppm)?              |               |
| Specific Gravity              | 1.0195        |
| Physical Description          | Liquid        |
| Stream Consistency            | Yes No        |
| Oil in Sample?                | Yes (No)      |
| Temperature (F)               | 69.8          |
| Conductivity                  | 91.33         |
| % Solids                      | 2.669         |
| Turbidity                     | Yes No        |
| Color                         | Brown         |
| TSS (%)                       | 0.1           |
| Radiation Screen (as needed)  |               |
| Lab Signature/Initials        | AM            |

0.9130  
1.9251  
0.9644

## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |             |
|------------------------|-------------|
| Date                   | 5-29-2026   |
| Receiving ID#          | 105292604   |
| Manifest #             | Line        |
| Land Ban Cert included | Yes No      |
| EGT Approval #         |             |
| Generator              |             |
| Client                 |             |
| Transporter            |             |
| Time in                | 15:35       |
| Time out               |             |
| Received by            | Alvis Scalf |
| Sampled by             | Dalton M.   |

SST-2

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | Y w/ 105292603 |
| PCBs (ppm) (Oily Waste Only)? | N/A            |
| TOC ppm (CC Waste Only)?      |                |
| Flash Point (F)               | >140           |
| pH (S.U.)                     | 7              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.0554         |
| Physical Description          | liquid         |
| Stream Consistency            | Yes No         |
| Oil in Sample?                | Yes No         |
| Temperature (F)               | 69.9           |
| Conductivity                  | 142.0          |
| % Solids                      | 5.037          |
| Turbidity                     | Yes No         |
| Color                         | Brown          |
| TSS (%)                       | 0.25           |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | AM SP          |

0.9115  
1.9355  
1.0090



## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |             |
|------------------------|-------------|
| Date                   | 05-29-2026  |
| Receiving ID#          | 105292605   |
| Manifest #             | Line        |
| Land Ban Cert included | Yes No      |
| EGT Approval #         |             |
| Generator              |             |
| Client                 |             |
| Transporter            |             |
| Time in                |             |
| Time out               |             |
| Received by            | Alexis Salf |
| Sampled by             | J. HOSSELL  |

SST - 2

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | Y w/ 105292604 |
| PCBs (ppm) (Oily Waste Only)? | N/A            |
| TOC ppm (CC Waste Only)?      |                |
| Flash Point (F)               | 5140           |
| pH (S.U.)                     | 7              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.0632         |
| Physical Description          | liquid         |
| Stream Consistency            | Yes No         |
| Oil in Sample?                | Yes No         |
| Temperature (F)               | 70.2           |
| Conductivity                  | 1160.5         |
| % Solids                      | 5.754          |
| Turbidity                     | Yes No         |
| Color                         | Brown          |
| TSS (%)                       | 0.1            |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | Al/Sf          |

0.9100  
1.9705  
1.0234



## RECEIVING &amp; APPROVAL FORM

| RECEIVING INFORMATION  |              |
|------------------------|--------------|
| Date                   | 05-29-2026   |
| Receiving ID#          | I05292606    |
| Manifest #             | Line         |
| Land Ban Cert included | Yes No       |
| EGT Approval #         |              |
| Generator              |              |
| Client                 |              |
| Transporter            |              |
| Time in                | 20:28        |
| Time out               |              |
| Received by            | Alexis Scalf |
| Sampled by             | Colin H.     |

SST-1

| LAB INFORMATION               |                |
|-------------------------------|----------------|
| Compatible? (RT# )            | Y w/ I05292605 |
| PCBs (ppm) (Oily Waste Only)? | N/A            |
| TOC ppm (CC Waste Only)?      |                |
| Flash Point (F)               | >140           |
| pH (S.U.)                     | 1              |
| Cyanides? (mg/L)              |                |
| Sulfides? (ppm)?              |                |
| Specific Gravity              | 1.0188         |
| Physical Description          | liquid         |
| Stream Consistency            | (Yes) No       |
| Oil in Sample?                | Yes (No)       |
| Temperature (F)               | 71.6           |
| Conductivity                  | 68.75          |
| % Solids                      | 1.506          |
| Turbidity                     | (Yes) No       |
| Color                         | Brown          |
| TSS (%)                       | 0.25           |
| Radiation Screen (as needed)  |                |
| Lab Signature/Initials        | duf            |

0.9085  
1.9381  
0.9377



Sustainability in Action

UIC Permit Condition Part II.D.1. (i):

F039 Results

# ANALYTICAL REPORT

## PREPARED FOR

Attn: Jacob Thompson  
Republic Industrial and Energy Solutions  
28470 Citrin Dr  
Romulus, Michigan 48174

Generated 6/9/2026 12:50:29 PM

## JOB DESCRIPTION

Monthly Injectate Analysis - May

## JOB NUMBER

190-39897-1


# Eurofins Michigan

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

## Authorization



Generated  
6/9/2026 12:50:29 PM

Authorized for release by  
Debbie Olszowka, Project Manager II  
[Debbie.Olszowka@et.eurofinsus.com](mailto:Debbie.Olszowka@et.eurofinsus.com)  
(513)733-5700





# Table of Contents

|                                    |    |
|------------------------------------|----|
| Cover Page . . . . .               | 1  |
| Table of Contents . . . . .        | 3  |
| Sample Summary . . . . .           | 4  |
| Case Narrative . . . . .           | 5  |
| Client Sample Results . . . . .    | 7  |
| QC Sample Results . . . . .        | 8  |
| Definitions/Glossary . . . . .     | 11 |
| Chain of Custody . . . . .         | 12 |
| Isotope Dilution Summary . . . . . | 17 |

Sample Summary

Client: Republic Industrial and Energy Solutions  
Project/Site: Monthly Injectate Analysis - May

Job ID: 190-39897-1

| Lab Sample ID | Client Sample ID        | Matrix | Collected      | Received       | Sample Origin |
|---------------|-------------------------|--------|----------------|----------------|---------------|
| 190-39897-1   | Injectate Comp May 2026 | Water  | 06/01/26 08:00 | 06/01/26 13:45 | Michigan      |

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9

# Case Narrative

Client: Republic Industrial and Energy Solutions  
Project: Monthly Injectate Analysis - May

Job ID: 190-39897-1

**Job ID: 190-39897-1**

**Eurofins Michigan**

## Job Narrative 190-39897-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

### Receipt

The sample was received on 6/1/2026 1:45 PM. Unless otherwise noted below, the sample arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 9.4°C.

### GC/MS Semi VOA

Method 8270E: Due to the matrix, the initial volume(s) used for the following sample deviated from the standard procedure: Injectate Comp May 2026 (190-39897-1). The reporting limits (RLs) have been adjusted proportionately.

Method 8270E: The following sample formed emulsions during the extraction procedure: Injectate Comp May 2026 (190-39897-1). The emulsions were broken up using centrifugation.

Method 8270E: The continuing calibration verification (CCV) analyzed in batch 480-777227 was outside the method criteria for the following analyte(s): 2,4,6-Tribromophenol (Surr). A CCV standard at or below the reporting limit (RL) was analyzed with the affected samples and found to be acceptable. As indicated in the reference method, sample analysis may proceed; however, any detection for the affected analyte(s) is considered estimated.

Method 8270E: Six surrogates are used for this analysis. The laboratory's SOP allows one acid and one base of these surrogates to be outside acceptance criteria without performing re-extraction/re-analysis. The following sample contained an allowable number of surrogate compounds outside limits: Injectate Comp May 2026 (190-39897-1). These results have been reported and qualified.

Method 8270E: The following sample was diluted due to the nature of the sample matrix: Injectate Comp May 2026 (190-39897-1). Elevated reporting limits (RLs) are provided.

Method 8270E: The Laboratory Control Sample (LCS) for preparation batch 480-777057 and analytical batch 480-777227 recovered outside control limits for the following analyte(s): Tetraethyl lead. This compound is not part of the routine spike mix; therefore, re-extraction was not performed. The results have been reported and qualified. The following associated sample is impacted: Injectate Comp May 2026 (190-39897-1).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

### Pesticides

Method 8081B: Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with preparation batch 240-704423.

Method 8081B: The following samples required a tetrabutylammonium sulfite (TBA) clean-up to reduce matrix interferences caused by sulfur: Injectate Comp May 2026 (190-39897-1), (LCS 240-704423/2-A) and (MB 240-704423/1-A). The TBA-cleaned sample and associated prep batch QC have been affixed with an RA identifier.

Method 8081B: Surrogate recovery for the following sample was outside control limits: Injectate Comp May 2026 (190-39897-1). Re-extraction and re-analysis was performed and surrogate recovery was outside control limits.

Method 8081B: The Tetrachloro-m-xylene surrogate recovery for the following sample was outside acceptance limits (high biased) on the confirmation column due to matrix interference: Injectate Comp May 2026 (190-39897-1). The recovery is within

Eurofins Michigan

## Case Narrative

Client: Republic Industrial and Energy Solutions  
Project: Monthly Injectate Analysis - May

Job ID: 190-39897-1

---

### Job ID: 190-39897-1 (Continued)

**Eurofins Michigan**

---

acceptance limits on the other column, indicating that the extraction process was in control.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

#### **Dioxin**

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Michigan



# Client Sample Results

Client: Republic Industrial and Energy Solutions  
Project/Site: Monthly Injectate Analysis - May

Job ID: 190-39897-1

**Client Sample ID: Injectate Comp May 2026**

**Lab Sample ID: 190-39897-1**

**Date Collected: 06/01/26 08:00**

**Matrix: Water**

**Date Received: 06/01/26 13:45**

## Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

| Analyte              | Result | Qualifier | RL  | Unit | D | Prepared       | Analyzed       | Dil Fac |
|----------------------|--------|-----------|-----|------|---|----------------|----------------|---------|
| Benzidine            | <400   |           | 400 | ug/L |   | 06/03/26 09:10 | 06/04/26 21:20 | 10      |
| Nitrosodimethylamine | <200   |           | 200 | ug/L |   | 06/03/26 09:10 | 06/04/26 21:20 | 10      |
| Tetraethyl lead      | <200   | *-        | 200 | ug/L |   | 06/03/26 09:10 | 06/04/26 21:20 | 10      |

| Surrogate                   | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| Phenol-d5 (Surr)            | 43        |           | 31 - 120 | 06/03/26 09:10 | 06/04/26 21:20 | 10      |
| Nitrobenzene-d5 (Surr)      | 133       |           | 66 - 156 | 06/03/26 09:10 | 06/04/26 21:20 | 10      |
| 2-Fluorophenol (Surr)       | 46        | S1-       | 54 - 120 | 06/03/26 09:10 | 06/04/26 21:20 | 10      |
| 2,4,6-Tribromophenol (Surr) | 75        |           | 60 - 152 | 06/03/26 09:10 | 06/04/26 21:20 | 10      |
| p-Terphenyl-d14 (Surr)      | 76        |           | 45 - 132 | 06/03/26 09:10 | 06/04/26 21:20 | 10      |
| 2-Fluorobiphenyl (Surr)     | 78        |           | 60 - 126 | 06/03/26 09:10 | 06/04/26 21:20 | 10      |

## Method: SW846 8081B - Organochlorine Pesticides (GC) - RA

| Analyte | Result | Qualifier | RL    | Unit | D | Prepared       | Analyzed       | Dil Fac |
|---------|--------|-----------|-------|------|---|----------------|----------------|---------|
| Aldrin  | 0.048  |           | 0.046 | ug/L |   | 06/04/26 08:35 | 06/04/26 16:37 | 1       |

| Surrogate              | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|------------------------|-----------|-----------|----------|----------------|----------------|---------|
| DCB Decachlorobiphenyl | 4         | S1-       | 10 - 137 | 06/04/26 08:35 | 06/04/26 16:37 | 1       |
| Tetrachloro-m-xylene   | 59        | p         | 10 - 120 | 06/04/26 08:35 | 06/04/26 16:37 | 1       |

## Method: SW846 8290A - Dioxins and Furans (HRGC/HRMS)

| Analyte                                    | Result | Qualifier | RL  | EDL | Unit | D | Prepared       | Analyzed       | Dil Fac |
|--------------------------------------------|--------|-----------|-----|-----|------|---|----------------|----------------|---------|
| 1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin     | <46    |           | 46  |     | pg/L |   | 06/03/26 10:40 | 06/08/26 14:46 | 1       |
| 1,2,3,4,7,8-HxCDD                          | <46    |           | 46  |     | pg/L |   | 06/03/26 10:40 | 06/08/26 14:46 | 1       |
| 1,2,3,6,7,8-HxCDD                          | <46    |           | 46  |     | pg/L |   | 06/03/26 10:40 | 06/08/26 14:46 | 1       |
| 1,2,3,4,6,7,8,9-Octachlorodibenzofuran     | <91    |           | 91  |     | pg/L |   | 06/03/26 10:40 | 06/08/26 14:46 | 1       |
| 1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin | 490    |           | 91  |     | pg/L |   | 06/03/26 10:40 | 06/08/26 14:46 | 1       |
| 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) | <9.1   |           | 9.1 |     | pg/L |   | 06/03/26 10:40 | 06/08/26 14:46 | 1       |
| Total HxCDD                                | <46    |           | 46  |     | pg/L |   | 06/03/26 10:40 | 06/08/26 14:46 | 1       |
| Total TCDD                                 | <9.1   |           | 9.1 |     | pg/L |   | 06/03/26 10:40 | 06/08/26 14:46 | 1       |

| Isotope Dilution      | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|-----------------------|-----------|-----------|----------|----------------|----------------|---------|
| 13C-1,2,3,4,7,8-HxCDD | 54        |           | 40 - 135 | 06/03/26 10:40 | 06/08/26 14:46 | 1       |
| 13C-1,2,3,6,7,8-HxCDD | 58        |           | 40 - 135 | 06/03/26 10:40 | 06/08/26 14:46 | 1       |
| 13C-OCDD              | 52        |           | 40 - 135 | 06/03/26 10:40 | 06/08/26 14:46 | 1       |
| 13C-OCDF              | 53        |           | 40 - 135 | 06/03/26 10:40 | 06/08/26 14:46 | 1       |
| 13C-2,3,7,8-TCDD      | 59        |           | 40 - 135 | 06/03/26 10:40 | 06/08/26 14:46 | 1       |

Eurofins Michigan

# QC Sample Results

Client: Republic Industrial and Energy Solutions  
Project/Site: Monthly Injectate Analysis - May

Job ID: 190-39897-1

## Method: 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Lab Sample ID: LB 480-776905/1-D

Matrix: Water

Analysis Batch: 777227

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 777057

| Analyte              | LB Result | LB Qualifier | RL   | Unit | D | Prepared       | Analyzed       | Dil Fac |
|----------------------|-----------|--------------|------|------|---|----------------|----------------|---------|
| Benzidine            | <1.1      |              | 1.1  | ug/L |   | 06/03/26 09:10 | 06/04/26 15:15 | 1       |
| Nitrosodimethylamine | <0.56     |              | 0.56 | ug/L |   | 06/03/26 09:10 | 06/04/26 15:15 | 1       |
| Tetraethyl lead      | <0.56     |              | 0.56 | ug/L |   | 06/03/26 09:10 | 06/04/26 15:15 | 1       |

| Surrogate                   | LB %Recovery | LB Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|-----------------------------|--------------|--------------|----------|----------------|----------------|---------|
| Phenol-d5 (Surr)            | 52           |              | 31 - 120 | 06/03/26 09:10 | 06/04/26 15:15 | 1       |
| Nitrobenzene-d5 (Surr)      | 129          |              | 66 - 156 | 06/03/26 09:10 | 06/04/26 15:15 | 1       |
| 2-Fluorophenol (Surr)       | 77           |              | 54 - 120 | 06/03/26 09:10 | 06/04/26 15:15 | 1       |
| 2,4,6-Tribromophenol (Surr) | 133          |              | 60 - 152 | 06/03/26 09:10 | 06/04/26 15:15 | 1       |
| p-Terphenyl-d14 (Surr)      | 87           |              | 45 - 132 | 06/03/26 09:10 | 06/04/26 15:15 | 1       |
| 2-Fluorobiphenyl (Surr)     | 93           |              | 60 - 126 | 06/03/26 09:10 | 06/04/26 15:15 | 1       |

Lab Sample ID: MB 480-777057/1-A

Matrix: Water

Analysis Batch: 777227

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 777057

| Analyte              | MB Result | MB Qualifier | RL   | Unit | D | Prepared       | Analyzed       | Dil Fac |
|----------------------|-----------|--------------|------|------|---|----------------|----------------|---------|
| Benzidine            | <1.1      |              | 1.1  | ug/L |   | 06/03/26 09:10 | 06/04/26 13:43 | 1       |
| Nitrosodimethylamine | <0.57     |              | 0.57 | ug/L |   | 06/03/26 09:10 | 06/04/26 13:43 | 1       |
| Tetraethyl lead      | <0.57     |              | 0.57 | ug/L |   | 06/03/26 09:10 | 06/04/26 13:43 | 1       |

| Surrogate                   | MB %Recovery | MB Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|-----------------------------|--------------|--------------|----------|----------------|----------------|---------|
| Phenol-d5 (Surr)            | 51           |              | 31 - 120 | 06/03/26 09:10 | 06/04/26 13:43 | 1       |
| Nitrobenzene-d5 (Surr)      | 121          |              | 66 - 156 | 06/03/26 09:10 | 06/04/26 13:43 | 1       |
| 2-Fluorophenol (Surr)       | 66           |              | 54 - 120 | 06/03/26 09:10 | 06/04/26 13:43 | 1       |
| 2,4,6-Tribromophenol (Surr) | 131          |              | 60 - 152 | 06/03/26 09:10 | 06/04/26 13:43 | 1       |
| p-Terphenyl-d14 (Surr)      | 94           |              | 45 - 132 | 06/03/26 09:10 | 06/04/26 13:43 | 1       |
| 2-Fluorobiphenyl (Surr)     | 99           |              | 60 - 126 | 06/03/26 09:10 | 06/04/26 13:43 | 1       |

Lab Sample ID: LCS 480-777057/2-A

Matrix: Water

Analysis Batch: 777227

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 777057

| Analyte              | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|----------------------|-------------|------------|---------------|------|---|------|-------------|
| Benzidine            | 5.71        | 2.59       |               | ug/L |   | 45   | 5 - 120     |
| Nitrosodimethylamine | 5.71        | 1.90       |               | ug/L |   | 33   | 10 - 120    |
| Tetraethyl lead      | 5.71        | 0.338      | J *           | ug/L |   | 6    | 10 - 200    |

| Surrogate                   | LCS %Recovery | LCS Qualifier | Limits   |
|-----------------------------|---------------|---------------|----------|
| Phenol-d5 (Surr)            | 59            |               | 31 - 120 |
| Nitrobenzene-d5 (Surr)      | 130           |               | 66 - 156 |
| 2-Fluorophenol (Surr)       | 73            |               | 54 - 120 |
| 2,4,6-Tribromophenol (Surr) | 147           |               | 60 - 152 |
| p-Terphenyl-d14 (Surr)      | 95            |               | 45 - 132 |
| 2-Fluorobiphenyl (Surr)     | 98            |               | 60 - 126 |

Eurofins Michigan

# QC Sample Results

Client: Republic Industrial and Energy Solutions  
Project/Site: Monthly Injectate Analysis - May

Job ID: 190-39897-1

## Method: 8081B - Organochlorine Pesticides (GC) - RA

Lab Sample ID: MB 240-704423/1-A

Matrix: Water

Analysis Batch: 704261

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 704423

| Analyte                     | MB Result    | MB Qualifier | RL       | Unit | D | Prepared       | Analyzed       | Dil Fac |
|-----------------------------|--------------|--------------|----------|------|---|----------------|----------------|---------|
| Aldrin - RA                 | <0.013       |              | 0.013    | ug/L |   | 06/04/26 08:35 | 06/04/26 16:04 | 1       |
| Surrogate                   | MB %Recovery | MB Qualifier | Limits   |      |   | Prepared       | Analyzed       | Dil Fac |
| DCB Decachlorobiphenyl - RA | 72           |              | 10 - 137 |      |   | 06/04/26 08:35 | 06/04/26 16:04 | 1       |
| Tetrachloro-m-xylene - RA   | 73           |              | 10 - 120 |      |   | 06/04/26 08:35 | 06/04/26 16:04 | 1       |

Lab Sample ID: LCS 240-704423/2-A

Matrix: Water

Analysis Batch: 704261

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 704423

| Analyte                     | Spike Added   | LCS Result    | LCS Qualifier | Unit | D | %Rec | %Rec Limits |  |
|-----------------------------|---------------|---------------|---------------|------|---|------|-------------|--|
| Aldrin - RA                 | 0.250         | 0.209         |               | ug/L |   | 83   | 23 - 139    |  |
| Surrogate                   | LCS %Recovery | LCS Qualifier | Limits        |      |   |      |             |  |
| DCB Decachlorobiphenyl - RA | 65            |               | 10 - 137      |      |   |      |             |  |
| Tetrachloro-m-xylene - RA   | 71            |               | 10 - 120      |      |   |      |             |  |

## Method: 8290A - Dioxins and Furans (HRGC/HRMS)

Lab Sample ID: MB 140-114696/3-A

Matrix: Water

Analysis Batch: 114895

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 114696

| Analyte                                    | MB Result    | MB Qualifier | RL       | EDL | Unit | D | Prepared       | Analyzed       | Dil Fac |
|--------------------------------------------|--------------|--------------|----------|-----|------|---|----------------|----------------|---------|
| 1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin     | <50          |              | 50       |     | pg/L |   | 06/03/26 10:40 | 06/08/26 13:45 | 1       |
| 1,2,3,4,7,8-HxCDD                          | <50          |              | 50       |     | pg/L |   | 06/03/26 10:40 | 06/08/26 13:45 | 1       |
| 1,2,3,6,7,8-HxCDD                          | <50          |              | 50       |     | pg/L |   | 06/03/26 10:40 | 06/08/26 13:45 | 1       |
| 1,2,3,4,6,7,8,9-Octachlorodibenzofuran     | <100         |              | 100      |     | pg/L |   | 06/03/26 10:40 | 06/08/26 13:45 | 1       |
| 1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin | <100         |              | 100      |     | pg/L |   | 06/03/26 10:40 | 06/08/26 13:45 | 1       |
| 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) | <10          |              | 10       |     | pg/L |   | 06/03/26 10:40 | 06/08/26 13:45 | 1       |
| Total HxCDD                                | <50          |              | 50       |     | pg/L |   | 06/03/26 10:40 | 06/08/26 13:45 | 1       |
| Total TCDD                                 | <10          |              | 10       |     | pg/L |   | 06/03/26 10:40 | 06/08/26 13:45 | 1       |
| Isotope Dilution                           | MB %Recovery | MB Qualifier | Limits   |     |      |   | Prepared       | Analyzed       | Dil Fac |
| 13C-1,2,3,4,7,8-HxCDD                      | 64           |              | 40 - 135 |     |      |   | 06/03/26 10:40 | 06/08/26 13:45 | 1       |
| 13C-1,2,3,6,7,8-HxCDD                      | 68           |              | 40 - 135 |     |      |   | 06/03/26 10:40 | 06/08/26 13:45 | 1       |
| 13C-OCDD                                   | 67           |              | 40 - 135 |     |      |   | 06/03/26 10:40 | 06/08/26 13:45 | 1       |
| 13C-OCDF                                   | 66           |              | 40 - 135 |     |      |   | 06/03/26 10:40 | 06/08/26 13:45 | 1       |
| 13C-2,3,7,8-TCDD                           | 63           |              | 40 - 135 |     |      |   | 06/03/26 10:40 | 06/08/26 13:45 | 1       |

Eurofins Michigan

# QC Sample Results

Client: Republic Industrial and Energy Solutions  
Project/Site: Monthly Injectate Analysis - May

Job ID: 190-39897-1

## Method: 8290A - Dioxins and Furans (HRGC/HRMS) (Continued)

Lab Sample ID: LCS 140-114696/2-A

Matrix: Water

Analysis Batch: 114895

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 114696

| Analyte                                     | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|---------------------------------------------|-------------|------------|---------------|------|---|------|-------------|
| 1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin      | 1000        | 1100       |               | pg/L |   | 110  | 76 - 126    |
| 1,2,3,4,7,8-HxCDD                           | 1000        | 1060       |               | pg/L |   | 106  | 73 - 123    |
| 1,2,3,6,7,8-HxCDD                           | 1000        | 1040       |               | pg/L |   | 104  | 72 - 127    |
| 1,2,3,4,6,7,8,9-Octachlorodibenzofuran      | 2000        | 1970       |               | pg/L |   | 99   | 68 - 132    |
| 1,2,3,4,6,7,8,9-Octachlorodibenz o-p-dioxin | 2000        | 1970       |               | pg/L |   | 99   | 75 - 125    |
| 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD)  | 200         | 213        |               | pg/L |   | 107  | 77 - 127    |

| Isotope Dilution      | LCS       |           | Limits   |
|-----------------------|-----------|-----------|----------|
|                       | %Recovery | Qualifier |          |
| 13C-1,2,3,4,7,8-HxCDD | 68        |           | 40 - 135 |
| 13C-1,2,3,6,7,8-HxCDD | 72        |           | 40 - 135 |
| 13C-OCDD              | 89        |           | 40 - 135 |
| 13C-OCDF              | 83        |           | 40 - 135 |
| 13C-2,3,7,8-TCDD      | 67        |           | 40 - 135 |



## Definitions/Glossary

Client: Republic Industrial and Energy Solutions  
Project/Site: Monthly Injectate Analysis - May

Job ID: 190-39897-1

### Qualifiers

#### GC/MS Semi VOA

| Qualifier | Qualifier Description                                                                                          |
|-----------|----------------------------------------------------------------------------------------------------------------|
| *-        | LCS and/or LCSD is outside acceptance limits, low biased.                                                      |
| J         | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |
| S1-       | Surrogate recovery exceeds control limits, low biased.                                                         |

#### GC Semi VOA


| Qualifier | Qualifier Description                                                                                     |
|-----------|-----------------------------------------------------------------------------------------------------------|
| p         | The %RPD between the primary and confirmation column/detector is >40%. The lower value has been reported. |
| S1-       | Surrogate recovery exceeds control limits, low biased.                                                    |

### Glossary

| Abbreviation   | These commonly used abbreviations may or may not be present in this report.                                 |
|----------------|-------------------------------------------------------------------------------------------------------------|
| ☼              | Listed under the "D" column to designate that the result is reported on a dry weight basis                  |
| %R             | Percent Recovery                                                                                            |
| CFL            | Contains Free Liquid                                                                                        |
| CFU            | Colony Forming Unit                                                                                         |
| CNF            | Contains No Free Liquid                                                                                     |
| DER            | Duplicate Error Ratio (normalized absolute difference)                                                      |
| Dil Fac        | Dilution Factor                                                                                             |
| DL             | Detection Limit (DoD/DOE)                                                                                   |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC            | Decision Level Concentration (Radiochemistry)                                                               |
| EDL            | Estimated Detection Limit (Dioxin)                                                                          |
| LOD            | Limit of Detection (DoD/DOE)                                                                                |
| LOQ            | Limit of Quantitation (DoD/DOE)                                                                             |
| MCL            | EPA recommended "Maximum Contaminant Level"                                                                 |
| MDA            | Minimum Detectable Activity (Radiochemistry)                                                                |
| MDC            | Minimum Detectable Concentration (Radiochemistry)                                                           |
| MDL            | Method Detection Limit                                                                                      |
| ML             | Minimum Level (Dioxin)                                                                                      |
| MPN            | Most Probable Number                                                                                        |
| MQL            | Method Quantitation Limit                                                                                   |
| NC             | Not Calculated                                                                                              |
| ND             | Not Detected at the reporting limit (or MDL or EDL if shown)                                                |
| NEG            | Negative / Absent                                                                                           |
| POS            | Positive / Present                                                                                          |
| PQL            | Practical Quantitation Limit                                                                                |
| PRES           | Presumptive                                                                                                 |
| QC             | Quality Control                                                                                             |
| RER            | Relative Error Ratio (Radiochemistry)                                                                       |
| RL             | Reporting Limit or Requested Limit (Radiochemistry)                                                         |
| RPD            | Relative Percent Difference, a measure of the relative difference between two points                        |
| TEF            | Toxicity Equivalent Factor (Dioxin)                                                                         |
| TEQ            | Toxicity Equivalent Quotient (Dioxin)                                                                       |
| TNTC           | Too Numerous To Count                                                                                       |

**eurofins** | Environment Testing

~~Page 12 of 17~~



Environment Testing  
TestAmerica

☐ SDS or Known Hazard Information Supplied by Client

☐ Discrepancies

☐ Short Hold

☐ Rush ☐ 24 Hr ☐ 2-Day ☐ 3-Day ☐ 5-Day ☐ Other:

Receipt Evaluation Performed by: Initials: Fu Date: 6/1 Time: 1345

Client ID: RIES

Work Order #: 39897

### Cooler / Sample Receipt

After hours receipt: complete gray

areas. Place cooler in walk-in, place

form in Receiving box. Date: \_\_\_\_\_ Time: \_\_\_\_\_

### Method of Shipment:

Walk-In Client Eurofins TA Field/Courier

Other Client / 3<sup>rd</sup> Party Courier: \_\_\_\_\_

Fed.Ex Tracking #: \_\_\_\_\_

UPS Tracking #: \_\_\_\_\_

Other: \_\_\_\_\_

### Shipping Container Type:

☒ Cooler ☐ Box

☐ None ☐ Other: \_\_\_\_\_

### Packing Materials:

☒ Plastic Bags ☐ Foam

☒ Bubble Wrap ☐ Paper

☐ Packing Peanuts ☐ None

☐ Other: \_\_\_\_\_

### Custody Seals Intact:

☐ Yes ☐ No

☒ NA (not used or required)

### Cooling Materials:

☒ Ice (Solid) ☐ Ice (Melted)

☐ Blue Ice ☐ None

☐ Other: \_\_\_\_\_

| Bacteriological Samples | Temp Corrected (°C) | Frozen? | Rec'd Within 2 Hrs? | Sample Flagged? |
|-------------------------|---------------------|---------|---------------------|-----------------|
|                         |                     | Yes No  | Yes No              | Yes No          |

Received on same day sampled? Yes No

Additional Sheets Required? Yes No

### Receipt Temperatures

Thermometer ID Observed (°C) Corrected (°C) Temp Blank Sample Temp Acceptable Cooler ID Affected Samples

|                   |             |             |  |  |                   |  |  |
|-------------------|-------------|-------------|--|--|-------------------|--|--|
| <u>CP113204</u>   | <u>9.9°</u> | <u>9.9°</u> |  |  | <u>Y</u> <u>N</u> |  |  |
| <u>CLE-IR-001</u> | <u>9.9°</u> | <u>9.9°</u> |  |  | <u>Y</u> <u>N</u> |  |  |
|                   |             |             |  |  | <u>Y</u> <u>N</u> |  |  |

| Receipt Questions**                                                                                                                                                                                       | Y                                   | N | NA                                  | "No" answers require additional comment  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|---|-------------------------------------|------------------------------------------|
| CoC present and ETA receipt signature, date, and time properly documented?                                                                                                                                | <input checked="" type="checkbox"/> |   |                                     |                                          |
| Containers and Labels in good condition? (unbroken, not leaking, appropriately filled, labels legible & attached)                                                                                         | <input checked="" type="checkbox"/> |   |                                     |                                          |
| Appropriate containers used and adequate volume provided?                                                                                                                                                 | <input checked="" type="checkbox"/> |   |                                     | Preserved bottles checked for pH? Yes No |
| Number of sample containers match CoC?                                                                                                                                                                    | <input checked="" type="checkbox"/> |   |                                     | pH strip lot # _____                     |
| Samples received within hold?                                                                                                                                                                             | <input checked="" type="checkbox"/> |   |                                     |                                          |
| Samples submitted for GRO and Volatiles analysis (8260, 624, 524) received without headspace?                                                                                                             |                                     |   | <input checked="" type="checkbox"/> |                                          |
| Was a Trip Blank received with VOA samples?                                                                                                                                                               |                                     |   | <input checked="" type="checkbox"/> |                                          |
| Were the samples free of any questionable physical conformities? (i.e.; field duplicates or multiple bottles of the same sample do not significantly vary in appearance - color, solid proportions, etc.) | <input checked="" type="checkbox"/> |   |                                     |                                          |
| Were the CoC bottle labels and all other items free of all other discrepancies or issues that would need to be addressed with the Project Manager and/or Client?                                          | <input checked="" type="checkbox"/> |   |                                     |                                          |
| **May not be applicable if samples are not for compliance testing                                                                                                                                         |                                     |   |                                     | *Excludes FOG, VOAs, TOC Vials, HEM      |

### Client Contact Record

Contact Via: ☐ Phone ☐ Email ☐ Other: \_\_\_\_\_ Person Contacted: \_\_\_\_\_ Date/Time: \_\_\_\_\_

☐ Discrepancy allowance agreement is on record in the client project file

Discussion / Resolution

Any additional documentation and clarification from the client must be noted in the narrative and/or scanned into the CoC directory.

Reviewed by [Signature] Date: 6/1/20

WI-MI-010\_020720



Temperature readings: \_\_\_\_\_

| <u>Client Sample ID</u>  | <u>Lab ID</u> | <u>Container Type</u>             | <u>Container</u><br><u>pH</u> | <u>Temp</u> | <u>Preservation</u><br><u>Added</u> | <u>Preservation</u><br><u>Lot Number</u> |
|--------------------------|---------------|-----------------------------------|-------------------------------|-------------|-------------------------------------|------------------------------------------|
| Injectable Comp May 2026 | 190-39897-A-1 | Amber Glass 1 liter - unpreserved | _____                         | _____       | _____                               | _____                                    |
| Injectable Comp May 2026 | 190-39897-B-1 | Amber Glass 1 liter - unpreserved | _____                         | _____       | _____                               | _____                                    |
| Injectable Comp May 2026 | 190-39897-C-1 | Amber Glass 250ml - unpreserved   | _____                         | _____       | _____                               | _____                                    |
| Injectable Comp May 2026 | 190-39897-D-1 | Amber Glass 250ml - unpreserved   | _____                         | _____       | _____                               | _____                                    |
| Injectable Comp May 2026 | 190-39897-E-1 | Amber Glass 250ml - unpreserved   | _____                         | _____       | _____                               | _____                                    |





| Client Information (Sub Contract Lab)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                    |                         |             |  |  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------|-------------------------|-------------|--|--|
| Sampler:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Lab PM:                            | Carrier Tracking No(s): | COC No:     |  |  |
| N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Olszowska, Debbie                  | N/A                     | 190-45248.1 |  |  |
| Phone:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | E-Mail:                            | State of Origin:        | Page:       |  |  |
| N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Debbie.Olszowska@et.eurofinsus.com | Michigan                | Page 1 of 1 |  |  |
| Company: TestAmerica Laboratories, Inc.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                    |                         |             |  |  |
| Accreditations Required (See note): N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                    |                         |             |  |  |
| Job #: 190-39897-1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                    |                         |             |  |  |
| Preservation Codes:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                    |                         |             |  |  |
| Due Date Requested:<br>6/8/2026                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                    |                         |             |  |  |
| TAT Requested (days):<br>N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                    |                         |             |  |  |
| City:<br>Knoxville                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                    |                         |             |  |  |
| State, Zip:<br>TN, 37921                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                    |                         |             |  |  |
| Phone:<br>865-291-3000(Tel) 865-584-4315(Fax)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                    |                         |             |  |  |
| Email:<br>N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                    |                         |             |  |  |
| Project Name:<br>Monthly Injectate Analysis - May                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                    |                         |             |  |  |
| Site:<br>N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                    |                         |             |  |  |
| SSOW#: N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                    |                         |             |  |  |
| WO #: N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                    |                         |             |  |  |
| PO #: N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                    |                         |             |  |  |
| Matrix<br>(W=water,<br>S=solid,<br>O=wastewater,<br>BT=tissue, A=air)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                    |                         |             |  |  |
| Sample Type<br>(C=Comp,<br>G=grab)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                    |                         |             |  |  |
| Sample Time                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                    |                         |             |  |  |
| Sample Date                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                    |                         |             |  |  |
| Preservation Code:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                    |                         |             |  |  |
| Field Filtered Sample (Yes or No)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                    |                         |             |  |  |
| Perform MS/MSD (Yes or No)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                    |                         |             |  |  |
| 8290A/8290_P_SepDioxins - Knoxville                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                    |                         |             |  |  |
| Total Number of containers                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                    |                         |             |  |  |
| Special Instructions/Note:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                    |                         |             |  |  |
| Injectable Comp May 2026 (190-39897-1)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                    |                         |             |  |  |
| Custody seal Intact                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                    |                         |             |  |  |
| Received at RT 0.2/ct 0.5c                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                    |                         |             |  |  |
| CAR 6-2-26                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                    |                         |             |  |  |
| Fedexp#872495102787                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                    |                         |             |  |  |
| Barcode                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                    |                         |             |  |  |
| 190-39897 Chain of Custody                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                    |                         |             |  |  |
| Note: Since laboratory accreditations are subject to change, Eurofins Environment Testing North Central, LLC places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed, the samples must be shipped back to the Eurofins Environment Testing North Central, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Environment Testing North Central, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Environment Testing North Central, LLC. |                                    |                         |             |  |  |
| Possible Hazard Identification                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                    |                         |             |  |  |
| Unconfirmed                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                    |                         |             |  |  |
| Deliverable Requested: I, II, III, IV, Other (specify)<br>Primary Deliverable Rank: 2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                    |                         |             |  |  |
| Date: _____ Time: _____ Method of Shipment: _____                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                    |                         |             |  |  |
| Empty Kit Relinquished by: _____                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                    |                         |             |  |  |
| Relinquished by: _____ Date/Time: 6/11/26 12:06 Company: CETA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                    |                         |             |  |  |
| Relinquished by: _____ Date/Time: _____ Company: _____                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                    |                         |             |  |  |
| Relinquished by: _____ Date/Time: _____ Company: _____                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                    |                         |             |  |  |
| Custody Seal No.: _____                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                    |                         |             |  |  |
| Custody Seals Intact: Δ Yes Δ No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                    |                         |             |  |  |
| Cooler Temperature(s) °C and Other Remarks:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                    |                         |             |  |  |

EUROFINS KNOXVILLE SAMPLE RECEIPT/CONDITION UPON RECEIPT ANOMALY CHECKLIST Log In Number:

| Review Items                                                                                                                                                  | Yes | No | NA | If No, what was the problem?                                                                                                                          | Comments/Actions Taken |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|----|-------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|
| 1. Are the shipping containers intact?                                                                                                                        | /   |    |    | <input type="checkbox"/> Containers, Broken                                                                                                           |                        |
| 2. Were ambient air containers received intact?                                                                                                               |     |    | /  | <input type="checkbox"/> Checked in lab                                                                                                               |                        |
| 3. The coolers/containers custody seal if present, is it intact?                                                                                              | /   |    |    | <input type="checkbox"/> Yes<br><input type="checkbox"/> NA                                                                                           |                        |
| 4. Is the cooler temperature within limits? (> freezing temp. of water to 6°C. VOST: 10°C)<br>Thermometer ID : <u>5676</u><br>Correction factor: <u>0.3°C</u> | /   |    |    | <input type="checkbox"/> Cooler Out of Temp, Client Contacted, Proceed/Cancel<br><input type="checkbox"/> Cooler Out of Temp, Same Day Receipt        |                        |
| 5. Were all of the sample containers received intact?                                                                                                         | /   |    |    | <input type="checkbox"/> Containers, Broken                                                                                                           |                        |
| 6. Were samples received in appropriate containers?                                                                                                           | /   |    |    | <input type="checkbox"/> Containers, Improper; Client Contacted; Proceed/Cancel                                                                       |                        |
| 7. Do sample container labels match COC? (IDs, Dates, Times)                                                                                                  | /   |    |    | <input type="checkbox"/> COC & Samples Do Not Match<br><input type="checkbox"/> COC Incorrect/Incomplete<br><input type="checkbox"/> COC Not Received |                        |
| 8. Were all of the samples listed on the COC received?                                                                                                        | /   |    |    | <input type="checkbox"/> Sample Received, Not on COC<br><input type="checkbox"/> Sample on COC, Not Received                                          |                        |
| 9. Is the date/time of sample collection noted?                                                                                                               | /   |    |    | <input type="checkbox"/> COC; No Date/Time; Client Contacted                                                                                          |                        |
| 10. Was the sampler identified on the COC?                                                                                                                    |     |    | /  | <input type="checkbox"/> Sampler Not Listed on COC                                                                                                    |                        |
| 11. Is the client and project name/# identified?                                                                                                              | /   |    |    | <input type="checkbox"/> COC Incorrect/Incomplete                                                                                                     |                        |
| 12. Are tests/parameters listed for each sample?                                                                                                              | /   |    |    | <input type="checkbox"/> COC No tests on COC                                                                                                          |                        |
| 13. Is the matrix of the samples noted?                                                                                                                       | /   |    |    | <input type="checkbox"/> COC Incorrect/Incomplete                                                                                                     |                        |
| 14. Was COC relinquished? (Signed/Dated/Timed)                                                                                                                | /   |    |    | <input type="checkbox"/> COC Incorrect/Incomplete                                                                                                     |                        |
| 15. Were samples received within holding time?                                                                                                                | /   |    |    | <input type="checkbox"/> Holding Time - Receipt                                                                                                       |                        |
| 16. Were samples received with correct chemical preservative (excluding Encore)?                                                                              |     |    | /  | <input type="checkbox"/> pH Adjusted, pH Included (See box 16A)<br><input type="checkbox"/> Incorrect Preservative                                    |                        |
| 17. Were VOA samples received without headspace?                                                                                                              |     |    | /  | <input type="checkbox"/> Headspace (VOA only)                                                                                                         |                        |
| 18. Did you check for residual chlorine, if necessary? (e.g. 1613B, 1668)<br>Chlorine test strip LIMS container number: _____                                 |     |    | /  | <input type="checkbox"/> Residual Chlorine                                                                                                            |                        |
| 19. For 1613B water samples is pH<9?                                                                                                                          |     |    | /  | <input type="checkbox"/> If no, notify lab to adjust                                                                                                  |                        |
| 20. For rad samples was sample activity info. Provided?                                                                                                       |     |    | /  | <input type="checkbox"/> Project missing info                                                                                                         |                        |
| Project #: _____ PM Instructions: _____                                                                                                                       |     |    |    |                                                                                                                                                       |                        |

Labeling Verified by: \_\_\_\_\_ Date: \_\_\_\_\_  
 pH test strip LIMS number: \_\_\_\_\_  
 Box 16A: pH Preservation \_\_\_\_\_  
 Box 18A: Residual Chlorine \_\_\_\_\_  
 Preservative: \_\_\_\_\_  
 LIMS Number: \_\_\_\_\_  
 Exp Date: \_\_\_\_\_  
 Analyst: \_\_\_\_\_  
 Date: \_\_\_\_\_  
 Time: \_\_\_\_\_

Sample Receiving Associate: W Date: 6-2-26 QA026R34.doc, 10/24/25

# Isotope Dilution Summary

Client: Republic Industrial and Energy Solutions  
Project/Site: Monthly Injectate Analysis - May

Job ID: 190-39897-1

Method: 8290A - Dioxins and Furans (HRGC/HRMS)

Matrix: Water

Prep Type: Total/NA

|                    |                         | Percent Isotope Dilution Recovery (Acceptance Limits) |                  |                  |                  |                  |
|--------------------|-------------------------|-------------------------------------------------------|------------------|------------------|------------------|------------------|
| Lab Sample ID      | Client Sample ID        | HxCDD<br>(40-135)                                     | HxDD<br>(40-135) | OCDD<br>(40-135) | OCDF<br>(40-135) | TCDD<br>(40-135) |
| 190-39897-1        | Injectate Comp May 2026 | 54                                                    | 58               | 52               | 53               | 59               |
| LCS 140-114696/2-A | Lab Control Sample      | 68                                                    | 72               | 89               | 83               | 67               |
| MB 140-114696/3-A  | Method Blank            | 64                                                    | 68               | 67               | 66               | 63               |

## Surrogate Legend

HxCDD = 13C-1,2,3,4,7,8-HxCDD

HxDD = 13C-1,2,3,6,7,8-HxCDD

OCDD = 13C-OCDD

OCDF = 13C-OCDF

TCDD = 13C-2,3,7,8-TCDD